

## Supplementary Materials 1: Quantitative review full text excludes with reasons for exclusion

**Table 1.** Full text excludes for quantitative review with reasons for exclusion (n=1037)

	<b>Average age of population &lt;60 (n=126) (PRISMA flow diagram code: AGE)</b>
1	Aida N, Shibuya M, Yoshino K, Komoda M, Inoue T. Respiratory muscle stretch gymnastics in patients with post coronary artery bypass grafting pain: impact on respiratory muscle function, activity, mood and exercise capacity. <i>Journal of Medical &amp; Dental Sciences</i> 2002;49:157-70.
2	Al Chalabi H, Kavanagh DO, Hassan L, Donnell KO, Nugent E, Andrews E, et al. The benefit of an enhanced recovery programme following elective laparoscopic sigmoid colectomy. <i>International Journal of Colorectal Disease</i> 2010;25:761-6.
3	AlBalawi Z, Gramlich L, Nelson G, Senior P, Youngson E, McAlister FA. The Impact of the Implementation of the Enhanced Recovery After Surgery (ERAS <sup>R</sup> ) Program in an Entire Health System: A Natural Experiment in Alberta, Canada. <i>World Journal of Surgery</i> 2018;42:2691-700.
4	AlSaleh K, Murrad K, AlZakri A, Alrehaili O, Awwad W. Enhanced Recovery Pathway in Adults Undergoing Elective Posterior Thoracolumbar Fusion Surgery: Outcomes Compared with a Traditional Care Pathway. <i>Advances in Orthopedics</i> 2021;2021. <a href="https://doi.org/10.1155/2021/6204831">https://doi.org/10.1155/2021/6204831</a>
5	Andersen J, Kehlet H. Fast track open ileo-colic resections for Crohn's disease. <i>Colorectal Disease</i> 2005;7:394-7. <a href="https://doi.org/10.1111/j.1463-1318.2005.00788.x">https://doi.org/10.1111/j.1463-1318.2005.00788.x</a>
6	Aronov D, Bubnova M, Iosseliani D, Orekhov A. Clinical Efficacy of a Medical Centre- and Home-based Cardiac Rehabilitation Program for Patients with Coronary Heart Disease After Coronary Bypass Graft Surgery. <i>Archives of Medical Research</i> 2019;50:122-32.
7	Au D, Matthew AG, Lopez P, Hilton WJ, Awasthi R, Bousquet-Dion G, et al. Prehabilitation and acute postoperative physical activity in patients undergoing radical prostatectomy: a secondary analysis from an RCT. <i>Sports Med Open</i> 2019;5:18. <a href="https://doi.org/10.1186/s40798-019-0191-2">https://doi.org/10.1186/s40798-019-0191-2</a>
8	Bednarski BK, Nickerson TP, Messick CA, You Y, Speer BB, Gottumukkala V, et al. Accelerated enhanced recovery following minimally invasive colorectal cancer surgery (RecoverMI): results of a prospective phase 2 randomized controlled trial. <i>Diseases of the colon and rectum</i> 2018;61:e46-. <a href="https://doi.org/10.1097/DCR.0000000000001104">https://doi.org/10.1097/DCR.0000000000001104</a>
9	Bednarski BK, Nickerson TP, You YN, Messick CA, Speer B, Gottumukkala V, et al. Randomized clinical trial of accelerated enhanced recovery after minimally invasive colorectal cancer surgery (RecoverMI trial). <i>British journal of surgery</i> 2019;106:1311-8. <a href="https://doi.org/10.1002/bjs.11223">https://doi.org/10.1002/bjs.11223</a>
10	Benedetti MG, Cavazzuti L, Amabile M, Tassinari E, Valente G, Zanotti G, et al. Abductor muscle strengthening in THA patients operated with minimally invasive anterolateral approach for developmental hip dysplasia. <i>Hip international</i> 2019; 10.1177/1120700019877174:1120700019877174. <a href="https://doi.org/10.1177/1120700019877174">https://doi.org/10.1177/1120700019877174</a>
11	Bernard L, McGinnis JM, Su J, Alyafi M, Palmer D, Potts L, et al. Thirty-day outcomes

	after gynecologic oncology surgery: A single-center experience of enhanced recovery after surgery pathways. <i>Acta Obstetrica et Gynecologica Scandinavica</i> 2021;100:353-61.
12	Biscup-Horn PJ, Streiff MB, Ulbrich TR, Nesbit TW, Shermock KM. Impact of an inpatient anticoagulation management service on clinical outcomes. <i>Annals of Pharmacotherapy</i> 2008;42:777-82.
13	Boden I, El-Ansary D, Zalucki N, Robertson IK, Browning L, Skinner EH, et al. Physiotherapy education and training prior to upper abdominal surgery is memorable and has high treatment fidelity: a nested mixed-methods randomised-controlled study. <i>Physiotherapy</i> 2018;104:194-202. <a href="https://doi.org/10.1016/j.physio.2017.08.008">https://doi.org/10.1016/j.physio.2017.08.008</a>
14	Boitano TKL, Smith HJ, Cohen AC, Todd A, Leath Iii CA, Straughn JM, Jr. An enhanced recovery protocol decreases complication rates in high-risk gynecologic oncology patients undergoing non-emergent laparotomy. <i>International journal of gynecological cancer : official journal of the International Gynecological Cancer Society</i> 2021;31:721-6. <a href="https://doi.org/https://dx.doi.org/10.1136/ijgc-2020-002270">https://doi.org/https://dx.doi.org/10.1136/ijgc-2020-002270</a>
15	Bond DS, Graham Thomas J, Vithiananthan S, Webster J, Unick J, Ryder BA, et al. Changes in enjoyment, self-efficacy, and motivation during a randomized trial to promote habitual physical activity adoption in bariatric surgery patients. <i>Surgery for obesity and related diseases</i> 2016;12:1072-9. <a href="https://doi.org/10.1016/j.soard.2016.02.009">https://doi.org/10.1016/j.soard.2016.02.009</a>
16	Borys C, Lutz J, Strauss B, Altmann U. Effectiveness of a Multimodal Therapy for Patients with Chronic Low Back Pain Regarding Pre-Admission Healthcare Utilization. <i>PloS one</i> 2015;10:e0143139. <a href="https://doi.org/10.1371/journal.pone.0143139">https://doi.org/10.1371/journal.pone.0143139</a>
17	Broder MS, Bovone S. Improving treatment outcomes with a clinical pathway for hysterectomy and myomectomy. <i>Journal of Reproductive Medicine for the Obstetrician and Gynecologist</i> 2002;47:999-1003.
18	Chang WC, Lee CC, Wu HC, Yeh LS. Laparoscopy-assisted vaginal hysterectomy clinical pathway: A multivariate analysis of impact on costs and quality of care. <i>Gynecologic and Obstetric Investigation</i> 2003;55:231-4.
19	Chang YL, Tsai YF, Hsu CL, Chao YK, Hsu CC, Lin KC. The effectiveness of a nurse-led exercise and health education informatics program on exercise capacity and quality of life among cancer survivors after esophagectomy: A randomized controlled trial. <i>International journal of nursing studies</i> 2020;101:103418.
20	Chapman JS, Roddy E, Ueda S, Brooks R, Chen LL, Chen LM. Enhanced recovery pathways for improving outcomes after minimally invasive gynecologic oncology surgery. <i>Obstetrics and Gynecology</i> 2016;128:138-44.
21	Cherney RL, Pandian V, Ninan A, Eastman D, Barnes B, King E, et al. The Trach Trail: A Systems-Based Pathway to Improve Quality of Tracheostomy Care and Interdisciplinary Collaboration. <i>Otolaryngology - Head and Neck Surgery (United States)</i> 2020;163:232-43.
22	Chow MS, Haller L, Chambers T, Reder L, O'Dell K. Comparison of tracheal resection outcomes at a university hospital vs county hospital setting. <i>Laryngoscope Investigative Otolaryngology</i> 2021;6:277-82.
23	Cortez AR, Kassam AF, Levinsky NC, Jung AD, Daly MC, Shah SA, et al. Enhanced recovery protocol improves postoperative outcomes and minimizes narcotic use

	following resection for colon and rectal cancer. <i>Surgery Open Science</i> 2019;1:74-9.
24	D'Andrea AP, Khetan P, Miller R, Sylla P, Divino CM. Outcomes After Bowel Resection for Inflammatory Bowel Disease in the Era of Surgical Care Bundles and Enhanced Recovery. <i>Journal of Gastrointestinal Surgery</i> 2020;24:123-31.
25	Damle A, Bauer PS, Atallah C, Rosen DR, Peck VA, Hunt SR, et al. A Multidisciplinary Ambulation Protocol to Reduce Postoperative Venous Thromboembolism after Colorectal Surgery. <i>Journal of Clinical Outcomes Management</i> 2020;27:175-81.
26	Doman DM, Gerlinger TL. Total joint arthroplasty cost savings with a rapid recovery protocol in a military medical center. <i>Military Medicine</i> 2012;177:64-9.
27	Dominique I, Palamara C, Seizilles De Mazancourt E, Ecochard R, Hacquard H, Tremblais B, et al. Enhanced Recovery after Robot-Assisted Partial Nephrectomy for Cancer: Is it Better for Patients to Have a Quick Discharge? <i>Urologia internationalis</i> 2021;105:499-506. <a href="https://doi.org/https://dx.doi.org/10.1159/000505757">https://doi.org/https://dx.doi.org/10.1159/000505757</a>
28	Dominique I, Palamara C, Seizilles De Mazancourt E, Ecochard R, Hacquard H, Tremblais B, et al. Enhanced Recovery after Robot-Assisted Partial Nephrectomy for Cancer: Is it Better for Patients to Have a Quick Discharge? <i>Urologia Internationalis</i> 2021.
29	Dos Santos FV, Cipriano G, Vieira L, Güntzel Chiappa AM, Cipriano GBF, Vieira P, et al. Neuromuscular electrical stimulation combined with exercise decreases duration of mechanical ventilation in ICU patients: a randomized controlled trial. <i>Physiotherapy theory and practice</i> 2020;36:580-8. <a href="https://doi.org/10.1080/09593985.2018.1490363">https://doi.org/10.1080/09593985.2018.1490363</a>
30	Evans RS, Kuttler KG, Simpson KJ, Howe S, Crossno PF, Johnson KV, et al. Automated detection of physiologic deterioration in hospitalized patients. <i>Journal of the American Medical Informatics Association</i> 2015;22:350-60.
31	Fields AC, Dionigi B, Scully RE, Stopfkuchen-Evans MF, Maldonado L, Henry A, et al. Reduction in Cardiac Arrhythmias Within an Enhanced Recovery After Surgery Program in Colorectal Surgery. <i>Journal of Gastrointestinal Surgery</i> 2020;24:1158-64.
32	Flo A, Rodriguez M, Moret E, Roca G, Sarinena M, Escudero A. Acute and chronic post-sternotomy pain before and after implementation of an ultra fast-track protocol in cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> 2011;1):S35.
33	Fridman A, Larson SB, Kumar S, Lacqua F, Gadangi P, Ferzli G. Application of a fast track protocol for colorectal surgery in a community hospital. <i>Surgical Endoscopy and Other Interventional Techniques</i> 2011;1):S279.
34	Giarelli E, McCorkle R, Monturo C. Caring for a spouse after prostate surgery: the preparedness needs of wives. <i>Journal of Family Nursing</i> 2003;9:453-85. <a href="https://doi.org/10.1177/1074840703258317">https://doi.org/10.1177/1074840703258317</a>
35	Goyal N, Chen A, Padgett S, Tan T, Kheir M, Hopper R, et al. Otto Aufranc Award: A Multicenter, Randomized Study of Outpatient versus Inpatient Total Hip Arthroplasty. <i>Clinical Orthopaedics &amp; Related Research</i> ® 2017;475:364-72. <a href="https://doi.org/10.1007/s11999-016-4915-z">https://doi.org/10.1007/s11999-016-4915-z</a>
36	Grant MC, Pio Roda CM, Canner JK, Sommer P, Galante D, Hobson D, et al. The Impact of Anesthesia-Influenced Process Measure Compliance on Length of Stay: Results From an Enhanced Recovery After Surgery for Colorectal Surgery Cohort. <i>Anesthesia &amp; Analgesia</i> 2019;128:68-74.

37	Halawa A, Rowe S, Roberts F, Nathan C, Hassan A, Kumar A, et al. A Better Journey for Patients, a Better Deal for the NHS: The Successful Implementation of an Enhanced Recovery Program After Renal Transplant Surgery. <i>Experimental &amp; Clinical Transplantation: Official Journal of the Middle East Society for Organ Transplantation</i> 2018;16:127-32.
38	Harrison RF, Li Y, Guzman A, Pitcher B, Rodriguez-Restrepo A, Cain KE, et al. Impact of implementation of an enhanced recovery program in gynecologic surgery on healthcare costs. <i>American Journal of Obstetrics and Gynecology</i> 2020;222:66.e1-.e9.
39	Hart L, Frankel R, Crooke G, Noto S, Moors MA, Granger BB. Promoting Early Mobility in Patients After Transcatheter Aortic Valve Replacement: An Evidence-Based Protocol. <i>Critical care nurse</i> 2021;41:e9-e16. <a href="https://doi.org/https://dx.doi.org/10.4037/ccn2021925">https://doi.org/https://dx.doi.org/10.4037/ccn2021925</a>
40	Hassinger TE, Turrentine FE, Thiele RH, Sarosiek BM, McMurry TL, Friel CM, et al. Acute Kidney Injury in the Age of Enhanced Recovery Protocols. <i>Diseases of the Colon &amp; Rectum</i> 2018;61:946-54.
41	Haugen AS, Softeland E, Almeland SK, Sevdalis N, Vonen B, Eide GE, et al. Effect of the World Health Organization checklist on patient outcomes: a stepped wedge cluster randomized controlled trial. <i>Annals of Surgery</i> 2015;261:821-8.
42	Hawkins AT, Geiger TM, King AB, Wanderer JP, Tiwari V, Muldoon RL, et al. An enhanced recovery program in colorectal surgery is associated with decreased organ level rates of complications: a difference-in-differences analysis. <i>Surgical Endoscopy</i> 2019;33:2222-30.
43	Henneman E, Dracup K, Ganz T, Molayeme O, Cooper C. Effect of a collaborative weaning plan on patient outcome in the critical care setting. <i>Critical care medicine</i> 2001;29:297-303. <a href="https://doi.org/10.1097/00003246-200102000-00013">https://doi.org/10.1097/00003246-200102000-00013</a>
44	Holland DE, Hemann MA. Standardizing hospital discharge planning at the Mayo Clinic. <i>Joint Commission Journal on Quality &amp; Patient Safety</i> 2011;37:29-36.
45	Hubner M, Muller S, Schafer M, Clavien PA, Demartines N. Impact of the nutritional risk score in fast-track colon surgery. <i>Digestive Surgery</i> 2010;27:436-9.
46	Hübner M, Schäfer M, Demartines N, Müller S, Maurer K, Baulig W, et al. Impact of restrictive intravenous fluid replacement and combined epidural analgesia on perioperative volume balance and renal function within a Fast Track program. <i>Journal of surgical research</i> 2012;173:68-74. <a href="https://doi.org/10.1016/j.jss.2010.08.051">https://doi.org/10.1016/j.jss.2010.08.051</a>
47	Innes HE, Smith DB, O'Reilly SM, Clark PI, Kelly V, Marshall E. Oral antibiotics with early hospital discharge compared with in-patient intravenous antibiotics for low-risk febrile neutropenia in patients with cancer: a prospective randomised controlled single centre study. <i>British journal of cancer</i> 2003;89:43-9. <a href="https://doi.org/10.1038/sj.bjc.6600993">https://doi.org/10.1038/sj.bjc.6600993</a>
48	Jaggers JR, Simpson CD, Frost KL, Quesada PM, Topp RV, Swank AM, et al. Prehabilitation before knee arthroplasty increases postsurgical function: a case study. <i>Journal of Strength &amp; Conditioning Research</i> 2007;21:632-4.
49	Johnson K, Razo S, Smith J, Cain A, Soper K. Optimize patient outcomes among females undergoing gynecological surgery: a randomized controlled trial. <i>Applied nursing research</i> 2019;45:39-44. <a href="https://doi.org/10.1016/j.apnr.2018.12.005">https://doi.org/10.1016/j.apnr.2018.12.005</a>
50	Jørgensen H, Fomsgaard JS, Dirks J, Wetterslev J, Andreasson B, Dahl JB. Effect of peri-

	and postoperative epidural anaesthesia on pain and gastrointestinal function after abdominal hysterectomy. <i>British journal of anaesthesia</i> 2001;87:577-83. <a href="https://doi.org/10.1093/bja/87.4.577">https://doi.org/10.1093/bja/87.4.577</a>
51	Joshi TV, Bruce SF, Grim R, Buchanan T, Jr., Chatterjee-Paer S, Burton ER, et al. Implementation of an enhanced recovery protocol in gynecologic oncology. <i>Gynecologic oncology reports</i> 2021;36:100771. <a href="https://doi.org/https://dx.doi.org/10.1016/j.gore.2021.100771">https://doi.org/https://dx.doi.org/10.1016/j.gore.2021.100771</a>
52	Kang SH, Lee Y, Min SH, Park Y, Ahn SH, Park DJ, et al. Multimodal Enhanced Recovery After Surgery (ERAS) Program is the Optimal Perioperative Care in Patients Undergoing Totally Laparoscopic Distal Gastrectomy for Gastric Cancer: A Prospective, Randomized, Clinical Trial. <i>Annals of Surgical Oncology</i> 2018;25:3231-8. <a href="https://doi.org/10.1245/s10434-018-6625-0">https://doi.org/10.1245/s10434-018-6625-0</a>
53	Kang SH, Lee Y, Min SH, Park YS, Ahn SH, Park DJ, et al. Multimodal Enhanced Recovery After Surgery (ERAS) Program is the Optimal Perioperative Care in Patients Undergoing Totally Laparoscopic Distal Gastrectomy for Gastric Cancer: a Prospective, Randomized, Clinical Trial. <i>Annals of surgical oncology</i> 2018;25:3231-8. <a href="https://doi.org/10.1245/s10434-018-6625-0">https://doi.org/10.1245/s10434-018-6625-0</a>
54	Keenan JE, Speicher PJ, Thacker JK, Walter M, Kuchibhatla M, Mantyh CR. The preventive surgical site infection bundle in colorectal surgery: an effective approach to surgical site infection reduction and health care cost savings. <i>JAMA Surgery</i> 2014;149:1045-52.
55	Kilpio O, Harkki PSM, Mentula MJ, Pakarinen PI. Health-related Quality of Life after Laparoscopic Hysterectomy following Enhanced Recovery after Surgery Protocol or a Conventional Recovery Protocol. <i>Journal of Minimally Invasive Gynecology</i> 2021.
56	Kilpio O, Harkki PSM, Mentula MJ, Vaananen A, Pakarinen PI. Recovery after enhanced versus conventional care laparoscopic hysterectomy performed in the afternoon: A randomized controlled trial. <i>International Journal of Gynecology and Obstetrics</i> 2020;151:392-8.
57	Kim JW, Kim WS, Cheong JH, Hyung WJ, Choi SH, Noh SH. Safety and efficacy of fast-track surgery in laparoscopic distal gastrectomy for gastric cancer: a randomized clinical trial. <i>World journal of surgery</i> 2012;36:2879-87. <a href="https://doi.org/10.1007/s00268-012-1741-7">https://doi.org/10.1007/s00268-012-1741-7</a>
58	Kjellby-Wendt G, Carlsson SG, Styf J. Results of early active rehabilitation 5-7 years after surgical treatment for lumbar disc herniation. <i>Journal of spinal disorders &amp; techniques</i> 2002;15:404-9. <a href="https://doi.org/10.1097/00024720-200210000-00010">https://doi.org/10.1097/00024720-200210000-00010</a>
59	Kjellby-Wendt G, Styf J, Carlsson SG. Early active rehabilitation after surgery for lumbar disc herniation: a prospective, randomized study of psychometric assessment in 50 patients. <i>Acta orthopaedica Scandinavica</i> 2001;72:518-24. <a href="https://doi.org/10.1080/000164701753532871">https://doi.org/10.1080/000164701753532871</a>
60	Knight MK, DiMarco DS, Myers RP, Gettman MT, Baghai M, Engen D, et al. Subjective and objective comparison of critical care pathways for open donor nephrectomy. <i>Journal of Urology</i> 2002;167:2368-71.
61	Koerner C, Lopez-Aguilar AG, Zaidi MY, Speegle S, Balch G, Shaffer V, et al. Caution! increase in acute kidney injury with enhanced recovery after surgery protocols. <i>Diseases of the Colon and Rectum</i> 2018;61 (5):e40.

62	Kolisek FR, McGrath MS, Jessup NM, Monesmith EA, Mont MA. Comparison of Outpatient versus Inpatient Total Knee Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> 2009;467:1438-42. <a href="https://doi.org/10.1007/s11999-009-0730-0">https://doi.org/10.1007/s11999-009-0730-0</a>
63	Kortke H, Stromeyer H, Zittermann A, Buhr N, Zimmermann E, Wienecke E, et al. New East-Westfalian Postoperative Therapy Concept: a telemedicine guide for the study of ambulatory rehabilitation of patients after cardiac surgery. <i>Telemedicine Journal &amp; E-Health</i> 2006;12:475-83.
64	Krastanova MS, Vacheva D, Mircheva A. A comparative analysis between the recovery results of patients with hip joint replacement in the period of early rehabilitation at home (13-45 days after surgery). <i>Journal of IMAB - Annual Proceeding (Scientific Papers)</i> 2016;22:1111-3.
65	Kuzma J. Randomized clinical trial to compare the length of hospital stay and morbidity for early feeding with opioid-sparing analgesia versus traditional care after open appendectomy. <i>Clinical Nutrition</i> 2008;27:694-9. <a href="https://doi.org/10.1016/j.clnu.2008.07.004">https://doi.org/10.1016/j.clnu.2008.07.004</a>
66	Lee T, Ko I, Lee I, Kim E, Shin M, Roh S, et al. Effects of nurse navigators on health outcomes of cancer patients. <i>Cancer nursing</i> 2011;34:376-84. <a href="https://doi.org/10.1097/NCC.0b013e3182025007">https://doi.org/10.1097/NCC.0b013e3182025007</a>
67	Lemanu DP, Singh PP, Berridge K, Burr M, Birch C, Babor R, et al. Randomized clinical trial of enhanced recovery versus standard care after laparoscopic sleeve gastrectomy. <i>British Journal of Surgery</i> 2013;100:482-9. <a href="https://doi.org/10.1002/bjs.9026">https://doi.org/10.1002/bjs.9026</a>
68	Lemini R, Spaulding AC, Naessens JM, Li Z, Merchea A, Crook JE, et al. ERAS protocol validation in a propensity-matched cohort of patients undergoing colorectal surgery. <i>International Journal of Colorectal Disease</i> 2018;33:1543-50. <a href="https://doi.org/10.1007/s00384-018-3133-4">https://doi.org/10.1007/s00384-018-3133-4</a>
69	Liska D, Bora Cengiz T, Novello M, Aiello A, Stocchi L, Hull TL, et al. Do Patients With Inflammatory Bowel Disease Benefit from an Enhanced Recovery Pathway? <i>Inflammatory Bowel Diseases</i> 2020;26:476-83.
70	Lloyd GM, Kirby R, Hemingway DM, Keane FB, Miller AS, Neary P. The RAPID protocol enhances patient recovery after both laparoscopic and open colorectal resections. <i>Surgical Endoscopy</i> 2010;24:1434-9.
71	Loh JC, Creaser J, Rourke DA, Livingston N, Harrison TK, Vandenberg E, et al. Temporal trends in treatment and outcomes for advanced heart failure with reduced ejection fraction from 1993-2010: findings from a university referral center. <i>Circulation: Heart Failure</i> 2013;6:411-9.
72	Louw A, Diener I, Landers MR, Puente EJ. Preoperative Pain Neuroscience Education for Lumbar Radiculopathy A Multicenter Randomized Controlled Trial With 1-Year Follow-up. <i>Spine</i> 2014;39:1449-57. <a href="https://doi.org/10.1097/brs.0000000000000444">https://doi.org/10.1097/brs.0000000000000444</a>
73	Lovely JK, Maxson PM, Jacob AK, Cima RR, Horlocker TT, Hebl JR, et al. Case-matched series of enhanced versus standard recovery pathway in minimally invasive colorectal surgery. <i>British Journal of Surgery</i> 2012;99:120-6. <a href="https://doi.org/10.1002/bjs.7692">https://doi.org/10.1002/bjs.7692</a>
74	Lu H, Fan Y, Zhang F, Li G, Zhang C, Lu L. Fast-track surgery improves postoperative outcomes after hepatectomy. <i>Hepato-Gastroenterology</i> 2014;61:168-72.

75	Lundborg G, Björkman A, Rosén B. Enhanced sensory relearning after nerve repair by using repeated forearm anaesthesia: aspects on time dynamics of treatment. <i>Acta neurochirurgica Supplement</i> 2007;100:121-6. <a href="https://doi.org/10.1007/978-3-211-72958-8_26">https://doi.org/10.1007/978-3-211-72958-8_26</a>
76	Lyu HG, Saadat LV, Bertagnolli MM, Wang J, Baldini EH, Stopfkuchen-Evans M, et al. Enhanced recovery after surgery pathway in patients with soft tissue sarcoma. <i>British Journal of Surgery</i> 2020;107:1667-72. <a href="https://doi.org/10.1002/bjs.11758">https://doi.org/10.1002/bjs.11758</a>
77	Mata J, Pecorelli N, Kaneva P, Moldoveanu D, Gosselin-Tardiff A, Alhashemi M, et al. A mobile device application (app) to improve adherence to an enhanced recovery program for colorectal surgery: a randomized controlled trial. <i>Surgical endoscopy</i> 2020;34:742-51. <a href="https://doi.org/10.1007/s00464-019-06823-w">https://doi.org/10.1007/s00464-019-06823-w</a>
78	McEvoy MD, Wanderer JP, King AB, Geiger TM, Tiwari V, Terekhov M, et al. A perioperative consult service results in reduction in cost and length of stay for colorectal surgical patients: evidence from a healthcare redesign project. <i>Perioperative medicine</i> 2016;5. <a href="https://doi.org/10.1186/s13741-016-0028-1">https://doi.org/10.1186/s13741-016-0028-1</a>
79	Meyer VM, Beydoun HA, Gyenai L, Goble NM, Hunter MM, McGill RJ. The Effect of Preoperative Behavioral Intervention on Pain, Anxiety, Opioid Use, and Function in Patients Undergoing Total Knee Arthroplasty: A Randomized Controlled Study. <i>Military medicine</i> 2021; <a href="https://dx.doi.org/10.1093/milmed/usab424">https://dx.doi.org/10.1093/milmed/usab424</a> . <a href="https://doi.org/https://dx.doi.org/10.1093/milmed/usab424">https://doi.org/https://dx.doi.org/10.1093/milmed/usab424</a>
80	Modir R, Hadhazy E, Teuteberg J, Hiesinger W, Tulu Z, Hill C. Improving nutrition practices for postoperative high-risk heart transplant and ventricular assist device implant patients in circulatory compromise: A quality improvement pre- and post-protocol intervention outcome study. <i>Nutrition in clinical practice : official publication of the American Society for Parenteral and Enteral Nutrition</i> 2022; <a href="https://dx.doi.org/10.1002/ncp.10854">https://dx.doi.org/10.1002/ncp.10854</a> . <a href="https://doi.org/https://dx.doi.org/10.1002/ncp.10854">https://doi.org/https://dx.doi.org/10.1002/ncp.10854</a>
81	Muller S, Zalunardo MP, Hubner M, Clavien PA, Demartines N, Zurich Fast Track Study G. A Fast-Track Program Reduces Complications and Length of Hospital Stay After Open Colonic Surgery. <i>Gastroenterology</i> 2009;136:842-7. <a href="https://doi.org/10.1053/j.gastro.2008.10.030">https://doi.org/10.1053/j.gastro.2008.10.030</a>
82	Mutwalli HA, Fallows SJ, Arnous AA, Zamzami MS. Randomized controlled evaluation shows the effectiveness of a home-based cardiac rehabilitation program. <i>Saudi Medical Journal</i> 2012;33:152-9.
83	Nielsen PR, Andreasen J, Asmussen M, Tønnesen H. Costs and quality of life for prehabilitation and early rehabilitation after surgery of the lumbar spine. <i>BMC health services research</i> 2008;8:209. <a href="https://doi.org/10.1186/1472-6963-8-209">https://doi.org/10.1186/1472-6963-8-209</a>
84	Nielsen PR, Jørgensen LD, Dahl B, Pedersen T, Tønnesen H. Prehabilitation and early rehabilitation after spinal surgery: randomized clinical trial. <i>Clinical rehabilitation</i> 2010;24:137-48. <a href="https://doi.org/10.1177/0269215509347432">https://doi.org/10.1177/0269215509347432</a>
85	Numan RC, Klomp HM, Li W, Buitelaar DR, Burgers JA, Van Sandick JW, et al. A clinical audit in a multidisciplinary care path for thoracic surgery: an instrument for continuous quality improvement. <i>Lung Cancer</i> 2012;78:270-5.
86	Pagnotta G, Rich E, Eckardt P, Lavin P, Burriesci R. The Effect of a Rapid Rehabilitation Program on Patients Undergoing Unilateral Total Knee Arthroplasty. <i>Orthopaedic Nursing</i> 2017;36:112-21.

87	Pape B, Thiessen PS, Jakobsen F, Hansen TB. Interprofessional collaboration may pay off: introducing a collaborative approach in an orthopaedic ward. <i>Journal of Interprofessional Care</i> 2013;27:496-500. <a href="https://doi.org/10.3109/13561820.2013.808611">https://doi.org/10.3109/13561820.2013.808611</a>
88	Pearson SD, Kleefield SF, Soukop JR, Cook EF, Lee TH. Critical pathways intervention to reduce length of hospital stay. <i>American Journal of Medicine</i> 2001;110:175-80.
89	Petersen MK, Andersen NT, Soballe K. Self-reported functional outcome after primary total hip replacement treated with two different perioperative regimes - A follow-up study involving 61 patients. <i>Acta Orthopaedica</i> 2008;79:160-7. <a href="https://doi.org/10.1080/17453670710014932">https://doi.org/10.1080/17453670710014932</a>
90	Petersen MK, Madsen C, T Andersen N, Soballe K. Efficacy of multimodal optimization of mobilization and nutrition in patients undergoing hip replacement: a randomized clinical trial. <i>Acta Anaesthesiologica Scandinavica</i> 2006;50:712-7. <a href="https://doi.org/10.1111/j.1399-6576.2006.01040.x">https://doi.org/10.1111/j.1399-6576.2006.01040.x</a>
91	Petrikovets A, Sheyn D, Sun HH, Chapman GC, Mahajan ST, Pollard RR, et al. Multimodal opioid-sparing postoperative pain regimen compared with the standard postoperative pain regimen in vaginal pelvic reconstructive surgery: a multicenter randomized controlled trial. <i>American Journal of Obstetrics and Gynecology</i> 2019;221:511.e1-.e10.
92	Polle SW, Wind J, Fuhring JW, Hofland J, Gouma DJ, Bemelman WA. Implementation of a fast-track perioperative care program: What are the difficulties? <i>Digestive Surgery</i> 2007;24:441-9. <a href="https://doi.org/10.1159/000108327">https://doi.org/10.1159/000108327</a>
93	Porter MD, Shadbolt B. Randomized controlled trial of accelerated rehabilitation versus standard protocol following surgical repair of ruptured Achilles tendon. <i>ANZ journal of surgery</i> 2015;85:373-7. <a href="https://doi.org/10.1111/ans.12910">https://doi.org/10.1111/ans.12910</a>
94	Priestley MC, Cope L, Halliwell R, Gibson P, Chard RB, Skinner M, et al. Thoracic epidural anesthesia for cardiac surgery: the effects on tracheal intubation time and length of hospital stay. <i>Anesthesia &amp; Analgesia</i> 2002;94:275-82, table of contents.
95	Randelli P, Arrigoni P, Ragone V, Aliprandi A, Cabitza P. Platelet rich plasma in arthroscopic rotator cuff repair: a prospective RCT study, 2-year follow-up. <i>Journal of shoulder and elbow surgery</i> 2011;20:518-28. <a href="https://doi.org/10.1016/j.jse.2011.02.008">https://doi.org/10.1016/j.jse.2011.02.008</a>
96	Rege A, Leraas H, Vikraman D, Ravindra K, Brennan T, Miller T, et al. Could the Use of an Enhanced Recovery Protocol in Laparoscopic Donor Nephrectomy be an Incentive for Live Kidney Donation? <i>Cureus</i> 2016;8:e889.
97	Rosinsky PJ, Chen SL, Yelton MJ, Lall AC, Maldonado DR, Shapira J, et al. Outpatient vs. inpatient hip arthroplasty: a matched case-control study on a 90-day complication rate and 2-year patient-reported outcomes. <i>Journal of Orthopaedic Surgery &amp; Research</i> 2020;15:N.PAG-N.PAG. <a href="https://doi.org/10.1186/s13018-020-01871-8">https://doi.org/10.1186/s13018-020-01871-8</a>
98	Sánchez-Iglesias JL, Carbonell-Socias M, Pérez-Benavente MA, Monreal Clua S, Manrique-Muñoz S, García Gorriz M, et al. PROFAST: a randomised trial implementing enhanced recovery after surgery for highcomplexity advanced ovarian cancer surgery. <i>European journal of cancer (Oxford, England : 1990)</i> 2020;136:149-58. <a href="https://doi.org/10.1016/j.ejca.2020.06.011">https://doi.org/10.1016/j.ejca.2020.06.011</a>
99	Scioscia M, Ceccaroni M, Gentile I, Rossini R, Clarizia R, Brunelli D, et al. Randomized Trial on Fast Track Care in Colorectal Surgery for Deep Infiltrating Endometriosis.



	Journal of Minimally Invasive Gynecology 2017;24:815-21.
100	Serclova Z, Dytrych P, Marvan J, Nova K, Hankeova Z, Ryska O, et al. Fast-track in open intestinal surgery: prospective randomized study (Clinical Trials Gov Identifier no. NCT00123456). Clinical Nutrition 2009;28:618-24.
101	Shah PM, Johnston L, Sarosiek B, Harrigan A, Friel CM, Thiele RH, et al. Reducing Readmissions While Shortening Length of Stay: The Positive Impact of an Enhanced Recovery Protocol in Colorectal Surgery. Diseases of the Colon & Rectum 2017;60:219-27.
102	Smithson M, McLeod MC, Theiss L, Shao C, Kennedy G, Hollis R, et al. Ileostomy Patients Using Patient Engagement Technology Experience Decreased Length of Stay. Journal of gastrointestinal surgery : official journal of the Society for Surgery of the Alimentary Tract 2022;26:635-42. <a href="https://doi.org/https://dx.doi.org/10.1007/s11605-021-05158-z">https://doi.org/https://dx.doi.org/10.1007/s11605-021-05158-z</a>
103	Soffin EM, Beckman JD, Tseng A, Zhong H, Huang RC, Urban M, et al. Enhanced Recovery after Lumbar Spine Fusion. Anesthesiology 2020;133:350-63. <a href="https://doi.org/10.1097/ALN.0000000000003346">https://doi.org/10.1097/ALN.0000000000003346</a>
104	Sorlie T, Busund R, Sexton J, Sexton H, Sorlie D. Video information combined with individualized information sessions: Effects upon emotional well-being following coronary artery bypass surgery--A randomized trial. Patient Education & Counseling 2007;65:180-8.
105	Sykorova A, Horacek J, Zak P, Kmonicek M, Bukac J, Maly J. A randomized, double blind comparative study of prophylactic parenteral nutritional support with or without glutamine in autologous stem cell transplantation for hematological malignancies -- three years' follow-up. Neoplasma 2005;52:476-82.
106	Teeuwen PH, Bleichrodt RP, Strik C, Groenewoud JJ, Brinkert W, van Laarhoven CJ, et al. Enhanced recovery after surgery (ERAS) versus conventional postoperative care in colorectal surgery. Journal of Gastrointestinal Surgery 2010;14:88-95.
107	Tolles J, Waterman G, Coffey CE, Sandoval R, Fleischman RJ, Hess M, et al. A randomized trial of a behavioral intervention to decrease hospital length of stay by decreasing bedrest. PloS one 2020;15:e0226332. <a href="https://doi.org/10.1371/journal.pone.0226332">https://doi.org/10.1371/journal.pone.0226332</a>
108	Trowbridge ER, Evans SL, Sarosiek BM, Modesitt SC, Redick DL, Tiouririne M, et al. Enhanced recovery program for minimally invasive and vaginal urogynecologic surgery. International Urogynecology Journal 2019;30:313-21.
109	Van Bokhorst-de Van der Schuer MA, Langendoen SI, Vondeling H, Kuik DJ, Quak JJ, Van Leeuwen PA. Perioperative enteral nutrition and quality of life of severely malnourished head and neck cancer patients: a randomized clinical trial. Clinical nutrition (Edinburgh, Scotland) 2000;19:437-44. <a href="https://doi.org/10.1054/clnu.2000.0148">https://doi.org/10.1054/clnu.2000.0148</a>
110	van der Meij E, Anema JR, Leclercq WKG, Bongers MY, Consten ECJ, Schraffordt Koops SE, et al. Personalised perioperative care by e-health after intermediate-grade abdominal surgery: a multicentre, single-blind, randomised, placebo-controlled trial. Lancet 2018;392:51-9.
111	van Klei WA, Moons KG, Rutten CL, Schuurhuis A, Knape JT, Kalkman CJ, et al. The effect of outpatient preoperative evaluation of hospital inpatients on cancellation of surgery and length of hospital stay. Anesthesia & Analgesia 2002;94:644-9; table of

	contents.
112	Vendittoli PA, Pellei K, Desmeules F, Masse V, Loubert C, Lavigne M, et al. Enhanced recovery short-stay hip and knee joint replacement program improves patients outcomes while reducing hospital costs. <i>Orthopaedics &amp; traumatology, surgery &amp; research</i> 2019;105:1237-43.
113	Wahl TS, Goss LE, Morris MS, Gullick AA, Richman JS, Kennedy GD, et al. Enhanced Recovery After Surgery (ERAS) Eliminates Racial Disparities in Postoperative Length of Stay After Colorectal Surgery. <i>Annals of Surgery</i> 2018;268:1026-35.
114	Webster J, Connolly A, Paton F, Corry J. The effectiveness of protocol drive, nurse-initiated discharge in a 23-h post surgical ward: a randomized controlled trial. <i>International journal of nursing studies</i> 2011;48:1173-9. <a href="https://doi.org/10.1016/j.ijnurstu.2011.02.022">https://doi.org/10.1016/j.ijnurstu.2011.02.022</a>
115	Wei IH, Pappou EP, Smith JJ, Widmar M, Nash GM, Weiser MR, et al. Monitoring an Ongoing Enhanced Recovery After Surgery (ERAS) Program: Adherence Improves Clinical Outcomes in a Comparison of Three Thousand Colorectal Cases. <i>Clinics in Surgery</i> 2020;5.
116	Weston E, Noel M, Douglas K, Terrones K, Grumbine F, Stone R, et al. The impact of an enhanced recovery after minimally invasive surgery program on opioid use in gynecologic oncology patients undergoing hysterectomy. <i>Gynecologic Oncology</i> 2020;157:469-75.
117	Wharton K, Chun Y, Hunsberger J, Jelin E, Garcia A, Stewart D. Successful use of an enhanced recovery after surgery (ERAS) pathway to improve outcomes following the Nuss procedure for pectus excavatum. <i>Journal of Pediatric Surgery</i> 2020;55:1065-71.
118	Wheeler EC. The CNS's impact on process and outcome of patients with total knee replacement. <i>Clinical Nurse Specialist</i> 2000;14:159-69; quiz 70-2.
119	Wick EC, Galante DJ, Hobson DB, Benson AR, Lee KH, Berenholtz SM, et al. Organizational Culture Changes Result in Improvement in Patient-Centered Outcomes: Implementation of an Integrated Recovery Pathway for Surgical Patients. <i>Journal of the American College of Surgeons</i> 2015;221:669-77; quiz 785-6.
120	Wijnen A, Hoogland J, Munsterman T, Gerritsma CL, Dijkstra B, Zijlstra WP, et al. Effectiveness of a Home-Based Rehabilitation Program After Total Hip Arthroplasty Driven by a Tablet App and Remote Coaching: Nonrandomized Controlled Trial Combining a Single-Arm Intervention Cohort With Historical Controls. <i>JMIR Rehabilitation And Assistive Technologies</i> 2020;7:e14139.
121	Wooten SV, Wolf JS, Jr., Mendoza D, Bartholomew JB, Stanforth PR, Stanforth D, et al. The Impact of a Multimodal Sport Science-Based Prehabilitation Program on Clinical Outcomes in Abdominal Cancer Patients: A Cohort Study. <i>The American surgeon</i> 2022; <a href="https://dx.doi.org/10.1177/00031348221103657">https://dx.doi.org/10.1177/00031348221103657</a> ; 31348221103657. <a href="https://doi.org/https://dx.doi.org/10.1177/00031348221103657">https://doi.org/https://dx.doi.org/10.1177/00031348221103657</a>
122	YaDeau JT, Soffin EM, Tseng A, Zhong H, Dines DM, Dines JS, et al. A Comprehensive Enhanced Recovery Pathway for Rotator Cuff Surgery Reduces Pain, Opioid Use, and Side Effects. <i>Clinical orthopaedics and related research</i> 2021;479:1740-51. <a href="https://doi.org/https://dx.doi.org/10.1097/CORR.0000000000001684">https://doi.org/https://dx.doi.org/10.1097/CORR.0000000000001684</a>
123	YaDeau JT, Soffin EM, Tseng A, Zhong H, Dines DM, Dines JS, et al. A Comprehensive Enhanced Recovery Pathway for Rotator Cuff Surgery Reduces Pain, Opioid Use, and

	Side Effects. <i>Clinical Orthopaedics &amp; Related Research</i> 2021;16:16.
124	Yeung SE, Hilkewich L, Gillis C, Heine JA, Fenton TR. Protein intakes are associated with reduced length of stay: a comparison between Enhanced Recovery After Surgery (ERAS) and conventional care after elective colorectal surgery. <i>American Journal of Clinical Nutrition</i> 2017;106:44-51.
125	Yildirim E, Dural K, Yazkan R, Zengin N, Yildirim D, Gunal N, et al. Rapid pleurodesis in symptomatic malignant pleural effusion. <i>European journal of cardio-thoracic surgery</i> 2005;27:19-22. <a href="https://doi.org/10.1016/j.ejcts.2004.08.034">https://doi.org/10.1016/j.ejcts.2004.08.034</a>
126	Zucchella C, Capone A, Codella V, De Nunzio AM, Vecchione C, Sandrini G, et al. Cognitive rehabilitation for early post-surgery inpatients affected by primary brain tumor: a randomized, controlled trial. <i>Journal of neuro-oncology</i> 2013;114:93-100. <a href="https://doi.org/10.1007/s11060-013-1153-z">https://doi.org/10.1007/s11060-013-1153-z</a>
	<b>Commentary article (n=7) (PRISMA flow diagram code: COM)</b>
127	Acheson N, Crawford R. The impact of mode of anaesthesia on postoperative recovery from fast-track abdominal hysterectomy: A randomised clinical trial. <i>BJOG: An International Journal of Obstetrics and Gynaecology</i> 2011;118:271-3.
128	Bennett J. Protocol-directed sedation did not reduce duration of mechanical ventilation or hospital stay in ICU patients. <i>Evidence Based Nursing</i> 2008;11:124-. <a href="https://doi.org/10.1136/ebn.11.4.124">https://doi.org/10.1136/ebn.11.4.124</a>
129	Fitzmaurice GJ, Lau K, Redmond KC. The LIBERATE trial: Options to reduce the risk of post-procedural pneumothorax and length of stay. <i>American Journal of Respiratory and Critical Care Medicine</i> 2018;198:1586-7.
130	Hirschhorn A. Questioning the role of targeted respiratory physiotherapy over and above a standard clinical pathway in the postoperative management of patients following open thoracotomy. <i>Journal of Physiotherapy</i> 2011;57:256.
131	Peters A, Siripong N, Wang L, Donnellan NM. Enhanced Recovery after Surgery Outcomes in Minimally Invasive Nonhysterectomy Gynecologic Procedures. <i>Obstetrical and Gynecological Survey</i> 2020;75:733-4.
132	Thompson DR. Home-based cardiac rehab was as effective as hospital-based rehab in improving cardiac risk factors. <i>Evidence Based Nursing</i> 2009;12:83-. <a href="https://doi.org/10.1136/ebn.12.3.83">https://doi.org/10.1136/ebn.12.3.83</a>
133	Tornero-Campello G. Randomized clinical trial of multimodal optimization of surgical care in patients undergoing major colonic resection ( <i>Br J Surg</i> 2005; 92: 1354-1362). <i>British Journal of Surgery</i> 2006;93:891; author reply
	<b>Conference abstracts/proceedings (n=274) (PRISMA flow diagram code: CONF)</b>
134	Utilizing patient safety monitors (Sitters) to improve delirium outcomes in hospitalized older adults. <i>Journal of the American Geriatrics Society</i> 2020;68:S114-S5. <a href="https://doi.org/10.1111/jgs.16431">https://doi.org/10.1111/jgs.16431</a>
135	Society of Surgical Oncology SSO 2020 - International Conference on Surgical Cancer Care. <i>Ann Surg Oncol</i> 2020;27:1-230. <a href="https://doi.org/10.1245/s10434-020-08278-z">https://doi.org/10.1245/s10434-020-08278-z</a>
136	Abdelaziz M, Bradley A, Agostini P, Jordan C, Reaper L, Gillies J, et al. A multidisciplinary complex perioperative intervention to reduce complications and enhance recovery after lung resection surgery. <i>Lung cancer (Amsterdam, Netherlands)</i> 2011;71:S26-. <a href="https://doi.org/10.1016/S0169-5002(11)70077-0">https://doi.org/10.1016/S0169-5002(11)70077-0</a>

137	Abraham N. 111 ERAS colorectal resections for cancer with a median stay of 5 days. The era of fast track colorectal cancer surgery. <i>Colorectal Disease</i> 2011;5):41.
138	Addy V, Ullegaddi R, Sanderson L, Shakespeare K, Aspinall GR, Jenkins R. Delirium prevention in elective orthopaedic surgery: A quality improvement project. <i>Age and Ageing</i> 2018;47 (Supplement 3):iii31.
139	Adeyemo E, Barrie U, Aoun S, Badejo O, Pernik MN, Christian Z, et al. P77. Enhanced recovery after surgery reduces postoperative opioid use and 30-day readmission rates after open thoracolumbar fusion for adult degenerative scoliosis. <i>Spine Journal</i> 2020;20 (9 Supplement):S183-S4.
140	Adsuar FM, Dorvau CG, Sanchez Polo MJ, Penaranda MAC, Pastor MC. Ultra-fast-track anesthesia technique using high thoracic epidural catheter in patients undergoing cardiac surgery. <i>British Journal of Anaesthesia</i> 2012;2):ii81.
141	Ahmad M, Rehman HU, Awan N. Enhanced recovery programme-does preoperative education reduce the length of hospital stay (LOS) in primary hip & knee arthroplasty. <i>British Journal of Surgery</i> 2020;107 (SUPPL 3):130.
142	Altes P, Riera C, Bueno G, Hernández N, Sancho J, Pastor M-C, et al. The Inflammatory Systemic Response and Cytokines Release in Open Abdominal Aortic Surgery with Fast-track Versus Conventional Perioperative Management. A Prospective Randomized Study. <i>European Journal of Vascular and Endovascular Surgery</i> 2019;58:e224-e6. <a href="https://doi.org/10.1016/j.ejvs.2019.06.802">https://doi.org/10.1016/j.ejvs.2019.06.802</a>
143	Amery J, Cocchiola B, Navarrete SB, Cooper C, Bhati C, Cutshall A, et al. Two high impact ERAS elements for renal transplant recipients: Goal-directed fluid therapy and multimodal analgesia. <i>Clinical Nutrition ESPEN</i> 2019;31:141-2.
144	Amery J, Scott M, Bhati C, Cotterell A, Sharma A, Khan A, et al. An Enhanced Recovery after Surgery (ERAS) Pathway Reduces Opioid Requirements and Improves Short Term Graft and Patient Outcomes after Kidney Transplantation. <i>American Journal of Transplantation</i> 2021;21 (SUPPL 1):18-9.
145	Ariffin AC, Quek YL, Zuhdi Z, Mohamad IS, Azman A, Othman HA, et al. Comparison of postoperative outcomes after pancreaticoduodenectomy pre and post ERAS implementation: A single centre experience. <i>Hpb</i> 2016;1):e398.
146	Ashworth C, Annam V. Impact of departmental enhanced recovery pathway guidelines on outcomes following total knee arthroplasty: An institutional experience. <i>Regional Anesthesia and Pain Medicine</i> 2014;1):e257.
147	Ausania F, Melendez R, Senra P, Palmeiro R, Oubina R, Otero I. Prehabilitation in patients undergoing pancreaticoduodenectomy: a randomized controlled trial. <i>HPB</i> 2018;20:S627-S8. <a href="https://doi.org/10.1016/j.hpb.2018.06.2205">https://doi.org/10.1016/j.hpb.2018.06.2205</a>
148	Ayala CI, Lu A, Wilson A, Li A, Bergquist J, Poultsides GA, et al. Whipple ERAS: Identifying patients that fall "Off pathway". <i>Hpb</i> 2020;22 (Supplement 1):S122.
149	Baghavatula S, Factora RM, Syed Q, Kim D. The impact of geriatric medicine consultation services on inpatient outcomes. <i>Journal of the American Geriatrics Society</i> 2016;1):S269.
150	Barghouthy D, Makower A, Breach L. Avoiding a trache situation: A review of physiotherapy practice to minimise the use of tracheostomies on an adult cardio-thoracic critical care unit. <i>Journal of the Intensive Care Society</i> 2020;21 (2 SUPPL):163.

151	Barton JR, Gerson L. Using emr to implement and track compliance of a unique colon bundle that reduced surgical site infection in colorectal surgery: A single institution review. <i>Diseases of the Colon and Rectum</i> 2019;62 (6):e359-e60.
152	Baum P, Kivik P, Zirel Y. Implementation of enhanced recovery protocol (ERP) can reduce postoperative ileus (POI) for patients undergoing radical cystectomy. <i>European Urology, Supplements</i> 2019;Conference: The 19th Central European Meeting (CEM). Vienna Austria. 18 (2) (no pagination).
153	Bellato V, An Y, Campanelli M, Franceschilli M, Siragusa L, Sensi B, et al. Feasibility of ERAS protocol in T4 colorectal cancer patients. <i>Colorectal Disease</i> 2020;22 (SUPPL 3):26.
154	Benick RA, Murray-Weir M, Peterson MGE, Sculco TP. Efficacy of practice pattern and staff mix in decreasing length of stay and achieving functional milestones following total hip arthroplasty. <i>Topics in geriatric rehabilitation</i> 2004;20:311-2.
155	Birch E, Everaerts W, Papa N, Van Rij S, Basto M, Schubach K, et al. Validation of a nurse-led robotic prostatectomy care pathway. <i>European Urology, Supplements</i> 2014;13 (3):20-1.
156	Bozzuto L, Mastroyannis SA, Salva C, Haggerty A. Enhanced recovery pathway for minimally invasive hysterectomy: Outcomes of a quality improvement initiative. <i>Obstetrics and Gynecology</i> 2018;131 (Supplement 1):188S.
157	Bradley A, Gillies J, Parker K, Agostini P, Stone-hewer L, Bevan-Smith E, et al. Is a pulmonary rehabilitation programme for patients undergoing curative lung cancer surgery feasible? <i>Thorax</i> 2011;66:A15-A6. <a href="https://doi.org/10.1136/thoraxjnl-2011-201054b.28">https://doi.org/10.1136/thoraxjnl-2011-201054b.28</a>
158	Buerge M, Magboo R, Wills D, Karpouzis I, Cooper P, Balmforth D, et al. Atrial fibrillation after cardiac surgery: Implementation of a prevention care bundle on intensive care unit improves adherence to current perioperative guidelines and reduces incidence. <i>Critical Care Conference: 40th International Symposium on Intensive Care and Emergency Medicine Brussels Belgium</i> 2020;24.
159	Burgo F, Mengelle D, Portillo M, Tisi Bana M, Lynch M, Knubel A, et al. Assessment of the impact of an accelerated recovery program in THA. <i>HIP International</i> 2018;28 (Supplement 1):139.
160	Cader R, Lewin M, Jones N, Klein A, Besser M. Introduction of a preoperative anaemia clinic improves peri-operative transfusion use. <i>Haematologica</i> 2016;101 (Supplement 1):338.
161	Cahill C, Blumberg N, Melvin A, Knight P, Gloff M, Robinson R, et al. Pre-operative anemia management program reduces blood transfusion in elective cardiac surgical patients. <i>Transfusion</i> 2018;58 (Supplement 2):39A.
162	Casey P, O'Connor A, Farooq N, Al-Khaffaf B, Chaparala R, Akhtar K, et al. The impact of introducing a standardised oesophagectomy pathway in a new centralised oesophagogastric unit in greater manchester. <i>British Journal of Surgery</i> 2019;106 (Supplement 7):67.
163	Cawthorne D, March L, Parker D, Coolican M, Negus J. TKR-power-patient outcomes using wii enhanced rehabilitation after a total knee replacement. <i>Physiotherapy (united kingdom)</i> 2015;101:eS204-eS5. <a href="https://doi.org/10.1016/j.physio.2015.03.369">https://doi.org/10.1016/j.physio.2015.03.369</a>
164	Chai CY, Vo E, Robinson C, Naik AD, Burns GN, Massarweh NN, et al. The Project Re-

	Engineered Discharge (RED) surgery (S) on a 30 day readmission rate in colorectal cancer surgery patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> 2017;31 (Supplement 1):S314.
165	Chan E, Kim J. Streamlining discharge pathways in kidney transplant recipients with delayed graft function. <i>American Journal of Transplantation</i> 2017;17 (Supplement 3):563.
166	Chang MI, Griggs JJ, Battaglia M, Stella PJ, Cleary RK. A comparison of cancer care delivery postoperative outcomes after implementation of a mobile application. <i>Diseases of the Colon and Rectum</i> 2019;62 (6):e295.
167	Chen CCH. Modified hospital elder life program improves long-term cognitive outcomes. <i>Alzheimer's and Dementia</i> 2012;1:P201.
168	Chen Y, Syed H, Naessens JM, Shah ND, Rahman AS, Swanson KM, et al. Access to primary care using a care transitions program: A cohort study. <i>Journal of the American Geriatrics Society</i> 2012;4):S59-S60.
169	Chenam A, Emtage J, Ruel N, Kilday P, Jamnagerwalla J, Lau C, et al. Robot-assisted radical cystectomy in octogenarians and the effect of an enhanced recovery pathway on peri-operative indices. <i>Journal of Urology</i> 2018;199 (4 Supplement 1):e620-e1.
170	Cheung T, Baldwin B, Bradway M. Adding a surgical site infection bundle to a colorectal enhanced recovery program results in fewer wound complications. <i>Diseases of the Colon and Rectum</i> 2020;63 (6):e381.
171	Chou K, Mohan E, Haver A. Effect of transitional care management at geriatric care center on readmission rates and time to office visit. <i>Journal of the American Geriatrics Society</i> 2020;68 (SUPPL 1):S208.
172	Cizginer S, Schechter S, Prohl E, Monteiro GF, Klipfel A, Vrees M, et al. Bringing geriatrics onto the colorectal surgery team: Decreased medical complications and cost. <i>Diseases of the Colon and Rectum</i> 2018;61 (5):e298-e9.
173	Clery P, Biggs S, Shabbir J. Improving rates of mobilisation within 24 hours after colorectal surgery: A patient diary, innovative nurse education and an ERAS nurse lead. <i>Clinical Nutrition ESPEN</i> 2019;31:135.
174	Coates J, Mellor A, Round S. An enhanced recovery programme improves patient-centred outcomes following cardiac surgery. <i>Anaesthesia</i> 2020;75 (Supplement 2):78.
175	Coeckelberghs E, Ruben VZ, Wolthuis A, Seys D, Sermeus W, Panella M, et al. Quality improvement: Better adherence to nutrition interventions for patients with colorectal cancer surgery. <i>Clinical Nutrition</i> 2018;37 (Supplement 1):S281-S2.
176	Coeckelberghs E, Seys D, Bruyneel L, Cox B, Bislenghi G, Wolthuis A, et al. Impact of adherence to ERAS guidelines on outcomes after colorectal surgery in a multicentre setting. <i>Colorectal Disease</i> 2020;22 (SUPPL 3):13.
177	Corbett J, Harrison T, Pinder E, Soogumbur A, Wimhurst J. Norwich Enhanced Recovery Programme for elective total hip arthroplasty: Is it beneficial in patients aged over 80? <i>HIP International</i> 2014;24 (5):527.
178	Cossette B, Ethier J, Joly-Mischlich T, Bergeron J, Ricard G, Brazeau S, et al. Reduction in potentially inappropriate medication use in elderly inpatients: a pragmatic randomized controlled trial. <i>Journal of the american geriatrics society</i> 2017;65:S109-S10. <a href="https://doi.org/10.1111/(ISSN)1445-5994">https://doi.org/10.1111/(ISSN)1445-5994</a>

179	Couch CA, Guend H, Coleman K, Fellner A. A comparison of re-admission and ed visits in a colorectal surgical home versus traditional enhanced recovery protocol. <i>Diseases of the Colon and Rectum</i> 2020;63 (6):e416.
180	Cowan M, Dominguez SF, Hamani H, Baxter G, Pain A, Mercer E, et al. Assessment of uro-geriatrics liaison service in a busy urology department. <i>European Geriatric Medicine</i> 2019;10 (Supplement 1):S30.
181	Cramon MO, Raben I, Beck AM, Andersen JR. Individual Nutritional Intervention during 4 Weeks for the Prevention of Re-Admissions among Geriatric Patients - Rct. <i>Clinical Nutrition</i> 2019;38 (Supplement 1):S14-S5.
182	Cristobal-Poch L, Cagigas-Fernandez C, Gomez-Ruiz M, Castanedo-Bezanilla S, Gomez-Fleitas M, Del Castillo-Diego J. Eras program and minimally invasive surgery (MIS). Evidence of a good friendship. <i>Colorectal Disease</i> 2018;20 (Supplement 4):58.
183	Croasdale DR, Su E, Olutola O, Polito C, Ata A, Valerian BT, et al. The effect of an enhanced recovery program on elective right hemicolectomies for Crohn's disease versus colon cancer: A retrospective cohort analysis. <i>Diseases of the Colon and Rectum</i> 2020;63 (6):e247-e8.
184	D'Andrea A, Khetan P, Miller R, Sylla P, Divino CM. Outcomes after Implementation of a Surgical Care Bundle for Colectomy Followed by Enhanced Recovery Protocol for Patients with Inflammatory Bowel Disease Undergoing Colorectal Resection. <i>Gastroenterology</i> 2019;156 (6 Supplement 1):S-1373.
185	Daliya P, Humes D, Parsons S, Welch N, Catton J. Laparoscopic oesophageal resection and enhanced recovery after surgery (ERAS). <i>Surgical Endoscopy and Other Interventional Techniques</i> 2013;1):S214.
186	Dalton S, Mason M, Longman R. Increased efficiency with day of surgery admission in a colorectal unit. <i>Colorectal Disease</i> 2009;2):33.
187	Damle A, Bauer PS, Peck V, Atallah C, Rosen D, Silviera M. Creation of a Multi-Disciplinary Ambulation Protocol Is Associated with a Decrease in Postoperative Venous Thromboembolism after Colorectal Surgery. <i>Journal of the American College of Surgeons</i> 2019;229 (4 Supplement 2):e11.
188	Dasari B, Rahman R, Isaac J, Marudanayagam R, Mirza DF, Muiesan P, et al. Implementation of an enhanced recovery pathway after liver resection: Single centre UK experience. <i>Hpb</i> 2016;2):e701-e2.
189	Datta S, Sandel S, Ilyas N. Interdisciplinary rounds: Improving care delivered to patients. <i>Journal of General Internal Medicine</i> 2016;1):S281.
190	De Klerk M, Van Dalen H, Verdaasdonk E. Improved outcome after multimodal pre-habilitation in patients undergoing elective colorectal cancer surgery: A retrospective cohort study. <i>Colorectal Disease</i> 2020;22 (SUPPL 3):8.
191	De Waele E, De Bondt K, Mattens S, Honore PM, Nguyen D, Wellens F, et al. Implementing a nutritional protocol and individualized counseling reduces the energy deficit after cardiac surgery. <i>Clinical Nutrition</i> 2013;1):S126.
192	Deme P, Ayala G, Chorostecki J, Serias M, Opute A, Hall K, et al. Engaged: educating nurses about postoperative delirium on the neurosurgical floor. <i>Journal of the American Geriatrics Society</i> 2020;68:S276-S7. <a href="https://doi.org/10.1111/jgs.16431">https://doi.org/10.1111/jgs.16431</a>
193	Deschodt M, Van Grootven B, Jeuris A, Milisen K, Flamaing J. Improved quality of care and outcomes through geriatric co-management on a cardiac care unit: A quasi-

	experimental study. <i>Journal of the American Geriatrics Society</i> 2020;68 (SUPPL 1):S55.
194	Desjardine K, Rostas A. Pain management and reducing length of stay in total joint patients. <i>Pain Research and Management</i> 2015;20 (3):e68.
195	Dickson-Lowe RA, Sykes PD, Pooprasert P, Laza-Cagigas R, Rampal T, Chan S. Observing the perioperative effects of prehabilitation in colorectal cancer patients. <i>Colorectal Disease</i> 2020;22 (SUPPL 1):55.
196	Dimitropoulos K, Pisters LL, Karatzas A, Vaiopoulos C, Papandreou C, Daliani D, et al. The impact of Enhanced Recovery After Surgery protocol on postoperative pain management in the era of opioid crisis: The post-chemotherapy open RPLND paradigm. <i>European Urology, Supplements</i> 2019;18 (1):e1365.
197	Edelmann LP, Hempel M, Podsiadlo N, Schweizer N, Tong C, Galvain T, et al. PSU13 Patient Pathway Optimization Program to Improve Outcomes in Primary TOTAL HIP and Knee Replacement Surgery in a Cantonal Hospital in Switzerland (MUENSTERLINGEN). <i>Value in Health</i> 2020;23 (Supplement 2):S739-S40.
198	Eisert C, Tai T, Fisher LM, Giannotta SL, Friedman RA. High volume multidisciplinary surgical team experience: Reduced operative times and better patient outcomes. <i>Journal of Neurological Surgery Part B: Skull Base Conference: 27th Annual Meeting North American Skull Base Society New Orleans, LA United States</i> 2017;78.
199	Ercolino A, Mineo Bianchi F, Chessa F, Colella A, Recenti D, Mottaran A, et al. Perioperative outcomes of fast track protocol applied to patients treated with radical cystectomy and intestinal urinary diversion: A comparison with standard management in a high-volume center. <i>European Urology, Supplements</i> 2019;18 (9):e3280-e1.
200	Espina-Perez B, Caro-Tarrago A, Vallverdu-Rivero A, Feliu-Villaro F, Escuder-Perez J, Sole-Baiges T, et al. A tailored prehabilitation-ERAS programme improves postoperative outcomes in elderly patients with colorectal cancer. <i>Colorectal Disease</i> 2018;20 (Supplement 4):62.
201	Ethun CG, Maithel SK, Kooby DA, Staley CA, Master VA. Value of a cross-discipline team-based approach of surgical and urologic/oncologists for resection of renal cell carcinoma with ivc tumor thrombus: A report of the largest contemporary single-institution experience. <i>Journal of the American College of Surgeons</i> 2017;225 (4 Supplement 1):S210.
202	Evans S, Abimbola O, McCarter MSJ, Myers EM. Does an enhanced recovery program increase same-day discharge after sacrocolpopexy? <i>Female Pelvic Medicine and Reconstructive Surgery</i> 2020;26 (10 SUPPL 1):S96.
203	Fadodun T, Gould L, Ashford S, Pring E, Hona T, Jenkins JT, et al. Rehabilitation pathway for complex colorectal cancer surgery patients. <i>Colorectal Disease</i> 2020;22 (SUPPL 1):15-6.
204	Fairbairn MG, Angarita AM, Tanner EJ, Stone RL, Long Roche K, Wick EC, et al. Impact of a preventative surgical site infection bundle in women undergoing surgery for ovarian cancer. <i>International Journal of Gynecological Cancer</i> 2015;1):430-1.
205	Fakhfakh S, Pignot G, Traumann M, Brun C, Nguyen Duong L, Cini E, et al. Enhanced recovery after surgery (ERAS): A prospective evaluation of complications and length of stay after robot-assisted partial nephrectomy. <i>European Urology, Supplements</i> 2018;17 (2):e1559.
206	Fanning M, Mc Hugh A, Browne C, Ravi N, Reynolds JV, Healy LA. Home jejunostomy



	feeding post-oesophagectomy: A change in practice. Gut 2012;2):A267.
207	Farre N, Cladellas M, Torre P, Sarsanedas E, Gomez M, Merono-Duenas O, et al. Mortality in cardiac surgery can be reduced with medical interventions. European Heart Journal 2011;1):1086.
208	Ferrari F, Forte S, Sbalzer N, Mauri M, Zizioli V, Sartori E, et al. Validation of an ERAS protocol in gynecological surgery: Interim analysis of an Italian randomized controlled trial. International Journal of Gynecological Cancer 2019;29 (Supplement 4):A40.
209	Fhadil S, Wright P, Wilton H, Roberts N. Impact of clinical pharmacist surgical discharge facilitator on LOS. International Journal of Pharmacy Practice 2015;2):83-4.
210	Fibla JJ, Molins L, Hernandez J, Mier JM, Sierra A, Bataller X. Collaborative multimodal pain management strategy for patients with non-small cell lung cancer submitted to thoracotomy. Journal of Thoracic Oncology 2013;2):S511.
211	Fiore JF, Castelino T, Pecorelli N, Niculiseanu P, Alhashemi M, Hershorn O, et al. Randomized controlled trial of an intervention to facilitate early mobilization after colorectal surgery: impact on postoperative pulmonary function and complications. European respiratory journal 2017;50. <a href="https://doi.org/10.1183/1393003.congress-2017.OA1768">https://doi.org/10.1183/1393003.congress-2017.OA1768</a>
212	Fort Pelay B, Castelltort L, Amoros D, Rueda M, Bande D, Sadurni M. Postoperative pain in laparoscopic colorectal surgery. Comparison of 4 different treatments. Clinical Nutrition ESPEN 2019;31:113-4.
213	Foss J, Abbott S, Cartwright R, Jenkins S, McClafferty C, Mills L. A pilot study incorporating nutrition and hydration into a therapy support worker role and assessing its impact on mobility and deconditioning. Clinical Nutrition ESPEN 2020;35:234.
214	Frees S, Aning J, Black P, Struss W, Bell R, Gleave M, et al. A prospective randomized single-centre trial evaluating an ERAS protocol versus a standard protocol for patients treated with radical cystectomy and urinary diversion for bladder cancer. European Urology, Supplements 2017;16 (3):e1024.
215	Fugaru I, Lacombe L, Fradet Y, Fradet V, Berger J, Toren P, et al. Postoperative ileus and complications outcomes in the enhanced recovery protocol after radical cystectomy for bladder cancer. Canadian Urological Association Journal 2018;12 (6 Supplement 2):S91.
216	Fujiwara R, Numao N, Komai Y, Ogawa M, Inatsu H, Ishikawa Y, et al. Effects of enhanced recovery after surgery protocols of postoperative ileus and bowel obstruction in patients undergoing radical cystectomy. European Urology, Supplements 2019;18 (1):e1352.
217	Fussenich W, Gerhardt D, Pauly T, Lorenz F, Olieslagers M, Braun C, et al. Primary hip and knee arthroplasty in germany and the netherlands. Is there a downside effect to fasttrack surgery regarding patient satisfaction and functional outcome? HIP International 2018;28 (Supplement 1):57.
218	Garriga C, Prats-Urbe A, Price A, Prieto-Alhambra D, Carr A, Arden N, et al. Impact of a national enhanced recovery programme on patient outcomes of primary total and unicompartmental knee replacement: 2008-2016 England trends. Osteoarthritis and Cartilage 2018;26 (Supplement 1):S200-S1.
219	Garriga C, Prats-Urbe A, Price A, Prieto-Alhambra D, Carr A, Arden NK, et al.

	Repercussion of a national intervention on patient outcomes of primary knee arthroplasty to enhance the recovery pathway: 2008-2016 England trends. <i>Osteoporosis International</i> 2018;29 (1 Supplement 1):S363.
220	Gentles C, Zhong X, Gellman L, Gadaleta D. The impact of bariatric eras protocol on patient outcomes. <i>Surgery for Obesity and Related Diseases</i> 2016;12 (7 Supplement 1):S56.
221	Georgieva S, Zhivkov I, Terzieva A, Chaneva G, Gurbev G. Specific of Nurse Care in Patients with Morbid Obesity. 20th World Congress of the International-Federation-for-the-Surgery-of-Obesity-and-Metabolic-Disord ers (IFSO) 2015:1-4.
222	Ghisel M, Brickwood R, Patel N, Andrews S, Berrisford R, Rahamim J, et al. The importance of enhanced recovery when conducting comparisons between laparoscopic and open procedures using oesophagectomy as an example. <i>Surgical Endoscopy and Other Interventional Techniques</i> 2013;1):S240.
223	Gilbert R, Zwiép T, Moloo H. A retrospective cohort study of patients undergoing elective bowel resection before and after implementation of an anemia screening and treatment program. <i>Diseases of the Colon and Rectum</i> 2021;64 (5):180.
224	Gilley CB. Is our current physical therapy treatment effective? retrospectively assessing the utilization and outcomes of physical therapy services for patients listed status 1a awaiting heart transplantation with femorally inserted intra-aortic balloon pumps. <i>Cardiopulmonary Physical Therapy Journal</i> 2019;30 (1):e17.
225	Goldfarb M, Semsar-Kazerooni K, Morais J, Dima D. Early Mobilization of Older Adults in the Cardiac Intensive Care Unit. <i>Circulation Conference: American Heart Association Scientific Sessions, AHA 2020</i> ;142.
226	Green J, Teale E. A cluster, randomised feasibility study of the prevention of delirium (POD) programme for elderly patients admitted to hospital. <i>Age and Ageing</i> 2017;46 (Supplement 1):i35.
227	Greenberg A, Kelly Y, Sarin A, Varma M. Reducing postoperative ileus in patients undergoing ileostomy formation. <i>Diseases of the Colon and Rectum</i> 2021;64 (5):182.
228	Greisen J, Ryhammer PK, Bhavsar R, Jakobsen CJ. Ventilation time has no impact on the eligible time to discharge from ICU in cardiac surgery patients. <i>Journal of cardiothoracic and vascular anesthesia Conference: 31st annual meeting of the european association of cardiothoracic anaesthesiologists, EACTA 2016 Basel switzerland Conference start: 20160511 Conference end: 20160513 Conference publication: (varpagings) 2016;30:S34-S5. <a href="https://doi.org/10.1053/j.jvca.2016.03.159">https://doi.org/10.1053/j.jvca.2016.03.159</a></i>
229	Grimsley S, Mak D, Nayar C, Liu S, Gommersall L. Transforming the invasive bladder pathway: Implementation of the enhanced recovery after surgery with lean management principles. <i>Urology</i> 2011;1):S54.
230	Groenendyk J, Vetter J, Peck V, Strobe S. Improving radical cystectomy care: Outcomes, compliance, and barriers to adoption for a new protocol. <i>Journal of Urology</i> 2016;1):e92.
231	Guney Deniz H, Kinikli GI, Onal S, Sevinc C, Caglar O, Yuksel I. Comparison of kinesio tape application and manual lymphatic drainage on lower extremity oedema and functions after total knee arthroplasty. <i>Annals of the rheumatic diseases</i> 2018;77:1791-. <a href="https://doi.org/10.1136/annrheumdis-2018-eular.3360">https://doi.org/10.1136/annrheumdis-2018-eular.3360</a>
232	Gupta S, Shah S, Alimami F. Project for vascular geriatrician input. <i>Age and Ageing</i>

	2019;48 (Supplement 1):i1.
233	Hafezi-Bakhtiari N, Sri D, Lee HJ, Qazi H, Issa R, Anderson C. Early penile rehabilitation in patients undergoing robotic-assisted radical prostatectomy. <i>British Journal of Surgery</i> 2020;107 (SUPPL 3):218.
234	Hamilton D, Beard D, Barker K, MacFarlane G, Murray G, Simpson H. Targeting physiotherapy to patients at risk of poor outcomes following total knee arthroplasty: the TRIO randomised controlled trial. <i>Physiotherapy (United Kingdom)</i> 2019;105 (Supplement 1):e160-e1.
235	Hammons L, Seifi F, Hill A, Azodi M, Silasi DA. Implementation of eras perioperative care protocols for gynecologic surgery shortens hospital admission times, without increasing perioperative risks. <i>Journal of Minimally Invasive Gynecology</i> 2017;24 (7 Supplement 1):S37-S8.
236	Hards K, Kliska M, Jones R, Lumb A. Providing a collaborative service to people undergoing pancreatotomy surgery with a focus on diabetes care provision. <i>Diabetic Medicine</i> 2020;37 (SUPPL 1):167-8.
237	Haro GJ, Sheu FY, Rogers SJ, Jablons DM, Kratz JR. Esophagectomy Outcomes after Implementation of an Enhanced Recovery after Surgery Program. <i>Journal of the American College of Surgeons</i> 2019;229 (4 Supplement 1):S277.
238	Hart L, Frankel R, Crooke G, Moors MA, Noto S, Granger BB. Promoting Early Mobility and Discharge in Patients Post-Transcatheter Aortic Valve Replacement. <i>Circulation Conference: American Heart Association Scientific Sessions, AHA</i> 2020;142.
239	Hartjes T, Gilliam J, Stinson W, Garvan C, Cowan L, Thompson A. Improving cardiac surgery outcomes: A secondary data analysis of a cardiac surgery clinical pathway. <i>Cardiology (Switzerland)</i> 2015;1):263.
240	Hashimoto K, Adachi K, Kou M, Nonaka R, Yamamoto K, Fujie Y, et al. The efficacy of perioperative rehabilitation for patients undergoing hepato-biliary-pancreatic surgery. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> 2017;24 (Supplement 1):A390.
241	Henning E, Snyder R, Acus S, Dadabhoy FZ, Goroncy A, Schlaudecker J. Structured interdisciplinary bedside rounds (SIBR) for skilled nursing patients reduce hospital readmissions and length of stay. <i>Journal of the American Geriatrics Society</i> 2017;65 (Supplement 1):S170-S1.
242	Ho MF, Dai DLK, Lee JFY, Ma B, Leung WW, Ng SSM, et al. A randomized controlled clinical trial to assess the impact of enhanced geriatric input on elderly patients undergoing colorectal cancer surgery. <i>Surgical practice</i> 2017;21:4-. <a href="https://doi.org/10.1111/1744-1633.12273">https://doi.org/10.1111/1744-1633.12273</a>
243	Hodgson EC, Kegel F, Kang Y, Ganescu O, Zalai C. Two-year impact of a community colorectal enhanced recovery after surgery (ERAS) protocol. <i>Diseases of the Colon and Rectum</i> 2018;61 (5):e177-e8.
244	Hoejskov I, Moons P, Hansen NV, La Cour S, Gluud C, Winkel P, et al. Early rehabilitation after coronary artery bypass grafting - Results from the SheppHeartCABG trial. <i>European journal of preventive cardiology</i> 2017;24:S98-.
245	Hollis RH, Goss L, Richman JS, Cannon JA, Morris MS, Kennedy G, et al. Does the effect of enhanced recovery after surgery on postoperative length of stay for colorectal procedures vary by surgical indications? <i>Diseases of the Colon and Rectum</i> 2018;61 (5):e63.

246	Hollis RH, White TL, Morris MS, Cannon JA, Kennedy G, Chu DI. Does a colorectal enhanced recovery program impact ostomy related readmissions? <i>Diseases of the Colon and Rectum</i> 2019;62 (6):e83-e4.
247	Hong T, Bisailon A, Black P, So A, Mayson K. How the implementation of an enhanced recovery after surgery (ERAS) protocol can improve outcomes for patients undergoing cystectomy. <i>Perioperative Medicine Conference: American Society for Enhanced Recovery/Evidence Based Peri Operative Medicine</i> 2016;5.
248	Hsiao WL. Testing efficacy of a pulmonary rehabilitation program for post lung cancer resection surgery. <i>Journal of Thoracic Oncology</i> 2017;12 (11 Supplement 2):S2024.
249	Hsiao WL. An Early Rehabilitation Intervention for Enhancing Oxygenation From Lung Cancer Surgery. <i>Journal of thoracic oncology</i> 2018;13:S328-S9. <a href="https://doi.org/10.1016/j.jtho.2018.08.254">https://doi.org/10.1016/j.jtho.2018.08.254</a>
250	Hsiao WL, Wang TJ. Testing efficacy of a pulmonary rehabilitation program for post lung cancer resection surgery. <i>Supportive care in cancer</i> 2018;26:S283-. <a href="https://doi.org/10.1007/s00520-018-4193-2">https://doi.org/10.1007/s00520-018-4193-2</a>
251	Hu R, Mata J, Pecorelli N, Kaneva P, Lee L, Stein BL, et al. Barriers to adherence with a post-operative enhanced recovery program in colorectal surgery. <i>Surgical endoscopy</i> 2019;33:S268-. <a href="https://doi.org/10.1007/s00464-019-06704-2">https://doi.org/10.1007/s00464-019-06704-2</a>
252	Jalloul RJ, Simpson I, Lin AS, Cotton S, Elshatanoufy S. 1954 Effect of Enhanced Recovery After Surgery (ERAS) Implementation on Surgical Outcomes and Opioid Prescription Patterns in Patients Undergoing Minimally Invasive Hysterectomy: A Safety-Net Teaching Hospital Experience. <i>Journal of Minimally Invasive Gynecology</i> 2019;26 (7 Supplement):S119.
253	Jensen BT. Rehabilitation impacts on HRQOL in advanced cancer pathways session: in best practice, great science is an art form. <i>Asia-pacific journal of clinical oncology</i> 2017;13:33-4. <a href="https://doi.org/10.1111/ajco.12718">https://doi.org/10.1111/ajco.12718</a>
254	Jensen BT. Physical prehabilitation in RC pathways session: maximising potential. <i>Asia-pacific journal of clinical oncology</i> 2017;13:34-. <a href="https://doi.org/10.1111/ajco.12718">https://doi.org/10.1111/ajco.12718</a>
255	Jensen BT, Borre M, Soendergaard I, Jensen JB. One year follow up of the efficacy of physical prehabilitation in radical cystectomy pathways-secondary results from a randomized controlled trial. <i>Journal of Urology</i> 2018;199 (4 Supplement 1):e621-e2.
256	Johnson P, Rosenborg A. Avoiding unplanned admission after hospital stay by a phone call. <i>European Geriatric Medicine</i> 2018;9 (Supplement 1):S311.
257	Jreije K, Bilal M, Kim J, Romero J, Jeremy S. Comparing colorectal outcomes between a protocol and an individual surgeon driven hospital. <i>Diseases of the Colon and Rectum</i> 2020;63 (6):e179-e80.
258	Karl A, Buchner A, Weninger E, Becker A, Seitz M, Staehler M, et al. A new, simple and effective fast track concept for patients undergoing radical cystectomy for bladder cancer. <i>European Urology, Supplements</i> 2012;11 (1):e717-ea.
259	Kawak S, Wasvary J, Ziegler M, Wasvary H. Opioid requirements in laparoscopic colectomies: Do ERAS protocols make a difference? <i>Diseases of the Colon and Rectum</i> 2019;62 (6):e149.
260	Keane E, Weedle R, Soo A. The impact of an enhanced recovery after surgery (ERAS) protocol on length of stay post thoracic surgery. <i>Irish Journal of Medical Science</i>

	2017;186 (Supplement 10):S417.
261	Kelly E, Shekar PS, Kadera K, Bolman RM, Rawn JD. Multidisciplinary approach to compliance with national guidelines leads to significant improvement in clinical outcomes in an academic cardiac surgery intensive care unit. Journal of Surgical Research Conference: 8th Annual Academic Surgical Congress of the Association for Academic Surgery, AAS and the Society of University Surgeons, SUS New Orleans, LA United States Conference Publication: 2013;179.
262	Kerr A, Oswald N, Webb J, Kadiri S, Bancroft H, Taylor J, et al. Outcome of pilot RCT in lung cancer surgery patients receiving either PREOP carbohydrate & POSTOP nutritional drinks or water. Journal of thoracic oncology 2017;12:S2023-.
263	Kessler M, Daniels L, Birch D, Haines S, Clifton E, Hillarious A. A trial of a frailty in-reach team into a general medical admissions unit at lincoln county hospital. Age and Ageing 2019;48 (Supplement 1):i1.
264	Khanna A, Zampini A, Crane A, Lee B, Haber GP. Reducing readmissions following radical cystectomy: Moving beyond enhanced recovery. Journal of Urology 2019;201 (4 Supplement 1):e202-e3.
265	Khoo CK, Vickery C, Ewings P, Eyre-Brook I. A prospective randomised controlled trial (RCT) of a multimodal peri-operative management protocol in patients undergoing elective colorectal resection. Colorectal disease 2005;7:2.
266	King MR, Paterno J, Jacob EA, Freiberg AA, Peloquin RG, Warren L, et al. Combination femoral nerve block and multimodal analgesia reduces hospital length of stay in patients undergoing total knee arthroplasty. Regional Anesthesia and Pain Medicine Conference: 38th Annual ASRA Regional Anesthesia and Acute Pain Medicine Meeting 2013;38.
267	Kobayashi S, Ooshima R, Koizumi S, Katayama M, Sakurai J, Nakano H, et al. Perioperative care with fast-track management in patients undergoing pancreaticoduodenectomy. Pancreatology 2013;13 (4 SUPPL.):S64-S5.
268	Koh FH, Tan WJ, Ho L, Yen D, Sivarajah KGS, Foo F, et al. A structured pre-surgery prehabilitation for elderly patients undergoing elective surgery significantly improves surgical outcomes and reduces cost. Diseases of the Colon and Rectum 2020;63 (6):e125.
269	Kolodziej L, Bohatyrewicz A. Total hip arthroplasty using the accelerated recovery protocol. HIP international 2014;24:527. <a href="https://doi.org/10.5301/hipint.5000188">https://doi.org/10.5301/hipint.5000188</a>
270	Kothari A, Hennon M, Bretl T, Munoz-Del-Rio A, Weigel T. An acuity adaptable patient care unit does not change surgical outcomes in patients undergoing esophagectomy. Annals of Surgical Oncology 2010;1):S123.
271	Kuehnel RU, Schroeter F, Michera L, Pallmann M, Paun A, Hartrumpf M, et al. Preoperative decolonization reduces surgical-site infection of heart surgery patients. Thoracic and Cardiovascular Surgeon Conference: 49th Annual Meeting of the German Society for Thoracic and Cardiovascular Surgery Wiesbaden Germany 2020;68.
272	Lancaster W, Adams D, Morgan K. Implementation of an enhanced recovery protocol is associated with decreased incidence of delayed gastric emptying after surgery for chronic pancreatitis. Hpb 2016;1):e389.
273	Lane W, Zani S, Thacker J, Landa K, Rhodin K, Blazer D, et al. Early outcomes following implementation of ERAS for pancreas surgery. Hpb 2018;20 (Supplement 2):S619-S20.

274	Lee L, Mata J, Augustin B, Ghitulescu GA, Liberman AS, Charlebois P, et al. Impact of an enhanced recovery pathway for colorectal surgery on quality of life after hospital discharge. <i>Surgical Endoscopy and Other Interventional Techniques</i> 2014;1):244.
275	Lee SM, Jang JH, Kim DW, Heo S, Jeong SY, Park KJ, et al. Comparison of early mobilization and diet rehabilitation program with conventional care after laparoscopic low anterior resection: a prospective randomized controlled trial. <i>Surgical endoscopy and other interventional techniques</i> 2012;26:S190-. <a href="https://doi.org/10.1007/s00464-012-2201-z">https://doi.org/10.1007/s00464-012-2201-z</a>
276	Lewis R, Lighter D, Daley B, McLoughlin J, Taylor J. A cost and outcomes analysis of colorectal surgery patients post-implementation of enhanced recovery after surgery (ERAS) protocol at an academic medical center. <i>Diseases of the Colon and Rectum</i> 2019;62 (6):e274-e5.
277	Li C, Carli F, Charlebois P, Stein B, Liberman AS, Augustin B, et al. Trimodal prehabilitation program improves functional recovery in colorectal cancer surgery: A pilot study. <i>Surgical Endoscopy and Other Interventional Techniques</i> 2012;1):S243.
278	Lidder PG, Thomas S, Fleming SC, Hosie KB, Lewis SJ. Nutritional intervention in patients undergoing colorectal surgery: support for the routine prescription of oral nutritional supplements pre-and post-operatively. <i>Gut</i> 2010;59:A35-. <a href="https://doi.org/10.1136/gut.2009.208991g">https://doi.org/10.1136/gut.2009.208991g</a>
279	Lippitt M, Gerardi Fairbairn M, Angaria A, Tanner EJ, Bristow RE, Fader AN. Impact of a surgical site infection prevention bundle in women undergoing cytoreductive surgery for ovarian cancer. <i>Gynecologic Oncology</i> 2016;143 (1):194.
280	Loh H, Foo F, Tan W, Sivarajah S, Chew M. Programme for enhanced elderly recovery at sengkang (PEERS). <i>Diseases of the Colon and Rectum</i> 2020;63 (6):e383.
281	Long T. A program evaluation of the hospital elder life program in a community teaching hospital. <i>Journal of the American Geriatrics Society</i> 2021;69 (SUPPL 1):S40.
282	Louis-Sylvestre C, Levet S, Herry M, Berry R, Cohen H, Bossard AE. Effects of an enhanced recovery protocol after surgery in gynecology. <i>European Journal of Obstetrics Gynecology and Reproductive Biology</i> 2019;234:e129.
283	Luthra K, Pillutla V, Blake C, Kaye D, Shaw J, Nanayakkara S. Event-Based Discharge Reduces Bed-Hours Post-Elective Angiogram. <i>Heart Lung and Circulation</i> 2019;28 (Supplement 4):S297.
284	Maccagnano C, Crescenti A, Pellucchi F, Rocchini L, Scattoni V, Ibrahim B, et al. A new multimodal anesthesiological and nutritional approach in radical cystectomy with urinary diversion based on ileal segment: A single-center, prospective, randomized study. <i>Anticancer Research</i> 2011;31 (5):1854-5.
285	Mak T, Dai D, Lee J, Ma B, Leung WW, Ng S. Perioperative elderly patients undergoing colorectal cancer surgery with enhanced geriatric input: an interim analysis of a randomised clinical trial. <i>Colorectal disease</i> 2016;18:42-. <a href="https://doi.org/10.1111/codi.13444">https://doi.org/10.1111/codi.13444</a>
286	Mannarino G, Van Der Velde N, Thibodeau MP, Baan J, Van Mourik M, Masson JB, et al. Transcatheter aortic valve implantation registry with comprehensive geriatric assessment. <i>European geriatric medicine Conference: 12th international congress of the european union geriatric medicine society, EUGMS 2016 Portugal Conference start: 20161005 Conference end: 20161007</i> 2016;7:S15-S6.

287	Marcoe GP, Wood H, Marcoe JP, Irfan FB. Multimodal analgesia & regional anesthesia in cardiac surgery. <i>Clinical Nutrition ESPEN</i> 2019;31:121.
288	Marres C, Mackay T, Buskens C, Sentjens R, Van Dieren S, Van De Ven A. Medium care observation after colorectal surgery in high-risk patients. <i>Colorectal Disease</i> 2018;20 (Supplement 4):70.
289	Martin AN, Hassinger T, Lynch K, Friel C, Thiele RH, Hedrick TL. Perioperative impact of widespread implementation of an enhanced recovery protocol on short-term outcomes in cancer patients. <i>Annals of Surgical Oncology</i> 2018;25 (1 Supplement 1):S188.
290	Martin De Francisco Murga E, Herrera Abian M, Palicio Martinez C, Barcena Goitiandia L, Ortega Morente JM, Jimenez Rodriguez A. Prevention of hospitalization-associated disability: A new paradigm of care plan focused on frailty. <i>European Geriatric Medicine</i> 2018;9 (Supplement 1):S101.
291	McCalmont G, Williams P, Muir D, Bawamia B, Arshad M. Same-day admission facilitated by a nurse led pathway reduces hospital length of stay for transfemoral transcatheter aortic valve implantation. <i>Heart</i> 2019;105 (Supplement 6):A112-A3.
292	Meyer LA, Nick AM, Iniesta MD, Cain KE, Earles TW, Lasala JD, et al. Is recovery really 'enhanced' through enhanced recovery programs? An analysis of patient-reported perioperative symptom burden before and after implementation of an enhanced recovery pathway for gynecologic surgery. <i>Gynecologic Oncology</i> 2016;1):15-6.
293	Minnella EM, Awasthi R, Loisel SE, Ramanakuma A, Ferri L, Carli F. Prehabilitation improves functional capacity in esophago-gastric cancer surgery: a randomized control trial. <i>Canadian journal of anesthesia</i> 2018;65:S91-S2. <a href="https://doi.org/10.1007/s12630-018-1223-y">https://doi.org/10.1007/s12630-018-1223-y</a>
294	Mitchell E, Coary R, Crees A, Beedham W, Winterborn R, Shipway D. Geriatrician liaison is associated with reduced post-operative complications in older persons admitted under vascular surgery. <i>European Geriatric Medicine</i> 2019;10 (Supplement 1):S205-S6.
295	Modesitt SC, Sarosiek BM, Trowbridge ER, Redick DL, Thiele RL, Tiourine M, et al. Implementation of an enhanced-recovery-after-surgery protocol in gynecologic surgery: Impact on patient satisfaction with pain control and surgical outcomes. <i>Gynecologic Oncology</i> 2016;1):16-7.
296	Montesinos G, Navarro C, Escarate J, Arellano D, Conejeros S, Larrachea P. Implementation of eras protocol in colorectal surgery at the Rancagua regional hospital: Preliminary results. <i>Diseases of the Colon and Rectum</i> 2019;62 (6):e210.
297	Montlleo Gonzalez M, Geiges G, Cicalese V, Morrill B, Black L, Castro R, et al. Combination therapy with dutasteride plus tamsulosin reduces medical resource utilisation in men with benign prostatic hyperplasia: 4-year data from the combat study. <i>European Urology, Supplements</i> 2010;9 (2):311.
298	Morrissey Y, Coxon K, Carpenter I. A comparison of outcomes of rehabilitation on a district general hospital ward with rehabilitation in "recuperative care", a "stepdown" intermediate care facility. <i>Age and Ageing</i> 2011;2):ii57.
299	Mota F, Costa P. Clinical and economic evaluation of the enhanced recovery after surgery (ERAS) multisite implementation program for colorectal surgery in hospital Beatriz Angelo (HBA). <i>Portuguese Journal of Public Health</i> 2018;36 (Supplement 1):24-

	5.
300	Mudge AM, McRae P, Barnett A, Inouye S. Reducing hospital associated complications in older people: results from the cherish cluster randomised controlled study. <i>Journal of the american geriatrics society</i> 2019;67:S142-. <a href="https://doi.org/10.1111/jgs.15898">https://doi.org/10.1111/jgs.15898</a>
301	Munirama S, Satapathy A, Checkkets M, McLeod G, Grant C. Incidence of postural hypotension during mobilization following hip & knee arthroplasty : Comparison of enhanced patients and traditional recovery patients. <i>Regional Anesthesia and Pain Medicine</i> 2011;2):E234.
302	Nam B, Weigel T. An adaptable acuity care unit (AACU) model facilitates fasttracking of video-assisted thoracic surgery (VATS) lobectomy patients. <i>Annals of Surgical Oncology</i> 2012;1):S133-S4.
303	Nash AB, E OS, Branney D, Anstee L, Thomas A, Hopper I, et al. Does preoperative psychology intervention affect outcomes in hip and knee arthroplasty patients? <i>British Journal of Pain</i> 2019;13 (14):256-7.
304	Neuburger PJ, Ursomanno P, Rabinovich A, Cuff G. Implementation of an extubation checklist reduces mechanical ventilation time and hospital length of stay after cardiac surgery. <i>Anesthesia and Analgesia</i> 2015;1):S118.
305	Ng S, Leung WW, Chan S, Ng M, Mak T, Hon S, et al. The impact of fast-track versus traditional perioperative programme on the clinical and immunological outcomes after laparoscopic colorectal surgery: a prospective randomised trial. <i>Colorectal disease</i> 2014;16:117. <a href="https://doi.org/10.1111/codi.12644-1">https://doi.org/10.1111/codi.12644-1</a>
306	Ng SS, Leung WW, Chan SK, Mak T, Hon SS, Ngo D, et al. A randomized noninferiority trial of electroacupuncture versus fast-track perioperative program for reducing duration of postoperative ileus and hospital stay after laparoscopic colorectal surgery. <i>Gastroenterology</i> 2017;152:S1277-.
307	Nipp R, Temel B, Fuh CX, Garcia EF, Scott E, Mukunda S, et al. Perioperative geriatric care intervention for older patients with gastrointestinal cancers undergoing surgical resection. <i>JNCCN journal of the national comprehensive cancer network</i> 2018;16:589-90.
308	Nolan F, Lyon K, Lambie N. Initial results: the effect of a physiotherapy prehabilitation programme on postoperative outcomes in patients undergoing cardiac or thoracic surgery. <i>Clinical nutrition ESPEN</i> 2019;31:111-. <a href="https://doi.org/10.1016/j.clnesp.2019.03.043">https://doi.org/10.1016/j.clnesp.2019.03.043</a>
309	O'Connor DB, Cotter M, Treacy O, O'Malley D, McShane A, Owens T, et al. The impact of an anaesthetic pre-operative assessment clinic on length of stay in vascular surgery patients. <i>Irish Journal of Medical Science</i> 2010;1):S29-S30.
310	O'Neal J, Dighe S, Gray K, Lerner A, Talmor D, Marcantonio E, et al. The use of dexmedetomidine and intravenous acetaminophen for the prevention of postoperative delirium in cardiac surgery patients over 60 years of age: a pilot study. <i>Anesthesia and analgesia</i> 2015;120:S411-. <a href="https://doi.org/10.1213/01.ane.0000470325.07465.0f">https://doi.org/10.1213/01.ane.0000470325.07465.0f</a>
311	Odero A, Poletto G, Casabianca E, Popovich A, Busoni C, Spoto M, et al. Aortic fast track surgery: a randomized comparison of perifascial infusion catheter and local anaesthetic infiltration. <i>European surgical research</i> 2010;45:262. <a href="https://doi.org/10.1159/000321283">https://doi.org/10.1159/000321283</a>



312	Oh W, Maun D, Berke H, Wrightson W, Lane F, Reidy T, et al. Initiation of enhanced recovery after surgery protocol with multimodal analgesia decreases opiate use in colon and rectal surgery. <i>Diseases of the Colon and Rectum</i> 2019;62 (6):e358.
313	Olaru V, Baston C, Gingu C, Preda A, Manea I, Chirita M, et al. Applying enhanced recovery after surgery (ERAS) protocols to radical cystectomy (RC) patients undergoing ileal urinary diversions-results of a single center prospective randomized controlled trial. <i>European Urology, Supplements</i> 2018;17 (2):e1561.
314	Olaru V, Gingu C, Baston C, Manea I, Preda A, Voinea S, et al. Applying fast-track protocols in bladder cancer patients undergoing radical cystectomy with ileal urinary diversions-early results of a prospective randomised controlled single center study. <i>European Urology, Supplements</i> 2016;15 (3):e340.
315	Olivencia-Yurvati AH, Wallace WE, Wallace N, Dimitrijevic D, Knust JK, Haas L, et al. Intraoperative treatment strategy to reduce the incidence of postcardiopulmonary bypass atrial fibrillation. <i>Perfusion</i> 2002;17 Suppl:35-9.
316	Olivero CF, Collado LM, Sarceda JJ, Martin EF, Santacruz CC, Gastardi J, et al. P2.16-42 The Use of a Smartphone Application Improves Postoperative Outcomes in Patients Undergoing Lung Cancer Resection. <i>Journal of Thoracic Oncology</i> 2019;14 (10 Supplement):S882.
317	Ouaissi M, Di Costanzo J, Pabst-Giger U, Boiron L, Hankard R, Guilbaud T, et al. Nutritional assistance by software improves surgical outcomes of elective colorectal surgery. <i>Colorectal Disease</i> 2018;20 (Supplement 4):23.
318	Pack QR, Miwa S, Woodbury E, Engelman R, Lagu T, Visintainer P, et al. The impact of an ambulation orderly program on hospital outcomes for patients with recent open heart surgery. <i>Circulation Conference: American Heart Association's Epidemiology and Prevention/Lifestyle and Cardiometabolic Health</i> 2016;133.
319	Paillaud E, Peschaud F, Cudennec T, Caillet P, Gisselbrecht M, De Decker L, et al. Implementation of complex perioperative intervention in older patients with cancer (IMPROVED program). <i>Journal of Clinical Oncology Conference</i> 2019;37.
320	Palla, Lorenzoni, D'Isidoro C, Manetti S, Porcelli F, Turchetti G. A New Organizational Integrated Home-Care Model: An Italian Pilot Study. <i>Value in Health</i> 2016;19 (7):A747-A8.
321	Palumbo V, Giannarini G, Lami V, Rossanese M, Crestani A, Ficarra V. Enhanced recovery protocol after radical cystectomy is safe and accelerates bowel function recovery compared to standard perioperative care. <i>European Urology, Supplements</i> 2017;16 (3):e1026-e7.
322	Paradza B. 7-Day physiotherapy pathway reduces hospitalisation following coronary artery bypass graft (CABG) when compared to 5-day pathway-a service evaluation study. <i>Physiotherapy (United Kingdom)</i> 2011;1):eS963.
323	Paternostro-Sluga T, Gruther W. Intensive physical therapy reduces length of hospital stay in critically ill patients. <i>PM and R</i> 2012;1):S310-S1.
324	Pathare N, Huta J, Christie C, Grady D, Pierce P, Groh C, et al. A comparison study of strict sternal precautions versus a less restrictive approach for mobility after median sternotomy in an acute care setting. <i>Cardiopulmonary Physical Therapy Journal</i> 2019;30 (1):e9.
325	Pavelescu D, Grintescu I. Multimodal analgesia with low dose of ketamine and

	dexamethasone, an interesting option for patients with total hip arthroplasty? Critical care (London, England) 2020;24. <a href="https://doi.org/10.1186/s13054-020-2772-3">https://doi.org/10.1186/s13054-020-2772-3</a>
326	Pearce L, Jamdar S, Kausar A, Krige A, Clarke J, Atkinson E, et al. Introduction of an enhanced recovery protocol can reduce length of stay following liver resection. <i>Hpb</i> 2012;2):134.
327	Perez-Tamayo A, Gantt G, Harrison J, Abdulhai M, Martinolich J, Chaudhry V. Choosing wisely: Application of protocols to prevent modern bloodletting. <i>Diseases of the Colon and Rectum</i> 2020;63 (6):e418.
328	Perinel J, Duclos A, Dagonneau T, Payet C, Bouffard Y, Le goff MC, et al. Implementation of enhanced recovery program after surgery (ERAS) in patients undergoing pancreatectomy: a controlled before and after study. <i>Hpb</i> 2019;21 (Supplement 3):S700-S1.
329	Pernik MN, Deme P, Nguyen M, Aoun S, Adogwa O, Hall K, et al. 82. Interdisciplinary care may reduce delirium in elderly spine patients: the UT Southwestern Perioperative Optimization of Senior Health Program. <i>Spine Journal</i> 2020;20 (9 Supplement):S40.
330	Pinho-Gomes AC, Rahman N, Black E, Stavroulias D, Belcher E. Impact of enhanced recovery programme on patients undergoing lung cancer surgery. <i>International Journal of Surgery</i> 2015;1):S22-S3.
331	Plunkett D, Brown R, Redmond KC, Eaton D, Danaher D. An overview of physiotherapy within the first thoracic enhanced recovery programme (TERP) in the Republic of Ireland. <i>Irish Journal of Medical Science</i> 2017;186 (Supplement 10):S443.
332	Popat UR, Saliba RM, Szewczyk N, Lindsay R, Rivera Z, Ferguson J, et al. Enhanced Recovery Program in Older Patients Undergoing Allogeneic Stem Cell Transplantation (ER-SCT): First Year Outcomes. <i>Biology of Blood and Marrow Transplantation</i> 2020;26 (3 Supplement):S49-S50.
333	Porsrud A, Aly M, Nygren-Bonnier M, Hagstromer M. Evaluation of enhanced mobilisation with individual goal-setting and self-monitoring after abdominal surgery due to cancer. <i>European Urology, Supplements</i> 2019;18 (1):e1349-e50.
334	Pribul V, Williams C, Ward M. Implementation of a multimodal program to reduce blood transfusion rates in primary joint arthroplasties. <i>European Journal of Anaesthesiology</i> 2014;52):88.
335	Quist M, Sommer MS, Vibe-Petersen J, Staerkind Bohlbro M, Langer S, Larsen K, et al. Early Initiated Postoperative Rehabilitation Reduces Fatigue in Patients with Operable Lung Cancer: a Randomized Trial. <i>Journal of thoracic oncology</i> 2018;13:S329-. <a href="https://doi.org/10.1016/j.jtho.2018.08.256">https://doi.org/10.1016/j.jtho.2018.08.256</a>
336	Radfar J, Fuchs L, Cahalin LP. An alternative approach to sternal precautions improves length of stay after median sternotomy. <i>Cardiopulmonary Physical Therapy Journal</i> 2019;30 (1):e1-e2.
337	Raghavan LV, Daniels A, Azazi EA. Enhanced recovery after posterior FOSSA surgery for microvascular decompression of cranial nerves. <i>Canadian Journal of Anesthesia</i> 2019;66 (2 Supplement):S247-S8.
338	Rawlinson A, McCullough S, Quraishi T, Bansal S, Panchagnula U. Implementation of a standardized uro-oncology perioperative protocol. <i>Urology</i> 2011;1):S201-S2.
339	Rege A, Vikraman D, Ravindra K, Brennan T, Leraas H, Sudan D. Influence of an enhanced recovery protocol in laparoscopic living donor nephrectomy. <i>American</i>

	Journal of Transplantation 2017;17 (Supplement 3):493.
340	Robinson L, Tanvetyanon T, Grubbs D, Garcia Getting R, Patel S. Preop Nutrition-Enhanced Recovery After Surgery Protocol for Thoracic Cancer Resections Decreases Hospital Days and Charges. Journal of Thoracic Oncology 2018;13 (10 Supplement):S648-S9.
341	Rocha R, Carneiro C, Soares A, Camarneiro R, Azevedo P, Nunes V. The impact of an ERAS program implementation on colorectal surgery results. Diseases of the Colon and Rectum 2020;63 (6):e297-e8.
342	Rojas MA, Cataneo-Serrato J, Marecik SJ, Park JJ, Kochar K. Re-admission rates after elective colorectal surgery when discharged over the weekend. Is there any difference in the eras era? Diseases of the Colon and Rectum 2021;64 (5):200.
343	Ronen I, Wright KN, Cass I, Siedhoff MT. The Impact of Enhanced Recovery after Surgery on Outpatient Recovery after Laparoscopic Hysterectomy. Journal of Minimally Invasive Gynecology 2019;26 (7 Supplement):S48-S9.
344	Roulin D, Melloul E, Vrochides D, Bockhorn M, Izbicki J, Ianniti D, et al. Feasibility of enhanced recovery protocol for duodenopancreatectomy: a multicentric cohort study. Hpb 2018;20 (Supplement 2):S636.
345	Sabate A, Dalmau A, Azevedo A. Analgesia protocol guided by acute pain unit versus nurse guided in colorectal surgery: An audit study. Regional Anesthesia and Pain Medicine 2015;1):e142.
346	Saklani A, Naguib N, Tanner N, Moorhouse S, Davies CE, Masoud AG. Laparoscopic surgery and a simplified Rapid Recovery Programme (RRP) is the key to early discharge after colorectal resections. Colorectal Disease 2011;4):24.
347	Saklani AP, Naguib N, Farag M, Moorhouse S, Morgan J, Masoud AG. Laparoscopic surgery or rapid recovery protocols-which is responsible for the reduction in hospital stay? Surgical Endoscopy and Other Interventional Techniques 2012;1):S90.
348	Salem KH, Elmoghazy AD, Lindner N, Tingart M. Enhanced recovery program after total hip replacement. SICOT 40th orthopaedic world congress 2019.
349	Sanada T, Baba H, Goseki N. Clinical trial for better postoperative course of Pacreaticoduodenctomy. Hpb 2011;3):242.
350	Sanchez Trejo HA, Chinn B, Calata J, Lucking J, Altino-Pierre F, Kaplan J, et al. Implementation of an enhanced recovery pathway in laparoscopic colon and rectal surgery decreases opioid usage: 2-year experience in a tertiary hospital. Diseases of the Colon and Rectum 2020;63 (6):e314-e5.
351	Sanz-De La Garza M, Coca M, Jarguis MJ, Navarro R, Bofill A, Castella M, et al. A trimodal prehabilitation program is feasible and also effective in increasing functional capacity and emotional state in candidates for cardiac surgery. European Journal of Preventive Cardiology 2018;25 (2 Supplement 1):S92-S3.
352	Sato H, Sakuramoto S, Koyama I. To evaluate the outcomes of enhanced recovery after surgery program and physical activity in patients who have undergone thoracic esophageal cancer surgery. Clinical Nutrition 2015;1):S226.
353	Sawatzky JV, Christie S, Singal RK. An np managed cardiac surgery follow-up clinic: a randomized controlled trial demonstrating improved patient outcomes. Canadian journal of cardiology 2011;27:S213-S4. <a href="https://doi.org/10.1016/j.cjca.2011.07.355">https://doi.org/10.1016/j.cjca.2011.07.355</a>

354	Seeley C, Pavel K, Graham M, Ravindran D. Chronic post-surgical pain (CPSP) after total knee replacement (TKR)-HAS enhanced recovery programmes worsened incidence? <i>British Journal of Pain</i> 2018;12 (2 Supplement 1):36-7.
355	Shah JH, Raval RN, Applegate RL, Bradford V, Martin RD, Ruckle H, et al. Perioperative surgical home decreases hospital length of stay, with continued improvement with further implementation. <i>Anesthesia and Analgesia</i> 2016;122 (5 Supplement 3):S275.
356	Shao C, McLeod MC, Smithson M, Theiss L, Gunnells D, Hollis RH, et al. Racial disparities in length of stay after ostomy creation and the role of peri-operative ostomy education. <i>Diseases of the Colon and Rectum</i> 2021;64 (5):187.
357	Shea J, Shah A, Sodhi G, Price J, Najam F, Solomon AJ. A therapeutic strategy for 2010 to reduce the incidence of postoperative atrial fibrillation: A pilot study. <i>Journal of the American College of Cardiology</i> 2010;55 (10 SUPPL 1):A1.E4.
358	Shimakawa T, Naritaka Y, Asaka S, Usuda A, Miyaki A, Yamaguchi K, et al. Our current team medical care and its prospects in perioperative management of esophageal cancer. <i>Diseases of the Esophagus</i> 2014;1):144A.
359	Shukla A, Wright G, Denehy L, Granger C. Prehabilitation for Individuals Having Lung Cancer Surgery. <i>Heart lung and circulation</i> 2019;28:S73-S4. <a href="https://doi.org/10.1016/j.hlc.2019.02.028">https://doi.org/10.1016/j.hlc.2019.02.028</a>
360	Singh S, Hodgkinson R, Shipway D, Moorthy K. Perioperative comprehensive geriatric assessment is associated with reduced inpatient length of stay. <i>European Geriatric Medicine</i> 2015;1):S148.
361	Slate M. Reduced Opioid use in Benign, Minimally Invasive Gynecologic Surgery with Eras Protocol - A Resident initiated Quality Improvement Project. <i>Journal of Minimally Invasive Gynecology</i> 2019;26 (7 Supplement):S30.
362	Smithson M, McLeod MC, Theiss L, Shao C, Kennedy GD, Hollis RH, et al. Ileostomy patients using patient engagement technology have shorter length of stay. <i>Diseases of the Colon and Rectum</i> 2021;64 (5):235-6.
363	Soni A, Mudge N, Joshi A, Wyatt M, Williamson L. Severe knee osteoarthritis: a study of combined acupuncture and physiotherapy vs home exercise advice in patients awaiting total knee arthroplasty. <i>Rheumatology</i> 2010;49:i79-i80. <a href="https://doi.org/10.1093/rheumatology/keq722">https://doi.org/10.1093/rheumatology/keq722</a>
364	Soriano I, Schuricht A, Kirkland M, McIntyre M, Schnapf A, Sabat M, et al. Two-year Outcomes after Implementation of an Enhanced Recovery Protocol for Bariatric Surgery. <i>Surgery for Obesity and Related Diseases</i> 2019;15 (10 Supplement):S144-S5.
365	Spinelli A, Bazzi P, Sacchi M, Danese S, Fiorino G, Gentilini L, et al. Combination of laparoscopy and enhanced recovery program improves outcomes after ileocecal resection for crohn's disease. <i>Gastroenterology</i> 2012;1):S1047.
366	Sreevalsan K, Ko FC, Baim-Lance A, Fani S, Munoz L, Lavayen S, et al. Geriatric surgical comanagement and social work frailty evaluation model. <i>Journal of the American Geriatrics Society</i> 2021;69 (SUPPL 1):S55.
367	Stringfield S, Ogola G, Curran R, Wells K, Fichera A, Fleshman JW. Colorectal surgery in COVID-negative patients in the early phases of the pandemic. Short term outcomes. <i>Diseases of the Colon and Rectum</i> 2021;64 (5):194.
368	Sullivan HB, Caguioa N. Preparing the frontline: Nursing education for enhanced recovery in stem cell transplant, an interdisciplinary program targeting improved

	outcomes in patients 65+ years old receiving allogeneic transplants. <i>Biology of Blood and Marrow Transplantation</i> 2018;24 (3 Supplement 1):S474-S5.
369	Sun H, Zweig Y, Perskin M, Cunningham C, Sullivan R, Blachman N. Empowering elder novel interventions for delirium prevention. <i>Journal of the American Geriatrics Society</i> 2019;67 (Supplement 1):S9.
370	Takagi K, Yoshida R, Yagi T, Umeda Y, Nobuoka D, Kuise T, et al. OR33: Randomized Controlled Trial of an Enhanced Recovery After Surgery Protocol in Patients Undergoing Pancreaticoduodenectomy. <i>Clinical Nutrition</i> 2017;36:S14-S. <a href="https://doi.org/10.1016/S0261-5614(17)30754-9">https://doi.org/10.1016/S0261-5614(17)30754-9</a>
371	Talukder A, Davenport D, Bhakta A, Patel JA. Enhanced recovery pathways should be mandatory in elective colorectal operations. <i>Diseases of the Colon and Rectum</i> 2021;64 (5):59-60.
372	Tan N, Hunt J. Implementation of a fast-track program to improve quality of recovery after total hip replacement in an Australian private healthcare setting. <i>Anaesthesia and Intensive Care</i> 2017;45 (5):645.
373	Tan W, Lamb B, Sridhar A, Mohammed A, Baker H, Nathan S, et al. Enhanced recovery augments ability of intracorporeal robotic assisted radical cystectomy to reduce length of stay making comparisons between open and robotic cystectomy meaningless outside of a randomised trial. <i>Journal of Clinical Urology</i> 2017;10 (2 Supplement 1):11-2.
374	Tan WS, Lamb B, Tan MY, Sridhar A, Mohammed A, Baker H, et al. Enhanced recovery enhances reduction of length of stay in patients treated with robotic assisted radical cystectomy with intracorporeal urinary diversion. <i>European Urology, Supplements</i> 2017;16 (3):e1022.
375	Theiss L, Wood L, Xie R, dos Santos Marques IC, Gunnells D, Hardiman KM, et al. Patient Engagement Technologies (PETs) Reduce the Costs of Index Surgical Encounters. <i>Journal of the American College of Surgeons</i> 2020;231 (4 Supplement 2):e105.
376	Theiss L, Wood L, Xie R, Shao C, Marques I, Kay D, et al. Patient engagement technologies (PETS) provide cost savings at the surgical encounter. <i>Diseases of the Colon and Rectum</i> 2021;64 (5):189.
377	Thygesen L, Hennberg Pedersen S, Dreyer Sorensen B, Friis S. A tele-based cross-sectorial conference in the patient's home-a randomized controlled trial. <i>European Journal of Epidemiology</i> 2016;31 (Supplement 1):S207-S8.
378	Timofte I, Wells C, Hersi K, Ryan A, Varghese AM, Vesselinov R, et al. Nutritional Supplementation and Neuromuscular Electrical Stimulation in Lung Transplant Patients. <i>Journal of Heart and Lung Transplantation</i> 2021;40 (4 Supplement):S359-S60.
379	Torigoe H, Soh J, Ashiwa T, Kurosaki T, Ohtani S, Maki Y, et al. Impact of intensive interprofessional perioperative management on clinical outcome in the elderly patients with lung cancer surgery. <i>Journal of Thoracic Oncology</i> 2015;2):S514.
380	Vajter J, Durila M, Berousek J, Vymazal T, Prikrylova Z, Lischke R. Point of Care Management of Perioperative Bleeding or Coagulopathy and Volume Replacement Strategy with Albumin 5% Seems to Reduce Primary Graft Dysfunction after Lung Transplantation (Preliminary Results). <i>Journal of Heart and Lung Transplantation</i>

	2019;38 (4 Supplement):S329.
381	Van Damme A, Norris CM, Buijs DM, Black C, Penney K, Gyenes GT. The impact of prehabilitation on functional capacity and quality of life for patients awaiting coronary artery bypass graft surgery and/or mitral valve surgery. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> 2017;37 (6):458-9.
382	van Dooren R, Bouwman H, Abusaris C. Eras<sup></sup>-INREC<sup>©</sup> the benefits of early mobilization after colorectal surgery in the pacu: A 50 patients analysis. <i>Clinical Nutrition ESPEN</i> 2019;31:122-3.
383	Varelmann D, Shook D, Buric D, Yadzchi F, Madou ID, Morth K, et al. Enhanced recovery after cardiac surgery: fluid balance and incidence of acute kidney injury. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> 2019;33 (Supplement 2):S142-S3.
384	Vasileios A, Pavlos A, Georgia K, George T, Panagiota D, Evangelia P, et al. Enhanced recovery after surgery (ERAS) program in patients undergoing major surgery for gastrointestinal cancer: Results of a 6-year clinical study. <i>Annals of Oncology</i> 2017;28 (Supplement 3):iii69.
385	Verceles AC, Wells C, Sorkin J, Terrin ML, Beans J, Jenkins T. Improved weaning success and discharge home with a multimodal rehabilitation program in older patients with post ICU syndrome. <i>American journal of respiratory and critical care medicine</i> 2015;191:A6352.
386	Verweij L, Jepma P, Buurman B, Latour C, Engelbert R, Ter Riet G, et al. The cardiac care bridge: a randomized controlled trial of a nurse coordinated transitional intervention in high risk older cardiac patients. <i>European geriatric medicine</i> 2019;10:S173-S4. <a href="https://doi.org/10.1007/s41999-019-00221-0">https://doi.org/10.1007/s41999-019-00221-0</a>
387	Vlug M, Wind J, Hollmann M, Ubbink D, Cense H, Engel A, et al. Laparoscopy in combination with fast multimodal management is the most optimal perioperative strategy in patients having colonic surgery (lafa-trial). <i>Colorectal Disease</i> 2010;3):7.
388	Vlug MS, Bartels SAL, Wind J, Ubbink DT, Hollmann MW, Bemelman WA. What is the key to success in the fast track perioperative care programme? <i>Surgical Endoscopy and Other Interventional Techniques</i> 2011;1):S107.
389	Vlug MS, Wind J, Hollmann MW, Ubbink DT, Cense HA, Engel AF, et al. Laparoscopy in combination with fast multimodal management is the most optimal perioperative strategy in patients having colonic surgery (LAFATRIAL). <i>Surgical Endoscopy and Other Interventional Techniques</i> 2011;1):S29.
390	Wady H, Krautsak K, Denoya P. Effect of enhanced recovery protocol on colorectal surgical site infections. <i>Diseases of the Colon and Rectum</i> 2020;63 (6):e249-e50.
391	Wai Wing C, Yim Kwan FT, Chung Yan T, Tat Kwong AT, Wing Shu W, King Shing T. Role of physiotherapy in enhanced recovery after surgery for colorectal surgery - Hong Kong experiences. <i>Clinical Nutrition ESPEN</i> 2019;31:116.
392	Watts H, Laurie K, Agrawal A, Gough J, Farmery R, Brierley K, et al. Introduction of enhanced recovery after surgery (ERAS) pathways in latissimus dorsi flap reconstruction. <i>European Journal of Surgical Oncology</i> 2014;40 (5):623-4.
393	Weblin J, Tucker O, McWilliams D. A pilot study of prehabilitation and enhanced post-operative physiotherapy for patients undergoing oesophagectomy and total gastrectomy (TG). <i>Intensive Care Medicine Experimental Conference: 29th Annual Congress of the European Society of Intensive Care Medicine, ESICM</i> 2016;4.

394	Wellge B, Kusters N, Trepte C, Nawrath L, Izbicki J, Bockhorn M. Implementing an enhanced recovery protocol for elective duodenopancreatectomy: Is it worth it? <i>Hpb</i> 2020;22 (Supplement 2):S308-S9.
395	Winter M, Heuber P, Yip W, Shakir A, Tafuri A, Ashrafi A, et al. Robotic radical cystectomy outcomes before and after enhanced recovery after surgery (ERAS) pathway. <i>Journal of Urology</i> 2019;201 (4 Supplement 1):e361-e2.
396	Withington J, Yuminaga Y, Gulamhusein A, Lyness C, Cullen D, Barod R. Enhanced recovery after nephrectomy: Conception, implementation and outcomes in a high volume specialist centre. <i>European Urology, Supplements</i> 2019;18 (1):e1362-e3.
397	Wyld L, Reed MWR, Collins K, Ward S, Holmes G, Morgan J, et al. Bridging the age gap in breast cancer: Optimisation of survival and quality of life outcomes in older women with early breast cancer. <i>Breast Cancer Research and Treatment</i> 2020;180 (2):594.
398	Xu W, Ahmadi H, Cai J, Miranda G, Shuckman A, Daneshmand S, et al. Post-operative pain management after radical cystectomy: Comparing traditional and enhanced recovery after surgery protocol at USC. <i>Journal of Urology</i> 2015;1):e306.
399	Yaiesh S, Aldousari S, Abul F, Akpinar H, Chapin B, Navai N, et al. [35] The impact of the 'optimised surgical journey' on robot-assisted radical prostatectomy patients: a prospective non-randomised longitudinal cohort study. <i>Arab journal of urology Conference: EUSC 2018 and 15th annual AAU conference United arab emirates 2018;16:S17-S8. <a href="https://doi.org/10.1016/j.aju.2018.10.082">https://doi.org/10.1016/j.aju.2018.10.082</a></i>
400	Yarimizu K, Hayasaka K, Suzuki K, Shiono S. Readmission rate is not increased with shortened hospital stay after lung cancer surgery. <i>Journal of Thoracic Oncology</i> 2017;12 (1 Supplement 1):S1396-S7.
401	Yazdchi F, Hirji S, Choi J, Percy E, Pelletier M, McGurk S, et al. Initial Experience with Enhanced Recovery after Cardiac Surgery at a North American Academic Cardiac Surgery Center: A Comparative Analysis. <i>Journal of the American College of Surgeons</i> 2019;229 (4 Supplement 1):S45-S6.
402	Zammert M, Buric D, Yazdchi F, Madou ID, Manca C, Woo S, et al. The influence of enhanced recovery after cardiac surgery on 30-day readmission rate, hospital and ICU length of stay. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> 2019;33 (Supplement 2):S102.
403	Zatorski C, Crisaffo A, Liu P, Du C, Eckhart S, Moritz M. An enhanced recovery after surgery (ERAS) pathway after laparoscopic living donor nephrectomy (LLDN) improves functional outcomes with no impact on renal function. <i>American Journal of Transplantation</i> 2020;20 (Supplement 2):96.
404	Zelic M, Sotosek-Tokmadzic V, Uravic M, Sustic A. Multimodal rehabilitation with pre and early postoperative feeding and early mobilization improves recovery after laparoscopic colorectal surgery. <i>Surgical endoscopy and other interventional techniques</i> 2014;28:S74-. <a href="https://doi.org/10.1007/s00464-014-3484-z">https://doi.org/10.1007/s00464-014-3484-z</a>
405	Zhang J, Lian X, Abola R, Adsumelli R, Romeiser J, Kim E, et al. Evaluation of an Enhanced Recovery Pathway for Minimally Invasive Gynecological Surgery. <i>Journal of Minimally Invasive Gynecology</i> 2018;25 (7 Supplement):S242-S3.
406	Ziegelmueller BK, Jokisch F, Buchner A, Grimm T, Kretschmer A, Schulz G, et al. ERAS concepts in the perioperative management of patients undergoing radical cystectomy for bladder cancer: long-term-follow up and oncological outcome of a prospective randomized study. <i>European urology, supplements</i> 2019;18:e1147-.

	<a href="https://doi.org/10.1016/S1569-9056(19)30825-5">https://doi.org/10.1016/S1569-9056(19)30825-5</a>
407	Zitta D, Subbotin V, Busyrev Y. The influence of ERAS protocol on the risk of complications after elective colorectal surgery. <i>Colorectal Disease</i> 2011;6):62.
	<b>Data (n=17) (PRISMA flow diagram code: DATA)</b>
408	Barakat HM, Shahin Y, Khan JA, McCollum PT, Chetter IC. Preoperative Supervised Exercise Improves Outcomes After Elective Abdominal Aortic Aneurysm Repair: a Randomized Controlled Trial. <i>Annals of surgery</i> 2016;264:47-53. <a href="https://doi.org/10.1097/SLA.0000000000001609">https://doi.org/10.1097/SLA.0000000000001609</a>
409	Barnason S, Zimmerman L, Schulz P, Tu C. Influence of an early recovery telehealth intervention on physical activity and functioning after coronary artery bypass surgery among older adults with high disease burden. <i>Heart &amp; Lung</i> 2009;38:459-68.
410	Carter-Brooks CM, Du AL, Ruppert KM, Romanova AL, Zyczynski HM. Implementation of a urogynecology-specific enhanced recovery after surgery (ERAS) pathway. <i>American Journal of Obstetrics &amp; Gynecology</i> 2018;219:495.e1-.e10.
411	Castellvi Valls J, Borrell Brau N, Bernat MJ, Iglesias P, Reig L, Pascual L, et al. Colorectal carcinoma in the frail surgical patient. Implementation of a Work Area focused on the Complex Surgical Patient improves postoperative outcome. <i>Cirugia Espanola</i> 2018;96:155-61.
412	Chia-Hui Chen C, Yang YT, Lai IR, Lin BR, Yang CY, Huang J, et al. Three Nurse-administered Protocols Reduce Nutritional Decline and Frailty in Older Gastrointestinal Surgery Patients: a Cluster Randomized Trial. <i>Journal of the American Medical Directors Association</i> 2019;20:524-9.e3. <a href="https://doi.org/10.1016/j.jamda.2018.09.016">https://doi.org/10.1016/j.jamda.2018.09.016</a>
413	Fulop A, Lakatos L, Susztak N, Szijarto A, Banky B. The effect of trimodal prehabilitation on the physical and psychological health of patients undergoing colorectal surgery: a randomised clinical trial. <i>Anaesthesia</i> 2021;76:82-90.
414	Gatt M, Anderson ADG, Reddy BS, Hayward-Sampson P, Tring IC, MacFie J. Randomized clinical trial of multimodal optimization of surgical care in patients undergoing major colonic resection. <i>British Journal of Surgery</i> 2005;92:1354-62. <a href="https://doi.org/10.1002/bjs.5187">https://doi.org/10.1002/bjs.5187</a>
415	Harsten A. Perioperative regimes for patients undergoing elective hip or knee arthroplasties: impact of nutrition and anaesthetic technique on recovery. <i>Acta anaesthesiologica Scandinavica</i> 2014; 10.1111/aas.12325. <a href="https://doi.org/10.1111/aas.12325">https://doi.org/10.1111/aas.12325</a>
416	Harsten A, Hjartarson H, Werner MU, Toksvig-Larsen S. General anaesthesia with multimodal principles versus intrathecal analgesia with conventional principles in total knee arthroplasty: a consecutive, randomized study. <i>Journal of Clinical Medicine Research</i> 2013;5:42-8.
417	Isaac D, Falode T, Liu P, l'Anson H, Dillow K, Gill P. Accelerated rehabilitation after total knee replacement. <i>Knee</i> 2005;12:346-50.
418	Kim S, Hsu FC, Groban L, Williamson J, Messier S. A pilot study of aquatic prehabilitation in adults with knee osteoarthritis undergoing total knee arthroplasty - short term outcome. <i>BMC Musculoskeletal Disorders</i> 2021;22:388.
419	Koh FH, Loh CH, Tan WJ, Ho LML, Yen D, Chua JMW, et al. Structured presurgery prehabilitation for aged patients undergoing elective surgery significantly improves



	surgical outcomes and reduces cost: A nonrandomized sequential comparative prospective cohort study. Nutrition in clinical practice : official publication of the American Society for Parenteral and Enteral Nutrition 2021; <a href="https://dx.doi.org/10.1002/ncp.10787">https://dx.doi.org/10.1002/ncp.10787</a> . <a href="https://doi.org/https://dx.doi.org/10.1002/ncp.10787">https://doi.org/https://dx.doi.org/10.1002/ncp.10787</a>
420	Larsen K, Hansen TB, Thomsen PB, Christiansen T, Soballe K. Cost-effectiveness of accelerated perioperative care and rehabilitation after total hip and knee arthroplasty. Journal of Bone & Joint Surgery - American Volume 2009;91:761-72.
421	Lopez-Rodriguez-Arias F, Sanchez-Guillen L, Aranaz-Ostariz V, Triguero-Canovas D, Lario-Perez S, Barber-Valles X, et al. Effect of home-based prehabilitation in an enhanced recovery after surgery program for patients undergoing colorectal cancer surgery during the COVID-19 pandemic. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer 2021;29:7785-91. <a href="https://doi.org/https://dx.doi.org/10.1007/s00520-021-06343-1">https://doi.org/https://dx.doi.org/10.1007/s00520-021-06343-1</a>
422	Machin JT, Phillips S, Parker M, Carrannante J, Hearth MW. Patient satisfaction with the use of an enhanced recovery programme for primary arthroplasty. Annals of the Royal College of Surgeons of England 2013;95:577-81.
423	Maggiori L, Rullier E, Lefevre J, Regimbeau JM, Berdah S, Karoui M, et al. Does a combination of laparoscopic approach and full fast track multimodal management decreases postoperative morbidity after colorectal cancer surgery? A multicenter randomized controlled trial. Colorectal disease 2017;19:14-. <a href="https://doi.org/10.1111/codi.13794">https://doi.org/10.1111/codi.13794</a>
424	McDonald SR, Heflin MT, Whitson HE, Dalton TO, Lidsky ME, Liu P, et al. Association of Integrated Care Coordination With Postsurgical Outcomes in High-Risk Older Adults: The Perioperative Optimization of Senior Health (POSH) Initiative. JAMA Surgery 2018;153:454-62.
	<b>Date (n=1) (PRISMA flow diagram code: DATE)</b>
425	Naylor MD. Comprehensive discharge planning and home follow-up of hospitalized elders. Journal of the American Medical Association 1999;281.
	<b>Duplicate (n=25) (PRISMA flow diagram code: DUP)</b>
426	Anderson AD, McNaught CE, MacFie J, Tring I, Barker P, Mitchell CJ. Randomized clinical trial of multimodal optimization and standard perioperative surgical care. British journal of surgery 2004;90:1497-504.
427	Anderson ADG, McNaught CE, MacFie J, Tring I, Barker P, Mitchell CJ. Randomized clinical trial of multimodal optimization and standard perioperative surgical care. British Journal of Surgery 2003;90:1497-504. <a href="https://doi.org/10.1002/bjs.4371">https://doi.org/10.1002/bjs.4371</a>
428	Arienti C, Pollet J, Buraschi R, Piovaneli B, Villafane JH, Galeri S, et al. Fast-track rehabilitation after total knee arthroplasty reduces length of hospital stay: a prospective, case-control clinical trial. Turkish journal of physical medicine and rehabilitation 2021;66:398-404. <a href="https://doi.org/10.5606/TFTRD.2020.6266">https://doi.org/10.5606/TFTRD.2020.6266</a>
429	Borgwardt L, Zerahn B, Bliddal H, Christiansen C, Sylvest J, Borgwardt A. Similar clinical outcome after unicompartmental knee arthroplasty using a conventional or accelerated care program A randomized, controlled study of 40 patients. Acta Orthopaedica 2009;80:334-7. <a href="https://doi.org/10.3109/17453670903035559">https://doi.org/10.3109/17453670903035559</a>
430	Garcia-Botello S, de Lucas RC, Tornero C, Escamilla B, Espi-Macias A, Esclapez-Valero P,

	et al. Implementation of a perioperative multimodal rehabilitation protocol in elective colorectal surgery. A prospective randomised controlled study. <i>Cirugia Espanola</i> 2011;89:159-66. <a href="https://doi.org/10.1016/j.ciresp.2010.12.004">https://doi.org/10.1016/j.ciresp.2010.12.004</a>
431	Giacomelli E, Dorigo W, Campolmi M, Casini A, Fargion A, Bush RL, et al. A pilot study of the enhanced recovery after surgery protocol in aortic surgery. <i>Journal of vascular surgery</i> 2021;74:90-6.e2. <a href="https://doi.org/https://dx.doi.org/10.1016/j.jvs.2020.11.042">https://doi.org/https://dx.doi.org/10.1016/j.jvs.2020.11.042</a>
432	Giacomelli E, Dorigo W, Campolmi M, Casini A, Fargion A, Bush RL, et al. A pilot study of the enhanced recovery after surgery protocol in aortic surgery. <i>Journal of Vascular Surgery</i> 2021.
433	Gocze I, Jauch D, Gotz M, Kennedy P, Jung B, Zeman F, et al. Biomarker-guided Intervention to Prevent Acute Kidney Injury after Major Surgery. <i>Annals of surgery</i> 2018;267:1013-20. <a href="https://doi.org/10.1097/SLA.0000000000002485">https://doi.org/10.1097/SLA.0000000000002485</a>
434	Gustafsson U, Hausel J, Thorell A, Ljungqvist O, Soop M, Nygren J. Adherence with an ERAS-protocol and outcomes after colo-rectal cancer surgery. <i>Colorectal Disease</i> 2010;3):14.
435	Huang SW, Chen PH, Chou YH. Effects of a preoperative simplified home rehabilitation education program on length of stay of total knee arthroplasty patients. <i>Orthopaedics &amp; Traumatology-Surgery &amp; Research</i> 2012;98:259-64. <a href="https://doi.org/10.1016/j.otsr.2011.12.004">https://doi.org/10.1016/j.otsr.2011.12.004</a>
436	Jakobsen DH, Sonne E, Andreasen J, Kehlet H. Convalescence after colonic surgery with fast-track vs conventional care. <i>Colorectal Disease</i> 2006;8:683-7. <a href="https://doi.org/10.1111/j.1463-1318.2006.00995.x">https://doi.org/10.1111/j.1463-1318.2006.00995.x</a>
437	Khoo CK, Vickery CJ, Forsyth N, Vinall NS, Eyre-Brook IA. A prospective Randomized controlled trial of multimodal perioperative management protocol in patients undergoing elective colorectal resection for cancer. <i>Annals of Surgery</i> 2007;245:867-72. <a href="https://doi.org/10.1097/01.sla.0000259219.08209.36">https://doi.org/10.1097/01.sla.0000259219.08209.36</a>
438	King PM, Blazeby JM, Ewings P, Longman RJ, Kipling RM, Franks PJ, et al. The influence of an Enhanced Recovery Programme on clinical outcomes, costs and quality of life after surgery for colorectal cancer. <i>Colorectal Disease</i> 2006;8:506-13. <a href="https://doi.org/10.1111/j.1463-1318.2006.00963.x">https://doi.org/10.1111/j.1463-1318.2006.00963.x</a>
439	Liang C-K, Chu C-S, Hsu Y-H, Chou M-Y, Wang Y-C, Lin Y-T, et al. Effects of modified version of the Hospital Elder Life Program on post-discharge cognitive function and activities of daily living among older adults undergoing total knee arthroplasty. <i>Archives of gerontology and geriatrics</i> 2021;93:104284. <a href="https://doi.org/https://dx.doi.org/10.1016/j.archger.2020.104284">https://doi.org/https://dx.doi.org/10.1016/j.archger.2020.104284</a>
440	Maempel JF, Walmsley PJ. Enhanced recovery programmes can reduce length of stay after total knee replacement without sacrificing functional outcome at one year. <i>Annals of the Royal College of Surgeons of England</i> 2015;97:563-7. <a href="https://doi.org/10.1308/rcsann.2015.0016">https://doi.org/10.1308/rcsann.2015.0016</a>
441	Nygren J, Soop M, Thorell A, Hausel J, Ljungqvist O, Grp E. An Enhanced-Recovery Protocol Improves Outcome After Colorectal Resection Already During the First Year: A Single-Center Experience in 168 Consecutive Patients. <i>Diseases of the Colon &amp; Rectum</i> 2009;52:978-85. <a href="https://doi.org/10.1007/DCR.0b013e31819f1416">https://doi.org/10.1007/DCR.0b013e31819f1416</a>
442	Raphael M, Jaeger M, van Vlymen J. Easily adoptable total joint arthroplasty program allows discharge home in two days. <i>Canadian Journal of Anesthesia-Journal Canadien</i>

	D Anesthesie 2011;58:902-10. <a href="https://doi.org/10.1007/s12630-011-9565-8">https://doi.org/10.1007/s12630-011-9565-8</a>
443	Romano LU, Rigoni M, Torri E, Nella M, Morandi M, Casetti P, et al. A Propensity Score-Matched Analysis to Assess the Outcomes in Pre- and Post-Fast-Track Hip and Knee Elective Prosthesis Patients. <i>Journal of clinical medicine</i> 2021;10. <a href="https://doi.org/https://dx.doi.org/10.3390/jcm10040741">https://doi.org/https://dx.doi.org/10.3390/jcm10040741</a>
444	Slieker J, Hubner M, Duvoisin C, Demartines N, Hahnloser D. The application of ERAS pathway in ileostomy closure: A case-control trial with surprising results. <i>Swiss Medical Weekly</i> 2014;206):14S.
445	Takagi K, Yoshida R, Yagi T, Umeda Y, Nobuoka D, Kuise T, et al. Effect of an enhanced recovery after surgery protocol in patients undergoing pancreaticoduodenectomy: a randomized controlled trial. <i>Clinical nutrition (edinburgh, scotland)</i> 2018; 10.1016/j.clnu.2018.01.002. <a href="https://doi.org/10.1016/j.clnu.2018.01.002">https://doi.org/10.1016/j.clnu.2018.01.002</a>
446	Takagi K, Yoshida R, Yagi T, Umeda Y, Nobuoka D, Kuise T, et al. Effect of an enhanced recovery after surgery protocol in patients undergoing pancreaticoduodenectomy: A randomized controlled trial. <i>Clinical Nutrition</i> 2019;38:174-81. <a href="https://doi.org/10.1016/j.clnu.2018.01.002">https://doi.org/10.1016/j.clnu.2018.01.002</a>
447	Teeuwen PHE, Bleichrodt RP, de Jong PJM, van Goor H, Bremers AJA. Enhanced Recovery After Surgery Versus Conventional Perioperative Care in Rectal Surgery. <i>Diseases of the Colon &amp; Rectum</i> 2011;54:833-9. <a href="https://doi.org/10.1007/DCR.0b013e318216067d">https://doi.org/10.1007/DCR.0b013e318216067d</a>
448	Wichmann MW, Eben R, Angele MK, Brandenburg F, Goetz AE, Jauch KW. Fast-track rehabilitation in elective colorectal surgery patients: A prospective clinical and immunological single-centre study. <i>Anz Journal of Surgery</i> 2007;77:502-7. <a href="https://doi.org/10.1111/j.1445-2197.2007.04138.x">https://doi.org/10.1111/j.1445-2197.2007.04138.x</a>
449	Zargar-Shoshtari K, Connolly AB, Israel LH, Hill AG. Fast-Track Surgery May Reduce Complications Following Major Colonic Surgery. <i>Diseases of the Colon &amp; Rectum</i> 2008;51:1633-40. <a href="https://doi.org/10.1007/s10350-008-9386-1">https://doi.org/10.1007/s10350-008-9386-1</a>
450	Zargar-Shoshtari K, Paddison JS, Booth RJ, Hill AG. A Prospective Study on the Influence of a Fast-Track Program on Postoperative Fatigue and Functional Recovery After Major Colonic Surgery. <i>Journal of Surgical Research</i> 2009;154:330-5. <a href="https://doi.org/10.1016/j.jss.2008.06.023">https://doi.org/10.1016/j.jss.2008.06.023</a>
	<b>Not all procedures elective (n=76) (PRISMA flow diagram code: ELEC)</b>
451	Aizen E, Lutsyk G, Wainer L, Carmeli S. Effectiveness of individualized fall prevention program in geriatric rehabilitation hospital setting: a cluster randomized trial. <i>Aging-Clinical &amp; Experimental Research</i> 2015;27:681-8.
452	Altfeld SJ, Shier GE, Rooney M, Johnson TJ, Golden RL, Karavolos K, et al. Effects of an enhanced discharge planning intervention for hospitalized older adults: a randomized trial. <i>Gerontologist</i> 2013;53:430-40.
453	Ansryan LZ, Aronow HU, Borenstein JE, Mena V, Haus F, Palmer K, et al. Systems Addressing Frail Elder Care: Description of a Successful Model. <i>Journal of Nursing Administration</i> 2018;48:11-7.
454	Ansryan LZ, Aronow HU, Coleman B, Haus F, Ward CR, Sanchez-Rico G, et al. Systems Addressing Frail Elders (SAFE) Care: Description of Successful Partnerships Across Hospitals. <i>Nursing Administration Quarterly</i> 2018;42:350-6.

455	Avlund K, Jepsen E, Vass M, Lundemark H. Effects of comprehensive follow-up home visits after hospitalization on functional ability and readmissions among old patients. A randomized controlled study. <i>Scandinavian journal of occupational therapy</i> 2002;9:17-22. <a href="https://doi.org/10.1080/110381202753505827">https://doi.org/10.1080/110381202753505827</a>
456	Basger B, Moles R, Chen T, Basger BJ, Moles RJ, Chen TF. Impact of an enhanced pharmacy discharge service on prescribing appropriateness criteria: a randomised controlled trial. <i>International Journal of Clinical Pharmacy</i> 2015;37:1194-205. <a href="https://doi.org/10.1007/s11096-015-0186-0">https://doi.org/10.1007/s11096-015-0186-0</a>
457	Bos JM, van den Bemt PM, Kievit W, Pot JL, Nagtegaal JE, Wieringa A, et al. A multifaceted intervention to reduce drug-related complications in surgical patients. <i>British Journal of Clinical Pharmacology</i> 2017;83:664-77.
458	Bourdeaux L, Matthews L, Richards NL, SanAgustin G, Thomas P, Veltigian S. Comparative study of case management program for patients with syncope. <i>Journal of nursing care quality</i> 2005;20:140-4. <a href="https://doi.org/10.1097/00001786-200504000-00009">https://doi.org/10.1097/00001786-200504000-00009</a>
459	Cuthbertson BH, Rattray J, Campbell MK, Gager M, Roughton S, Smith A, et al. The PRaCTICaL study of nurse led, intensive care follow-up programmes for improving long term outcomes from critical illness: a pragmatic randomised controlled trial. <i>BMJ (Clinical research ed)</i> 2009;339:b3723. <a href="https://doi.org/10.1136/bmj.b3723">https://doi.org/10.1136/bmj.b3723</a>
460	Dai Y-T. Effectiveness of a pilot project of discharge planning in Taiwan. <i>Research in Nursing and Health</i> 2003;26.
461	Dedhia P, Kravet S, Bulger J, Hinson T, Sridharan A, Kolodner K, et al. A quality improvement intervention to facilitate the transition of older adults from three hospitals back to their homes. <i>Journal of the American Geriatrics Society</i> 2009;57:1540-6.
462	Ellis A. Buying time II: an economic evaluation of a joint NHS/social services residential rehabilitation unit for older people on discharge from hospital. <i>Health and Social Care in the Community</i> 2006;14:95-106.
463	Enguidanos S, Gibbs N, Jamison P. From Hospital to Home: A Brief Nurse Practitioner Intervention for Vulnerable Older Adults. <i>Journal of Gerontological Nursing</i> 2012;38:40-50. <a href="https://doi.org/10.3928/00989134-20120116-01">https://doi.org/10.3928/00989134-20120116-01</a>
464	Everink IHJ, van Haastregt JCM, Tan FES, Schols J, Kempen G. The effectiveness of an integrated care pathway in geriatric rehabilitation among older patients with complex health problems and their informal caregivers: a prospective cohort study. <i>BMC Geriatrics</i> 2018;18:285.
465	Feldblum I, German L, Castel H, Harman-Boehm I, Shahar DR. Individualized nutritional intervention during and after hospitalization: The nutrition intervention study clinical trial. <i>Journal - American Geriatrics Society</i> 2011;59:10-7.
466	Fellahi JL, Brossier D, Dechanet F, Fischer MO, Saplacan V, Gerard JL, et al. Early goal-directed therapy based on endotracheal bioimpedance cardiography: a prospective, randomized controlled study in coronary surgery. <i>Journal of Clinical Monitoring &amp; Computing</i> 2015;29:351-8.
467	Fleming SA. A randomised controlled trial of a care home rehabilitation service to reduce long term institutionalisation for elderly people. <i>Age and Ageing</i> 2004;33.
468	Fossat G, Baudin F, Courtes L, Bobet S, Dupont A, Bretagnol A, et al. Effect of In-Bed

	Leg Cycling and Electrical Stimulation of the Quadriceps on Global Muscle Strength in Critically Ill Adults: a Randomized Clinical Trial. <i>JAMA</i> 2018;320:368-78. <a href="https://doi.org/10.1001/jama.2018.9592">https://doi.org/10.1001/jama.2018.9592</a>
469	Fraire M. Reducing Delirium in the Hospitalized Elderly with a Nursing Prevention Protocol. <i>Reducing Delirium in the Hospitalized Elderly with a Nursing Prevention Protocol</i> 2017:1-.
470	Gharacholou SM, Sloane R, Cohen HJ, Schmader KE. Geriatric inpatient units in the care of hospitalized frail adults with a history of heart failure. <i>International journal of gerontology</i> 2012;6:112-6. <a href="https://doi.org/10.1016/j.ijge.2012.01.012">https://doi.org/10.1016/j.ijge.2012.01.012</a>
471	Goldfarb M, Semsar-Kazerooni K, Morais JA, Dima D. Early Mobilization in Older Adults with Acute Cardiovascular Disease. <i>Age &amp; Ageing</i> 2020;28:28.
472	Goldman LE, Sarkar U, Kessell E, Guzman D, Schneidermann M, Pierluissi E, et al. Support from hospital to home for elders: a randomized trial. <i>Annals of Internal Medicine</i> 2014;161:472-81.
473	Gould KA. A randomized controlled trial of a discharge nursing intervention to promote self-regulation of care for early discharge interventional cardiology patients: Boston College; 2009.
474	Green J, Young J, Forster A. Background to the post-acute care trial of community hospital rehabilitation for older people. <i>Int J Ther Rehabil</i> 2006;13:66-73.
475	Grote V, Unger A, Bottcher E, Muntean M, Puff H, Marktl W, et al. General and Disease-Specific Health Indicator Changes Associated with Inpatient Rehabilitation. <i>Journal of the American Medical Directors Association</i> 2020;21:2017.e10-.e27.
476	Gruther W, Pieber K, Steiner I, Hein C, Hiesmayr JM, Paternostro-Sluga T. Can Early Rehabilitation on the General Ward After an Intensive Care Unit Stay Reduce Hospital Length of Stay in Survivors of Critical Illness?: a Randomized Controlled Trial. <i>American journal of physical medicine &amp; rehabilitation</i> 2017;96:607-15. <a href="https://doi.org/10.1097/PHM.0000000000000718">https://doi.org/10.1097/PHM.0000000000000718</a>
477	Hodgson CL, Bailey M, Bellomo R, Berney S, Buhr H, Denehy L, et al. A Binational Multicenter Pilot Feasibility Randomized Controlled Trial of Early Goal-Directed Mobilization in the ICU. <i>Critical care medicine</i> 2016;44:1145-52. <a href="https://doi.org/10.1097/CCM.0000000000001643">https://doi.org/10.1097/CCM.0000000000001643</a>
478	Holroyd-Leduc J, Harris C, Hamid JS, Ewusie JE, Quirk J, Osowy K, et al. Scaling-up implementation in community hospitals: a multisite interrupted time series design of the Mobilization of Vulnerable Elders (MOVE) program in Alberta. <i>BMC geriatrics</i> 2019;19:288.
479	Hummel SL, Karmally W, Gillespie BW, Helmke S, Teruya S, Wells J, et al. Home-Delivered Meals Postdischarge From Heart Failure Hospitalization. <i>Circulation: Heart Failure</i> 2018;11:e004886.
480	Iversen H, Ahlberg M, Lindqvist M, Buchli C. Changes in Clinical Practice Reduce the Rate of Anastomotic Leakage After Colorectal Resections. <i>World Journal of Surgery</i> 2018;42:2234-41.
481	Johansen I, Lindbaek M, Stanghelle JK, Brekke M. Structured community-based inpatient rehabilitation of older patients is better than standard primary health care rehabilitation: an open comparative study. <i>Disability &amp; Rehabilitation</i> 2012;34:2039-46.

482	Kamper RS, Schultz M, Hansen SK, Andersen H, Ekmann A, Nygaard H, et al. Biomarkers for length of hospital stay, changes in muscle mass, strength and physical function in older medical patients: Protocol for the Copenhagen PROTECT study - A prospective cohort study. <i>BMJ Open</i> 2020;10 (12) (no pagination).
483	Kauh B, Polak T, Hazelett S, Hua K, Allen K. A pilot study: post-acute geriatric rehabilitation versus usual care in skilled nursing facilities. <i>Journal of the American Medical Directors Association</i> 2005;6:321-6.
484	Kleinpell RM. Randomized trial of an intensive care unit-based early discharge planning intervention for critically ill elderly patients. <i>American Journal of Critical Care</i> 2004;13:335-45.
485	Koenders N, Potkamp-Kloppers S, Geurts Y, Akkermans R, Nijhuis-van der Sanden MWG, Hooiboom TJ. Ban Bedcentricity: a Multifaceted Innovation to Reduce Sedentary Behavior of Patients During the Hospital Stay. <i>Physical Therapy</i> 2021;09:09.
486	Kratz T, Heinrich M, Schlaus E, Diefenbacher A. Preventing postoperative delirium. <i>Deutsches Arzteblatt International</i> 2015;112:289-96.
487	Kshetry VR, Carole LF, Henly SJ, Sendelbach S, Kummer B. Complementary alternative medical therapies for heart surgery patients: feasibility, safety, and impact. <i>Annals of Thoracic Surgery</i> 2006;81:201-5.
488	Lawler K, Shields N, Taylor NF. Training family to assist with physiotherapy for older people transitioning from hospital to the community: a pilot randomized controlled trial. <i>Clinical Rehabilitation</i> 2019;33:1625-35.
489	Lembeck MA, Thygesen LC, Sorensen BD, Rasmussen LL, Holm EA. Effect of single follow-up home visit on readmission in a group of frail elderly patients - a Danish randomized clinical trial. <i>BMC Health Services Research</i> 2019;19:751.
490	Lieten S, Pien K, Van Laere S, Bravenboer B, Scheerlinck T. Introduction of the orthogeriatric co-management model increases the quality of care : a pilot study. <i>Acta Orthopaedica Belgica</i> 2020;86:580-7.
491	Lim S, Ibrahim K, Dodds R, Purkis A, Baxter M, Rogers A, et al. Physical activity in hospitalised older people: the feasibility and acceptability of a volunteer-led mobility intervention in the SoMoVe TM study. <i>Age &amp; Ageing</i> 2020;49:283-91.
492	Lim WK, Lambert SF, Gray LC. Effectiveness of case management and post-acute services in older people after hospital discharge. <i>Medical Journal of Australia</i> 2003;178:262-6.
493	Lindhardt T, Loevgreen SM, Bang B, Bigum C, Klausen TW. A targeted assessment and intervention at the time of discharge reduced the risk of readmissions for short-term hospitalized older patients: a randomized controlled study. <i>Clinical Rehabilitation</i> 2019;33:1431-44.
494	Maggioni MA, Ce E, Giordano G, Bertoli S, Battezzati A, Veicsteinas A, et al. Effects on body composition of different short-term rehabilitation programs in long-stay hospitalized elderly women. <i>Aging-Clinical &amp; Experimental Research</i> 2012;24:619-26.
495	McCullagh R, O'Connell E, O'Meara S, Dahly D, O'Reilly E, O'Connor K, et al. Augmented exercise in hospital improves physical performance and reduces negative post hospitalization events: a randomized controlled trial. <i>BMC Geriatrics</i> 2020;20:46.
496	McInnes E. Can GP input into discharge planning result in better outcomes for the frail

	aged?: results from a randomized controlled trial. <i>Family Practice</i> 2000;16:289-93.
497	McWilliams D, Jones C, Atkins G, Hodson J, Whitehouse T, Veenith T, et al. Earlier and enhanced rehabilitation of mechanically ventilated patients in critical care: a feasibility randomised controlled trial. <i>Journal of critical care</i> 2018;44:407-12. <a href="https://doi.org/10.1016/j.jcrc.2018.01.001">https://doi.org/10.1016/j.jcrc.2018.01.001</a>
498	Miller P. Economic analysis of an early discharge rehabilitation service for older people. <i>Age and Ageing</i> 2005;34.
499	Mitchell E, Coary R, White P, Farrow E, Crees A, Beedham W, et al. Daily Medical Liaison is Associated with Reduced Length of Stay and Complications in Selected Patients Admitted to a Regional Vascular Surgery Service. <i>Geriatrics</i> 2020;5:17.
500	Miwa S, Visintainer P, Engelman R, Miller A, Lagu T, Woodbury E, et al. Effects of an Ambulation Orderly Program Among Cardiac Surgery Patients. <i>American Journal of Medicine</i> 2017;130:1306-12.
501	Moore JE, Liu B, Khan S, Harris C, Ewusie JE, Hamid JS, et al. Can the effects of the mobilization of vulnerable elders in Ontario (MOVE ON) implementation be replicated in new settings: an interrupted time series design. <i>BMC Geriatrics</i> 2019;19:1-9. <a href="https://doi.org/10.1186/s12877-019-1124-0">https://doi.org/10.1186/s12877-019-1124-0</a>
502	Naylor MD, Brooten DA, Campbell RL, Maislin G, McCauley KM, Schwartz JS. Transitional care of older adults hospitalized with heart failure: a randomized, controlled trial. <i>Journal of the American Geriatrics Society</i> 2004;52:675-84.
503	Nazareth I, Burton A, Shulman S, Smith P, Haines A, Timberal H. A pharmacy discharge plan for hospitalized elderly patients--a randomized controlled trial. <i>Age &amp; Ageing</i> 2001;30:33-40.
504	Pannick S, Athanasiou T, Long SJ, Beveridge I, Sevdalis N. Translating staff experience into organisational improvement: the HEADS-UP stepped wedge, cluster controlled, non-randomised trial. <i>BMJ open</i> 2017;7:e014333. <a href="https://doi.org/10.1136/bmjopen-2016-014333">https://doi.org/10.1136/bmjopen-2016-014333</a>
505	Park HK, Branch LG, Bulat T, Vyas BB, Roever CP. Influence of a transitional care clinic on subsequent 30-day hospitalizations and emergency department visits in individuals discharged from a skilled nursing facility. <i>Journal of the American Geriatrics Society</i> 2013;61:137-42.
506	Parsons M, Parsons J, Rouse P, Pillai A, Mathieson S, Parsons R, et al. Supported Discharge Teams for older people in hospital acute care: a randomised controlled trial. <i>Age &amp; Ageing</i> 2018;47:288-94.
507	Preen DB, Bailey BE, Wright A, Kendall P, Phillips M, Hung J, et al. Effects of a multidisciplinary, post-discharge continuance of care intervention on quality of life, discharge satisfaction, and hospital length of stay: a randomized controlled trial. <i>International journal for quality in health care : journal of the international society for quality in health care</i> 2005;17:43-51. <a href="https://doi.org/10.1093/intqhc/mzi002">https://doi.org/10.1093/intqhc/mzi002</a>
508	Saez de Asteasu ML, Martinez-Velilla N, Zambom-Ferraresi F, Casas-Herrero A, Lucia A, Galbete A, et al. Physical Exercise Improves Function in Acutely Hospitalized Older Patients: Secondary Analysis of a Randomized Clinical Trial. <i>Journal of the American Medical Directors Association</i> 2019;20:866-73.
509	Schaller SJ, Anstey M, Blobner M, Edrich T, Grabitz SD, Gradwohl-Matis I, et al. Early, goal-directed mobilisation in the surgical intensive care unit: a randomised controlled

	trial. Lancet (london, england) 2016;388:1377-88. <a href="https://doi.org/10.1016/S0140-6736(16)31637-3">https://doi.org/10.1016/S0140-6736(16)31637-3</a>
510	Shashar S, Polischuk V, Friesem T. Internal medicine physician embedded in an orthopedic service in a level 1 hospital: clinical impact. <i>Internal &amp; Emergency Medicine</i> 2021;26:26.
511	Siebens H, Aronow H, Edwards D, Ghasemi Z. A randomized controlled trial of exercise to improve outcomes of acute hospitalization in older adults. <i>Journal of the American Geriatrics Society</i> 2000;48:1545-52.
512	Sorkin DH, Amin A, Weimer DL, Sharit J, Ladd H, Mukamel DB. Rationale and study protocol for the Nursing Home Compare Plus (NHCPlus) randomized controlled trial: a personalized decision aid for patients transitioning from the hospital to a skilled-nursing facility. <i>Contemporary clinical trials</i> 2016;47:139-45. <a href="https://doi.org/10.1016/j.cct.2015.12.018">https://doi.org/10.1016/j.cct.2015.12.018</a>
513	Taylor NF, Lawler K, Brusco NK, Peiris CL, Harding KE, Scroggie GD, et al. Saturday allied health services for geriatric evaluation and management: A controlled before-and-after trial. <i>Australasian Journal on Ageing</i> 2020;39:64-72.
514	Thygesen LC, Fokdal S, Gjorup T, Taylor RS, Zwisler AD. Can municipality-based post-discharge follow-up visits including a general practitioner reduce early readmission among the fragile elderly (65+ years old)? A randomized controlled trial. <i>Scandinavian journal of primary health care</i> 2015;33:65-73.
515	Trappes-Lomax T. Buying time I: a prospective, controlled trial of a joint health/social care residential rehabilitation unit for older people on discharge from hospital. <i>Health and Social Care in the Community</i> 2006;14:49-62.
516	Trentini M, Semeraro S, Motta M. Effectiveness of geriatric evaluation and care. One-year results of a multicenter randomized clinical trial. <i>Aging (Milan, Italy)</i> 2001;13:395-405. <a href="https://doi.org/10.1007/BF03351509">https://doi.org/10.1007/BF03351509</a>
517	van der Veer SN, de Vos ML, van der Voort PH, Peek N, Abu-Hanna A, Westert GP, et al. Effect of a multifaceted performance feedback strategy on length of stay compared with benchmark reports alone: a cluster randomized trial in intensive care. <i>Critical Care Medicine</i> 2013;41:1893-904.
518	Van Grootven B, Jeuris A, Jonckers M, Devriendt E, Dierckx de Casterle B, Dubois C, et al. Geriatric co-management for cardiology patients in the hospital: A quasi-experimental study. <i>Journal of the American Geriatrics Society</i> 2021;17:17.
519	Wald HL, Glasheen JJ, Guerrasio J, Youngwerth JM, Cumbler EU. Evaluation of a hospitalist-run acute care for the elderly service. <i>Journal of Hospital Medicine (Online)</i> 2011;6:313-21.
520	Wales K, Salkeld G, Clemson L, Lannin NA, Gitlin L, Rubenstein L, et al. A trial based economic evaluation of occupational therapy discharge planning for older adults: the HOME randomized trial. <i>Clinical Rehabilitation</i> 2018;32:919-29.
521	Walsh TS, Salisbury LG, Merriweather JL, Boyd JA, Griffith DM, Huby G, et al. Increased Hospital-Based Physical Rehabilitation and Information Provision After Intensive Care Unit Discharge: the RECOVER Randomized Clinical Trial. <i>JAMA internal medicine</i> 2015;175:901-10. <a href="https://doi.org/10.1001/jamainternmed.2015.0822">https://doi.org/10.1001/jamainternmed.2015.0822</a>
522	Wierzba K, Kujawska-Danecka H, Szalewska D, Popowski P, Damps-Konstańska I, Żarczyńska-Buchowiecka M, et al. "Center of Geriatric Care" project- the development



	of the interdisciplinary home-based care model for elderly patients in Gdansk, Poland. Pilot study. <i>International Journal of Integrated Care (IJIC)</i> 2019;19:1-2. <a href="https://doi.org/10.5334/ijic.s3400">https://doi.org/10.5334/ijic.s3400</a>
523	Wild D, Nawaz H, Chan W, Katz DL. Effects of interdisciplinary rounds on length of stay in a telemetry unit. <i>Journal of public health management and practice</i> 2004;10:63-9. <a href="https://doi.org/10.1097/00124784-200401000-00011">https://doi.org/10.1097/00124784-200401000-00011</a>
524	Wong FKY, Chow SKY, Chan TMF, Tam SKF. Comparison of effects between home visits with telephone calls and telephone calls only for transitional discharge support: A randomised controlled trial. <i>Age and Ageing</i> 2014;43:91-7.
525	Yu CM, Lau CP, Chau J, McGhee S, Kong SL, Cheung BM, et al. A short course of cardiac rehabilitation program is highly cost effective in improving long-term quality of life in patients with recent myocardial infarction or percutaneous coronary intervention. <i>Archives of Physical Medicine and Rehabilitation</i> 2004;85:1915-22.
526	Zwisler AD, Soja AM, Rasmussen S, Frederiksen M, Abedini S, Abadini S, et al. Hospital-based comprehensive cardiac rehabilitation versus usual care among patients with congestive heart failure, ischemic heart disease, or high risk of ischemic heart disease: 12-month results of a randomized clinical trial. <i>American heart journal</i> 2008;155:1106-13. <a href="https://doi.org/10.1016/j.ahj.2007.12.033">https://doi.org/10.1016/j.ahj.2007.12.033</a>
	<b>Full-text not retrieved (PRISMA flow diagram code: FULL)</b>
527	Aizawa T, Kin T, Kitsukawa S, Mamiya Y, Akiyama A, Ohno Y, et al. Impact of a clinical pathway in cases of transurethral resection of the prostate. <i>Nihon Hinyokika Gakkai zasshi [Japanese journal of urology]</i> 2002;93:463-8. <a href="https://doi.org/10.5980/jpnjurol1989.93.463">https://doi.org/10.5980/jpnjurol1989.93.463</a>
528	Alsheikh R, Johnson K, Dauenhauer A, Kadambi P. Impact of transplant pharmacists on length of stay and 30-day hospital readmission rate: A single-centre retrospective cohort study. <i>European Journal of Hospital Pharmacy</i> 2020.
529	Altés Mas P, Riera Hernández C, Bueno Casanovas G, Pastor Ferrer MC, Preciado Mora MJ, Llagostera i Pujol S. Reacción inflamatoria sistémica y activación de citoquinas tras la cirugía abierta de aorta abdominal con medidas perioperatorias fast-track. <i>Estudio prospectivo aleatorizado. Angiología</i> 2018;70:222-9. <a href="https://doi.org/10.1016/j.angio.2018.08.001">https://doi.org/10.1016/j.angio.2018.08.001</a>
530	Altes Mas P, Riera Hernandez C, Hernandez Wiesendanger N, Esturrica Duch M, Preciado Mora MJ, Llagostera i Pujol S. Randomised, prospective study on the impact of fast track measures in the open surgery of abdominal aortic aneurysms. <i>Angiologia</i> 2016;68:465-70.
531	Arkin LC, Reising E, Penoyer D, Talbert S. Impact of Bundled Care on Outcomes Following Elective Primary Total Hip or Total Knee Arthroplasty. <i>Orthopaedic Nursing</i> 2019;38:262-9.
532	Avram O, Grecu I, Macovei R, Marinescu O, Grintescu I. Benefits of implementation of a protocol for identification of preoperative chronic alcohol abusers and for alcohol withdrawal syndrome prevention. <i>Jurnalul roman de anestezie terapie intensiva</i> 2009;16:121-7.
533	Berthelsen CB, Kristensson J. The SICAM-trial: evaluating the effect of spouses' involvement through case management in older patients' fast-track programmes during and after total hip replacement. <i>J Adv Nurs</i> 2017;73:112-26.

	<a href="https://doi.org/10.1111/jan.13091">https://doi.org/10.1111/jan.13091</a>
534	Bogue E, Twiggs J, Liu D. Prehabilitation using a novel, mobile application reduces length of stay in patients undergoing primary total knee arthroplasty. <i>Journal of Orthopaedic Research Conference</i> 2017;35.
535	Bonuel N, Degracia A, Cesario S. Acuity-adaptable patient room improves length of stay and cost of patients undergoing renal transplant: a pilot study. <i>Critical Care Nursing Quarterly</i> 2013;36:181-94.
536	Booth JE, Roberts JA, Flather M, Lamping DL, Mister R, Abdalla M, et al. A trial of early discharge with homecare compared to conventional hospital care for patients undergoing coronary artery bypass grafting. <i>Heart</i> 2004;90:1344-5.
537	Correia FD, Nogueira A, Magalhaes I, Guimaraes J, Moreira M, Barradas I, et al. Medium-Term Outcomes of Digital Versus Conventional Home-Based Rehabilitation After Total Knee Arthroplasty: Prospective, Parallel-Group Feasibility Study. <i>JMIR Rehabilitation And Assistive Technologies</i> 2019;6:e13111.
538	Coulter C, Perriman DM, Neeman TM, Smith PN, Scarvell JM. Supervised or Unsupervised Rehabilitation After Total Hip Replacement Provides Similar Improvements for Patients: A Randomized Controlled Trial. <i>Archives of Physical Medicine &amp; Rehabilitation</i> 2017;98:2253-64.
539	Cunliffe A, Husbands S, Gladman J. Satisfaction with an early supported discharge service for older people. <i>Age and ageing</i> 2002;31 (Suppl 2):43.
540	Frees SK, Aning J, Black P, Struss W, Bell R, Chavez-Munoz C, et al. Re: A Prospective Randomized Pilot Study Evaluating an ERAS Protocol versus a Standard Protocol for Patients Treated with Radical Cystectomy and Urinary Diversion for Bladder Cancer. <i>Journal of Urology</i> 2019;201:835.
541	Kassymova G, Sydsjo G, Borendal Wodlin N, Nilsson L, Kjolhede P. The Effect of Follow-Up Contact on Recovery After Benign Hysterectomy: A Randomized, Single-Blinded, Four-Arm, Controlled Multicenter Trial. <i>Journal of women's health</i> 2002.
542	Kathrins B, Kathrins R, Marsico R, Frank M, Stevenson-Marshall B, Orozco F, et al. Comparison of day rehabilitation to skilled nursing facility for the rehabilitation for total knee arthroplasty. <i>American Journal of Physical Medicine &amp; Rehabilitation</i> 2013;92:61-7.
543	Lof S, Cacciaguerra AB, Aljarrah R, Okorochoa C, Jaber B, Shamali A, et al. Implementation of enhanced recovery after surgery for pancreatoduodenectomy increases the proportion of patients achieving textbook outcome: A retrospective cohort study. <i>Pancreatology</i> 2020;20:976-83. <a href="https://doi.org/10.1016/j.pan.2020.05.018">https://doi.org/10.1016/j.pan.2020.05.018</a>
544	Miller CL. A symptom management intervention in diabetic coronary artery bypass graft patients. 2005:-236.
545	Moronczyk D, Krasnodebski I. Implementation of the fast track surgery in patients undergoing the colonic resection - Own experience. <i>Polski Przegląd Chirurgiczny/ Polish Journal of Surgery</i> 2011;83:482-7.
546	Musser JE, Assel MJ, Meeks JJ, Sjoberg DD, Vickers AJ, Coleman JA, et al. Ambulatory Extended Recovery: Safely Transitioning to Overnight Observation for Minimally Invasive Prostatectomy. <i>Urology Practice</i> 2015;2:121-5.

547	Pickens RC, Sulzer JK, Cochran A, Iannitti DA, Martinie JB, Baker EH, et al. Should octogenarians be enrolled in enhanced recovery after surgery<sup></sup>? An evaluation of an established eras<sup></sup> program in hepatopancreatobiliary surgery. <i>Hpb</i> 2019;21 (Supplement 1):S89-S90.
548	Richards SH. Randomised controlled trial comparing effectiveness and acceptability of an early discharge, hospital at home scheme with acute hospital care. <i>BMJ</i> 1998;316:1796-801.
549	Stapler S, Brockhaus K, Battaglia M, Mahoney S, Cleary RK. Targeted colorectal surgery enhanced recovery pathway strategies decrease readmissions. <i>Diseases of the Colon and Rectum</i> 2021;64 (5):28-9.
550	Thompson C, Mattice AMS, Al Lawati Y, Seyednejad N, Lee A, Maziak DE, et al. The longitudinal impact of division-wide implementation of an enhanced recovery after thoracic surgery programme. <i>European journal of cardio-thoracic surgery : official journal of the European Association for Cardio-thoracic Surgery</i> 2021; <a href="https://dx.doi.org/10.1093/ejcts/ezab492">https://dx.doi.org/10.1093/ejcts/ezab492</a> . <a href="https://doi.org/https://dx.doi.org/10.1093/ejcts/ezab492">https://doi.org/https://dx.doi.org/10.1093/ejcts/ezab492</a>
551	Townsend J, Piper M, Frank AO, Dyer S, North WR, Meade TW. Reduction in hospital readmission stay of elderly patients by a community based hospital discharge scheme: a randomised controlled trial. <i>BMJ</i> 1988;297:544-7. <a href="https://doi.org/10.1136/bmj.297.6647.544">https://doi.org/10.1136/bmj.297.6647.544</a>
552	Urias DS, Di Como J, Marley M, Tersine T, Fritz W, Dumire R. Resident implementation of an enhanced recovery pathway for colorectal surgery in a rural community. <i>American Surgeon</i> 2019;85:E593-E5.
553	Walsh MB, Herbold J. Outcome after rehabilitation for total joint replacement at IRF and SNF: a case-controlled comparison. <i>American Journal of Physical Medicine &amp; Rehabilitation</i> 2006;85:1-5.
554	Wu J, Vratsistas-Curto A, Shiner CT, Faux SG, Harris I, Poulos CJ. Can in-reach multidisciplinary rehabilitation in the acute ward improve outcomes for critical care survivors? A pilot randomized controlled trial. <i>Journal of rehabilitation medicine</i> 2019;51:598-606. <a href="https://doi.org/10.2340/16501977-2579">https://doi.org/10.2340/16501977-2579</a>
555	Zimmerman L, Barnason S, Nieveen J, Schmaderer M. Symptom management intervention in elderly coronary artery bypass graft patients. <i>Outcomes Management</i> 2004;8:5-12.
	<b>Not high-income country (n=23) (PRISMA flow diagram code: HIGH)</b>
556	Chai WW, Yan F, Jing Y. Application of comprehensive geriatric assessment and intervention in elderly patients undergoing polypectomy under fiberoptic colonoscopy. <i>Journal of the American Geriatrics Society</i> 2019;67:S662-S3. <a href="https://doi.org/10.1111/jgs.16120">https://doi.org/10.1111/jgs.16120</a>
557	Cui Z, Li N, Gao C, Fan Y, Zhuang X, Liu J, et al. Precision implementation of early ambulation in elderly patients undergoing off-pump coronary artery bypass graft surgery: a randomized-controlled clinical trial. <i>BMC Geriatrics</i> 2020;20:404.
558	Ding Q, Chen W, Gu Y, Qi ZY, Chen YH, Chen J, et al. Accelerated rehabilitation combined with enteral nutrition in the management of lung cancer surgery patients. <i>Asia Pacific Journal of Clinical Nutrition</i> 2020;29:274-9.
559	Farag AFA, Mikhail HMS, Elsheshiny HH, Mohamed MF, Refaie ORM, Omar HSE, et al.

	Ultrasound guided enhanced recovery program in colorectal surgery: kasralainy modified protocol. Indian journal of public health research and development 2019;10:1009-13. <a href="https://doi.org/10.5958/0976-5506.2019.01711.X">https://doi.org/10.5958/0976-5506.2019.01711.X</a>
560	Feng. Application effect of perioperative comprehensive nursing intervention on laparoscopic radical prostatectomy. International journal of clinical and experimental medicine 2020;13:6983-9.
561	Kang C, Qiao X, Sun M. Application of fast-track surgery in the perioperative period of laparoscopic partial nephrectomy for renal tumors. J Int Med Res 2019;47:2580-90. <a href="https://doi.org/10.1177/0300060519847853">https://doi.org/10.1177/0300060519847853</a>
562	Koksal I, Tahta M, Simsek ME, Dogan M, Bozkurt M. Efficacy of rapid recovery protocol for total knee arthroplasty: a retrospective study. Acta Orthopaedica Et Traumatologica Turcica 2015;49:382-6. <a href="https://doi.org/10.3944/aott.2015.14.0353">https://doi.org/10.3944/aott.2015.14.0353</a>
563	Li Q, Wan L, Liu S, Li M, Chen L, Hou Z, et al. Clinical efficacy of enhanced recovery after surgery in percutaneous nephrolithotripsy: a randomized controlled trial. BMC Urology 2020;20 (1) (no pagination).
564	Liu Z, Qiu T, Pei L, Zhang Y, Xu L, Cui Y, et al. Two-Week Multimodal Prehabilitation Program Improves Perioperative Functional Capability in Patients Undergoing Thoracoscopic Lobectomy for Lung Cancer: a Randomized Controlled Trial. Anesthesia and analgesia 2020;131:840-9. <a href="https://doi.org/10.1213/ANE.0000000000004342">https://doi.org/10.1213/ANE.0000000000004342</a>
565	Lu J, Tao P, Li H, Wu G, Wang C, Zhang J, et al. Auditory and Visual Stimulation for Abdominal Postoperative Patients Experiencing Enhanced Recovery After Surgery (ERAS). Gastroenterology Nursing 2021;44:116-21.
566	Mingjie X, Luyao Z, Ze T, YinQuan Z, Quan W. Laparoscopic Radical Gastrectomy for Resectable Advanced Gastric Cancer Within Enhanced Recovery Programs: a Prospective Randomized Controlled Trial. Journal of laparoendoscopic & advanced surgical techniques Part A 2017;27:959-64. <a href="https://doi.org/10.1089/lap.2016.0057">https://doi.org/10.1089/lap.2016.0057</a>
567	Santos Gde C, Braga GM, Queiroz FL, Navarro TP, Gomez RS. Assessment of postoperative pain and hospital discharge after inguinal and iliohypogastric nerve block for inguinal hernia repair under spinal anesthesia: a prospective study. Revista da Associacao Medica Brasileira (1992) 2011;57:545-9. <a href="https://doi.org/10.1590/s0104-42302011000500013">https://doi.org/10.1590/s0104-42302011000500013</a>
568	Sun DL, Li WM, Li SM, Cen YY, Xu QW, Li YJ, et al. Comparison of multi-modal early oral nutrition for the tolerance of oral nutrition with conventional care after major abdominal surgery: a prospective, randomized, single-blind trial. Nutrition journal 2017;16:11. <a href="https://doi.org/10.1186/s12937-017-0228-7">https://doi.org/10.1186/s12937-017-0228-7</a>
569	Thiengwittayaporn S, Kangkano N, Krishnamra N, Charoenphandhu N. Comparison between diary-actuated rehabilitation program and conventional physical therapy on mobility and function following total knee arthroplasty. Osteoporosis international 2017;28:S194-S5. <a href="https://doi.org/10.1007/s00198-017-3950-2">https://doi.org/10.1007/s00198-017-3950-2</a>
570	Wang G, Cai Q. Analysis of the role of accelerated rehabilitation surgical care in the perioperative period of radical colon cancer surgery. Acta Medica Mediterranea 2021;37:3321-5. <a href="https://doi.org/10.19193/0393-6384_2021_6_521">https://doi.org/10.19193/0393-6384_2021_6_521</a>
571	Wang Y, Liu B, Zhao T, Zhao B, Yu D, Jiang X, et al. Safety and efficacy of a novel neurosurgical enhanced recovery after surgery protocol for elective craniotomy: a prospective randomized controlled trial. Journal of neurosurgery 2019;130:1680-91.

	<a href="https://doi.org/10.3171/2018.1.JNS171552">https://doi.org/10.3171/2018.1.JNS171552</a>
572	Wu P, Peng Z, Chen J, Hu Y. Uncertain effect of preventative shoulder rehabilitation for patients who underwent total laryngectomy with neck dissection. <i>European archives of oto-rhino-laryngology</i> 2018;275:795-801. <a href="https://doi.org/10.1007/s00405-018-4875-x">https://doi.org/10.1007/s00405-018-4875-x</a>
573	Xu D, Li J, Song Y, Zhou J, Sun F, Wang J, et al. Laparoscopic surgery contributes more to nutritional and immunologic recovery than fast-track care in colorectal cancer. <i>World journal of surgical oncology</i> 2015;13:18. <a href="https://doi.org/10.1186/s12957-015-0445-5">https://doi.org/10.1186/s12957-015-0445-5</a>
574	Zang YF, Li FZ, Ji ZP, Ding YL. Application value of enhanced recovery after surgery for total laparoscopic uncut Roux-en-Y gastrojejunostomy after distal gastrectomy. <i>World journal of gastroenterology</i> 2018;24:504-10. <a href="https://doi.org/10.3748/wjg.v24.i4.504">https://doi.org/10.3748/wjg.v24.i4.504</a>
575	Zhang R, Zhang SJ, Wang XJ. Postoperative functional exercise for patients who underwent percutaneous transforaminal endoscopic discectomy for lumbar disc herniation. <i>European review for medical and pharmacological sciences</i> 2018;22:15-22. <a href="https://doi.org/10.26355/eurrev_201807_15354">https://doi.org/10.26355/eurrev_201807_15354</a>
576	Zhang S, Liu H, Cai H. Efficacy and Safety of Continuous Paravertebral Block after Minimally Invasive Radical Esophagectomy for Esophageal Cancer. <i>Pain Research and Management</i> 2020;2020 (no pagination).
577	Zhou K, Li X, Li J, Liu M, Dang S, Wang D, et al. A clinical randomized controlled trial of music therapy and progressive muscle relaxation training in female breast cancer patients after radical mastectomy: results on depression, anxiety and length of hospital stay. <i>European journal of oncology nursing</i> 2015;19:54-9. <a href="https://doi.org/10.1016/j.ejon.2014.07.010">https://doi.org/10.1016/j.ejon.2014.07.010</a>
578	Zhou Y, Li Y, Wang K. Bispectral Index Monitoring During Anesthesia Promotes Early Postoperative Recovery of Cognitive Function and Reduces Acute Delirium in Elderly Patients with Colon Carcinoma: A Prospective Controlled Study using the Attention Network Test. <i>Med Sci Monit</i> 2018;24:7785-93. <a href="https://doi.org/10.12659/MSM.910124">https://doi.org/10.12659/MSM.910124</a>
	<b>Intervention not multicomponent (n=49) (PRISMA flow diagram code: INT)</b>
579	Aoyama T, Yoshikawa T, Sato T, Hayashi T, Yamada T, Ogata T, et al. Equivalent feasibility and safety of perioperative care by ERAS in open and laparoscopy-assisted distal gastrectomy for gastric cancer: a single-institution ancillary study using the patient cohort enrolled in the JCOG0912 phase III trial. <i>Gastric cancer</i> 2019;22:617-23. <a href="https://doi.org/10.1007/s10120-018-0873-3">https://doi.org/10.1007/s10120-018-0873-3</a>
580	Astin F, Jones K. Changes in patients' illness representations before and after elective percutaneous transluminal coronary angioplasty. <i>Heart &amp; Lung</i> 2006;35:293-300. <a href="https://doi.org/10.1016/j.hrtlng.2005.09.006">https://doi.org/10.1016/j.hrtlng.2005.09.006</a>
581	Aveline C, Gautier JF, Vautier P, Cognet F, Hetet HL, Attali JY, et al. Postoperative analgesia and early rehabilitation after total knee replacement: a comparison of continuous low-dose intravenous ketamine versus nefopam. <i>European Journal of Pain</i> 2009;13:613-9.
582	Badger SA, Soong CV, O'Donnell ME, Boreham CA, McGuigan KE. Benefits of a supervised exercise program after lower limb bypass surgery. <i>Vascular &amp; Endovascular Surgery</i> 2007;41:27-32.

583	Calle-Valda CM, Aguilar R, Benedicto A, Sarraj A, Monguio E, Munoz D, et al. Outcomes of Aortic Valve Replacement According to Surgical Approach in Intermediate and Low Risk Patients: A Propensity Score Analysis. <i>Heart, Lung &amp; Circulation</i> 2018;27:885-92.
584	Chua H, Brady B, Farrugia M, Pavlovic N, Ogul S, Hackett D, et al. Implementing early mobilisation after knee or hip arthroplasty to reduce length of stay: a quality improvement study with embedded qualitative component. <i>Bmc Musculoskeletal Disorders</i> 2020;21. <a href="https://doi.org/10.1186/s12891-020-03780-7">https://doi.org/10.1186/s12891-020-03780-7</a>
585	Colella TJ, King-Shier K. The effect of a peer support intervention on early recovery outcomes in men recovering from coronary bypass surgery: A randomized controlled trial. <i>European Journal of Cardiovascular Nursing</i> 2018;17:408-17.
586	Colella TJF. The effect of a professionally-guided telephone peer support intervention on early recovery outcomes in men following coronary artery bypass graft surgery. Dissertation/ thesis 2009:188 p.
587	Dao TK, Youssef NA, Armsworth M, Wear E, Papatopoulos KN, Gopaldas R. Randomized controlled trial of brief cognitive behavioral intervention for depression and anxiety symptoms preoperatively in patients undergoing coronary artery bypass graft surgery. <i>Journal of Thoracic &amp; Cardiovascular Surgery</i> 2011;142:e109-15.
588	Davies DM, Johnston DW, Beaupre LA, Lier DA. Effect of adjunctive range-of-motion therapy after primary total knee arthroplasty on the use of health services after hospital discharge. <i>Canadian Journal of Surgery</i> 2003;46:30-6.
589	Dietz MJ, Klein AE, Lindsey BA, Duncan ST, Eicher JM, Gillig JD, et al. Posterior Hip Precautions Do Not Impact Early Recovery in Total Hip Arthroplasty: A Multicenter, Randomized, Controlled Study. <i>Journal of Arthroplasty</i> 2019;34:S221-S7.e1.
590	Elmoghazy AD, Lindner N, Tingart M, Salem KH. Conventional versus fast track rehabilitation after total hip replacement: a randomized controlled trial. <i>Journal of orthopaedics, trauma and rehabilitation</i> 2022;29. <a href="https://doi.org/10.1177/22104917221076501">https://doi.org/10.1177/22104917221076501</a>
591	Fagevik Olsén M, Kjellby Wendt G, Hammerlid E, Smedh U. Effects of a Training Intervention for Enhancing Recovery after Ivor-Lewis Esophagus Surgery: a Randomized Controlled Trial. <i>Scandinavian journal of surgery</i> 2017;106:116-25. <a href="https://doi.org/10.1177/1457496916655499">https://doi.org/10.1177/1457496916655499</a>
592	Fell NT. The effectiveness of mental practice as a complement to traditional therapy in rehabilitation outcomes of patients status-post total knee arthroplasty: University of Tennessee; 2001.
593	Fredericks S, Yau T. Educational intervention reduces complications and rehospitalizations after heart surgery. <i>Western Journal of Nursing Research</i> 2013;35:1251-65.
594	Grode LB, Sogaard A. Improvement of Nutritional Care After Colon Surgery: The Impact of Early Oral Nutrition in the Postanesthesia Care Unit. <i>Journal of PeriAnesthesia Nursing</i> 2014;29:266-74. <a href="https://doi.org/10.1016/j.jopan.2013.09.009">https://doi.org/10.1016/j.jopan.2013.09.009</a>
595	Gupta P, Verma P, Gupta R, Verma B, Ieee. MovAid- A Novel Device For Advanced Rehabilitation Monitoring. 37th Annual International Conference of the IEEE-Engineering-in-Medicine-and-Biology-Society (EMBC); Aug 25-29; Milan, ITALY, abstract no. 975, p. 4655-8.

596	Inoue T, Ito S, Ando M, Nagaya M, Aso H, Mizuno Y, et al. Changes in exercise capacity, muscle strength, and health-related quality of life in esophageal cancer patients undergoing esophagectomy. <i>BMC Sports Science, Medicine and Rehabilitation</i> 2016;8:34.
597	Jeong H, Ahn HY, Kwon H, Kim YD, Cho JS, Eom J. Lymphangiographic Interventions to Manage Postoperative Chylothorax. <i>The Korean Journal of Thoracic &amp; Cardiovascular Surgery</i> 2019;52:409-15.
598	Kim BY, Park KJ, Ryoo SB. Effects of a Mobile Educational Program for Colorectal Cancer Patients Undergoing the Enhanced Recovery After Surgery. <i>The Open Nursing Journal</i> 2018;12:142-54.
599	Koet LL, Kraima A, Derksen I, Lamme B, Belt EJT, van Rosmalen J, et al. Effectiveness of preoperative group education for patients with colorectal cancer: managing expectations. <i>Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer</i> 2021;29:5263-71. <a href="https://doi.org/https://dx.doi.org/10.1007/s00520-021-06072-5">https://doi.org/https://dx.doi.org/10.1007/s00520-021-06072-5</a>
600	Koet LL, Kraima A, Derksen I, Lamme B, Belt EJT, van Rosmalen J, et al. Effectiveness of preoperative group education for patients with colorectal cancer: managing expectations. <i>Supportive Care in Cancer</i> 2021;02:02.
601	Kondo Y, Yoshida Y, Iioka T, Kataoka H, Sakamoto J, Hirase T, et al. Short-Term Effects of Isometric Quadriceps Muscle Exercise with Auditory and Visual Feedback on Pain, Physical Function, and Performance after Total Knee Arthroplasty: A Randomized Controlled Trial. <i>The Journal of Knee Surgery</i> 2020;25:25.
602	Labraca NS, Castro-Sanchez AM, Mataran-Penarrocha GA, Arroyo-Morales M, del Mar Sanchez-Joya M, Moreno-Lorenzo C. Benefits of starting rehabilitation within 24 hours of primary total knee arthroplasty: Randomized clinical trial. <i>Clinical Rehabilitation</i> 2011;25:557-66.
603	Lambaudie E, Laplane C, Brun C, N'Guyen duong L, Boher JM, Jauffret C, et al. Implementation of an enhanced recovery program in gynaecologic surgery: Preliminary results for oncological indications. <i>International Journal of Gynecological Cancer</i> 2017;27 (Supplement 4):1347.
604	Louw A, Puentedura EJ, Reed J, Zimney K, Grimm D, Landers MR. A controlled clinical trial of preoperative pain neuroscience education for patients about to undergo total knee arthroplasty. <i>Clinical Rehabilitation</i> 2019;33:1722-31. <a href="https://doi.org/10.1177/0269215519857782">https://doi.org/10.1177/0269215519857782</a>
605	MacLeod JB, D'Souza K, Aguiar C, Brown CD, Pozeg Z, White C, et al. Fast tracking in cardiac surgery: is it safe? <i>Journal of cardiothoracic surgery</i> 2022;17:69. <a href="https://doi.org/https://dx.doi.org/10.1186/s13019-022-01815-9">https://doi.org/https://dx.doi.org/10.1186/s13019-022-01815-9</a>
606	Mascherini G, Ringressi MN, Castizo-Olier J, Badicu G, Irurtia A, Stefani L, et al. Preliminary Results of an Exercise Program After Laparoscopic Resective Colorectal Cancer Surgery in Non-Metastatic Adenocarcinoma: A Pilot Study of a Randomized Control Trial. <i>Medicina</i> 2020;56:14.
607	Missel M, Schonau MN, Pedersen JH, Pedersen PU. Transition from hospital to daily life: a pilot study. <i>Rehabilitation Nursing Journal</i> 2015;40:20-9.
608	Paasch C, Rink S, Steinbach M, Kneif S, Peetz D, Klotzler A, et al. Bilirubin, urobilinogen, pancreas elastase and bile acid in drain fluid. The GBUP-study: Analysis of biomarkers for a colorectal anastomotic leakage. <i>Annals of Medicine &amp; Surgery</i>

	2018;35:44-50.
609	Porserud A, Aly M, Nygren-Bonnier M, Hagstromer M. Objectively measured mobilisation is enhanced by a new behaviour support tool in patients undergoing abdominal cancer surgery. <i>European Journal of Surgical Oncology</i> 2019;45:1847-53.
610	Rodriguez-Araujo G, Cilingiroglu M, Mego D, Hakeem A, Lendel V, Cawich I, et al. Same versus next day discharge after elective transradial PCI: The RAdial SAme Day DischArge after PCI trial. (The RASADDA-PCI trial). <i>Cardiovascular Revascularization Medicine</i> 2018;19:7-11.
611	Russo LR, Benedetti MG, Mariani E, Roberti di Sarsina T, Zaffagnini S. The Videoinsight <sup>R</sup> Method: improving early results following total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> 2017;25:2967-71.
612	Shuldham CM, Fleming S, Goodman H. The impact of pre-operative education on recovery following coronary artery bypass surgery. A randomized controlled clinical trial. <i>European Heart Journal</i> 2002;23:666-74.
613	Slight RD, O'Donohoe P, Fung AK, Alonzi C, McClelland DB, Mankad PS. Rationalizing blood transfusion in cardiac surgery: the impact of a red cell volume-based guideline on blood usage and clinical outcome. <i>Vox Sanguinis</i> 2008;95:205-10.
614	So-Osman C, Nelissen R, Te Slaa R, Coene L, Brand R, Brand A. A randomized comparison of transfusion triggers in elective orthopaedic surgery using leucocyte-depleted red blood cells. <i>Vox Sanguinis</i> 2010;98:56-64.
615	Spangehl MJ, Clarke HD, Hentz JG, Misra L, Blocher JL, Seamans DP. The Chitranjan Ranawat Award: Periarticular injections and femoral & sciatic blocks provide similar pain relief after TKA: a randomized clinical trial. <i>Clinical Orthopaedics &amp; Related Research</i> 2015;473:45-53.
616	Swank AM, Kachelman JB, Bibeau W, Quesada PM, Nyland J, Malkani A, et al. PREHABILITATION BEFORE TOTAL KNEE ARTHROPLASTY INCREASES STRENGTH AND FUNCTION IN OLDER ADULTS WITH SEVERE OSTEOARTHRITIS. <i>Journal of Strength and Conditioning Research</i> 2011;25:318-25. <a href="https://doi.org/10.1519/JSC.0b013e318202e431">https://doi.org/10.1519/JSC.0b013e318202e431</a>
617	Taha A, Taha-Mehlitz S, Staartjes VE, Lunger F, Gloor S, Unger I, et al. Association of a prehabilitation program with anxiety and depression before colorectal surgery: a post hoc analysis of the pERACS randomized controlled trial. <i>Langenbeck's archives of surgery</i> 2021;406:1553-61. <a href="https://doi.org/https://dx.doi.org/10.1007/s00423-021-02158-0">https://doi.org/https://dx.doi.org/10.1007/s00423-021-02158-0</a>
618	Taha A, Taha-Mehlitz S, Staartjes VE, Lunger F, Gloor S, Unger I, et al. Association of a prehabilitation program with anxiety and depression before colorectal surgery: a post hoc analysis of the pERACS randomized controlled trial. <i>Langenbecks Archives of Surgery</i> 2021;29:29.
619	Teeling SP, Coetzee H, Phillips M, McKiernan M, Ni Sh EE, Igoe A. Reducing risk of development or exacerbation of nutritional deficits by optimizing patient access to mealtime assistance. <i>International Journal for Quality in Health Care</i> 2019;31:6-13.
620	Tribe KL, Lapsley HM, Cross MJ, Courtenay BG, Brooks PM, March LM. Selection of patients for inpatient rehabilitation or direct home discharge following total joint replacement surgery: a comparison of health status and out-of-pocket expenditure of patients undergoing hip and knee arthroplasty for osteoarthritis. <i>Chronic Illness</i>



	2005;1:289-302.
621	Van Egmond MA, Engelbert RHH, Klinkenbijn JHG, Van Berge Henegouwen MI, Van Der Schaaf M. Physiotherapy with telerehabilitation in patients with complicated postoperative recovery after esophageal cancer surgery: Feasibility study. <i>Journal of Medical Internet Research</i> 2020;22 (6) (no pagination).
622	van Mastrigt GA, Heijmans J, Severens JL, Fransen EJ, Roekaerts P, Voss G, et al. Short-stay intensive care after coronary artery bypass surgery: randomized clinical trial on safety and cost-effectiveness. <i>Critical Care Medicine</i> 2006;34:65-75.
623	van Mastrigt GA, Joore MA, Nieman FH, Severens JL, Maessen JG. Health-related quality of life after fast-track treatment results from a randomized controlled clinical equivalence trial. <i>Quality of Life Research</i> 2010;19:631-42.
624	Waite I, Deshpande R, Baghai M, Massey T, Wendler O, Greenwood S. Home-based preoperative rehabilitation (prehab) to improve physical function and reduce hospital length of stay for frail patients undergoing coronary artery bypass graft and valve surgery. <i>Journal Of Cardiothoracic Surgery</i> 2017;12:91.
625	Wong JC, Torella F, Haynes SL, Dalrymple K, Mortimer AJ, McCollum CN. Autologous versus allogeneic transfusion in aortic surgery: a multicenter randomized clinical trial. <i>Annals of surgery</i> 2002;235:145-51. <a href="https://doi.org/10.1097/0000658-200201000-00019">https://doi.org/10.1097/0000658-200201000-00019</a>
626	Yeom J, Lim H-S. Effects of the Enhanced Recovery After Surgery (ERAS) Program for Colorectal Cancer Patients Undergoing Laparoscopic Surgery. <i>Clinical nutrition research</i> 2022;11:75-83. <a href="https://doi.org/https://dx.doi.org/10.7762/cnr.2022.11.2.75">https://doi.org/https://dx.doi.org/10.7762/cnr.2022.11.2.75</a>
627	Yu S, Dundon J, Solovyova O, Bosco J, Iorio R. Can Multimodal Pain Management in TKA Eliminate Patient-controlled Analgesia and Femoral Nerve Blocks? <i>Clinical Orthopaedics &amp; Related Research</i> 2018;476:101-9.
	<b>Non-English language study (n=19) (PRISMA flow diagram code: LANG)</b>
628	Aguado-Maestro I, Cebrian-Rodriguez E, Fraile-Castelao O, Rodriguez-Lopez RJ, de Blas-Sanz I, Rizzo-Raza S, et al. Implementation of a rapid recovery protocol in total knee arthroplasty. A randomized controlled trial. <i>Implantacion de un protocolo de recuperacion precoz en artroplastia total de rodilla Ensayo clinico aleatorizado</i> 2021; <a href="https://dx.doi.org/10.1016/j.recot.2021.05.004">https://dx.doi.org/10.1016/j.recot.2021.05.004</a> . <a href="https://doi.org/https://dx.doi.org/10.1016/j.recot.2021.05.004">https://doi.org/https://dx.doi.org/10.1016/j.recot.2021.05.004</a>
629	Bai X. Clinical effects of comprehensive rehabilitation after minimally invasive total hip arthroplasty. <i>Zhongguo gu shang [China journal of orthopaedics and traumatology]</i> 2009;22:417-20.
630	Chong W, Che XY, Wan W, Wu J. Application of fast-track surgery concept in the perioperative nursing care of andrological patients: a randomized controlled study. <i>Zhonghua nan ke xue [National journal of andrology]</i> 2016;22:1001-4.
631	Dobe TR, Belhadj Y, Michel C, Djouadou M, Bouchardi A, Liron C, et al. Perioperative results of radical cystectomy after neoadjuvant chemotherapy according to the implementation of ERAS pathway. <i>Progres en urologie : journal de l'Association francaise d'urologie et de la Societe francaise d'urologie</i> 2022;32:401-9. <a href="https://doi.org/https://dx.doi.org/10.1016/j.purol.2022.01.003">https://doi.org/https://dx.doi.org/10.1016/j.purol.2022.01.003</a>
632	Düzgün I, Baltacı G, Atay OA. Comparison of slow and accelerated rehabilitation protocol after arthroscopic rotator cuff repair: pain and functional activity. <i>Acta</i>

	orthopaedica et traumatologica turcica 2011;45:23-33. <a href="https://doi.org/10.3944/AOTT.2011.2386">https://doi.org/10.3944/AOTT.2011.2386</a>
633	Gutt CN, Brinkmann LA, Staib-Sebler E, Kessler P, Lorenz M. Multimodal therapy concept with forced and reduced hospital stay with colon resection: first results. Kongressband / deutsche gesellschaft fur chirurgie 2002:160-1.
634	Huang LH, Liu Y, Xue SF, Luo XY, Liu WH. Comparison of different intervention time of systematic rehabilitation following total hip replacement. Journal of clinical rehabilitative tissue engineering research 2009;13:1755-8.
635	Kirschner S, Lutzner J, Gunther KP, Gonska ME, Reinicke K, Krummenauer F. Clinical pathway for total knee arthroplasty. I: Pathway conception and effect on functional quality of results. Orthopade 2010;39:853-9. <a href="https://doi.org/10.1007/s00132-010-1645-x">https://doi.org/10.1007/s00132-010-1645-x</a>
636	Kniazeva TA, Nikitin MV, Otto MP, Trukhacheva NV, Cherkashina IV. The combined application of enhanced external counterpulsation for the rehabilitation of the patients presenting with coronary heart disease. Voprosy kurortologii, fizioterapii, i lechebnoi fizicheskoi kultury 2014:13-5.
637	Paramo Zunzunegui J, Alonso Garcia M, Martin Cruz B, Fernandez Cebrian JM, Cuberes Montserrat R, Menchero Sanchez A, et al. Impact of the implementation of a preoperative nutritional program for colorectal surgery patients. Revista Espanola de Enfermedades Digestivas 2020;112:909-14.
638	Ramirez-Martin R, Menendez Colino R, Deniz Gonzalez V, Gazo Martinez JA, Marijuan Martin JL, Gonzalez-Montalvo JI. The efficiency of <<Cross-speciality Geriatrics>> in the co-management of patients older than 80 years admitted to the General Surgery Service. Economic results. Revista Espanola de Geriatria y Gerontologia 2021.
639	Serclová Z, Dytrych P, Marvan J, Nová K, Hankeová Z, Ryska O, et al. Tolerance of accelerated postoperative rehabilitation following intestinal resections. Rozhledy v chirurgii 2009;88:178-84.
640	Špička J, Lošťák J, Gallo J, Langová K. Influence of Enhanced Recovery Regime on Early Outcomes of Total Knee Arthroplasty. Acta chirurgiae orthopaedicae et traumatologiae Cechoslovaca 2017;84:361-7.
641	Susa A, Roveran A, Bocchi A, Carrer S, Tartari S. FastTrack approach to major colorectal surgery. Chirurgia italiana 2004;56:817-24.
642	Taran IN, Argunova YU, Pomeshkina SA, Barbarash OL. Influence of an early rehabilitation program with aerobic activity on the postoperative period in patients with coronary artery bypass grafting. Profilakticheskaya Meditsina 2021;24:86-92. <a href="https://doi.org/10.17116/profmed20212401186">https://doi.org/10.17116/profmed20212401186</a>
643	Tobía I, González MS, Martínez P, Tejerizo JC, Gueglio G, Damia O, et al. Randomized study on urinary continence after radical prostatectomy with previous kinesic perineal physiotherapy. Archivos espanoles de urologia 2008;61:793-8. <a href="https://doi.org/10.4321/s0004-06142008000700005">https://doi.org/10.4321/s0004-06142008000700005</a>
644	Wang TB, Shi HP, Lin WH, Ye ZJ, Zhang CG. Clinical practice of fast track surgery in colon carcinoma operation. Journal of cancer prevention and treatment 2010;17:1868-70.
645	Wolke B, Hils A, Sparmann M. The influence of peri- and post-operative peridural anaesthesia and analgesia on the result of early rehabilitation after endo-prosthetic

	knee replacement in RA. Aktuelle rheumatologie 2000;25:170.
646	Yung S, Beaussier M. Rational for a protocol of enhanced recovery after cardiac surgery. Praticien en Anesthesie Reanimation 2018;22:350-5.
	<b>Intervention not linked to length of stay (n=35) (PRISMA flow diagram code: LOS)</b>
647	An J, Ryu HK, Lyu SJ, Yi HJ, Lee BH. Effects of Preoperative Telerehabilitation on Muscle Strength, Range of Motion, and Functional Outcomes in Candidates for Total Knee Arthroplasty: A Single-Blind Randomized Controlled Trial. International Journal of Environmental Research and Public Health 2021;18. <a href="https://doi.org/10.3390/ijerph18116071">https://doi.org/10.3390/ijerph18116071</a>
648	Barker KL, Room J, Knight R, Dutton SJ, Toye F, Leal J, et al. Outpatient physiotherapy versus home-based rehabilitation for patients at risk of poor outcomes after knee arthroplasty: CORKA RCT. Health Technology Assessment (Winchester, England) 2020;24:1-116.
649	Barnason S, Zimmerman L, Nieveen J, Schulz P, Miller C, Hertzog M, et al. Influence of a symptom management telehealth intervention on older adults' early recovery outcomes after coronary artery bypass surgery. Heart & Lung 2009;38:364-76.
650	Bernocchi P, Giordano A, Pintavalle G, Galli T, Ballini Spoglia E, Baratti D, et al. Feasibility and Clinical Efficacy of a Multidisciplinary Home-Telehealth Program to Prevent Falls in Older Adults: A Randomized Controlled Trial. Journal of the American Medical Directors Association 2019;20:340-6.
651	Bettger JP, Green CL, Holmes DN, Chokshi A, Mather iii RC, Hoch BT, et al. Effects of Virtual Exercise Rehabilitation In-Home Therapy Compared with Traditional Care After Total Knee Arthroplasty: VERITAS, a Randomized Controlled Trial. Journal of Bone & Joint Surgery, American Volume 2020;102:101-9. <a href="https://doi.org/10.2106/JBJS.19.00695">https://doi.org/10.2106/JBJS.19.00695</a>
652	Bjornnes AK, Parry M, Lie I, Fagerland MW, Watt-Watson J, Rustoen T, et al. The impact of an educational pain management booklet intervention on postoperative pain control after cardiac surgery. European Journal of Cardiovascular Nursing 2017;16:18-27.
653	Brown K, Loprinzi PD, Brosky JA, Topp R. PREHABILITATION INFLUENCES EXERCISE-RELATED PSYCHOLOGICAL CONSTRUCTS SUCH AS SELF-EFFICACY AND OUTCOME EXPECTATIONS TO EXERCISE. Journal of Strength and Conditioning Research 2014;28:201-9. <a href="https://doi.org/10.1519/JSC.0b013e318295614a">https://doi.org/10.1519/JSC.0b013e318295614a</a>
654	Buhaglar MA, Naylor JM, Harris IA, Xuan W, Kohler F, Wright R, et al. Effect of inpatient rehabilitation vs a monitored home-base program on mobility in patients with total knee arthroplasty: The HIHO randomized clinical trial. Journal - American Medical Association 2017;317:1037-46.
655	Dolansky MA. Effects of cardiac rehabilitation on older adults' recovery outcomes following coronary artery bypass surgery: Case Western Reserve University (Health Sciences); 2001.
656	Ferreira V, Lawson C, Carli F, Scheede-Bergdahl C, Chevalier S. Feasibility of a novel mixed-nutrient supplement in a multimodal prehabilitation intervention for lung cancer patients awaiting surgery: A randomized controlled pilot trial. International journal of surgery (London, England) 2021;93:106079. <a href="https://doi.org/https://dx.doi.org/10.1016/j.ijsu.2021.106079">https://doi.org/https://dx.doi.org/10.1016/j.ijsu.2021.106079</a>

657	Ferreira V, Lawson C, Carli F, Scheede-Bergdahl C, Chevalier S. Feasibility of a novel mixed-nutrient supplement in a multimodal prehabilitation intervention for lung cancer patients awaiting surgery: A randomized controlled pilot trial. <i>International Journal of Surgery</i> 2021;93. <a href="https://doi.org/10.1016/j.ijso.2021.106079">https://doi.org/10.1016/j.ijso.2021.106079</a>
658	Fleischman AN, Crizer MP, Tarabichi M, Smith S, Rothman RH, Lonner JH, et al. 2018 John N. Insall Award: Recovery of Knee Flexion With Unsupervised Home Exercise Is Not Inferior to Outpatient Physical Therapy After TKA: A Randomized Trial. <i>Clinical Orthopaedics &amp; Related Research</i> 2019;477:60-9.
659	Gursen MD, Ahrens J. Research. The key to a new home care protocol: prospective visits. <i>Caring</i> 2004;23:40-4.
660	Hansen TB, Bredtoft HK, Larsen K. Preoperative physical optimization in fast-track hip and knee arthroplasty. <i>Danish Medical Journal</i> 2012;59.
661	Hartford K, Wong C, Zakaria D. Randomized controlled trial of a telephone intervention by nurses to provide information and support to patients and their partners after elective coronary artery bypass graft surgery: effects of anxiety. <i>Heart &amp; Lung</i> 2002;31:199-206.
662	Henriksen MG, Jensen MB, Hansen HV, Jespersen TW, Hessov I. Enforced mobilization, early oral feeding, and balanced analgesia improve convalescence after colorectal surgery. <i>Nutrition</i> 2002;18:147-52.
663	Højskov IE, Moons P, Egerod I, Olsen PS, Thygesen LC, Hansen NV, et al. Early physical and psycho-educational rehabilitation in patients with coronary artery bypass grafting: a randomized controlled trial. <i>Journal of rehabilitation medicine</i> 2019;51:136-43. <a href="https://doi.org/10.2340/16501977-2499">https://doi.org/10.2340/16501977-2499</a>
664	Huang SW, Chen PH, Chou YH. Effects of a preoperative simplified home rehabilitation education program on length of stay of total knee arthroplasty patients. <i>Orthopaedics &amp; traumatology, surgery &amp; research</i> 2012;98:259-64.
665	Jakobsen TL, Kehlet H, Husted H, Petersen J, Bandholm T. Early progressive strength training to enhance recovery after fast-track total knee arthroplasty: a randomized controlled trial. <i>Arthritis care &amp; research</i> 2014;66:1856-66.
666	Klimczak M, Piekielny D, Antczak A, Smigielski J, Tworek D. Effectiveness of pulmonary rehabilitation in patients with chronic obstructive pulmonary disease after lobectomy due to non-small cell lung cancer - a single-center retrospective study. <i>Advances in respiratory medicine</i> 2021;89:247-53. <a href="https://doi.org/https://dx.doi.org/10.5603/ARM.a2021.0060">https://doi.org/https://dx.doi.org/10.5603/ARM.a2021.0060</a>
667	Kramer JF, Speechley M, Bourne R, Rorabeck C, Vaz M. Comparison of clinic- and home-based rehabilitation programs after total knee arthroplasty. <i>Clinical Orthopaedics &amp; Related Research</i> 2003:225-34.
668	Lenze EJ, Lenard E, Bland M, Barco P, Miller JP, Yingling M, et al. Effect of Enhanced Medical Rehabilitation on Functional Recovery in Older Adults Receiving Skilled Nursing Care After Acute Rehabilitation: a Randomized Clinical Trial. <i>JAMA network open</i> 2019;2:e198199. <a href="https://doi.org/10.1001/jamanetworkopen.2019.8199">https://doi.org/10.1001/jamanetworkopen.2019.8199</a>
669	Lopez-Liria R, Padilla-Gongora D, Catalan-Matamoros D, Rocamora-Perez P, Perez-de la Cruz S, Fernandez-Sanchez M. Home-Based versus Hospital-Based Rehabilitation Program after Total Knee Replacement. <i>BioMed Research International</i> 2015;2015:450421.

670	Macchi C, Fattirolli F, Lova RM, Conti AA, Luisi ML, Intini R, et al. Early and late rehabilitation and physical training in elderly patients after cardiac surgery. <i>American journal of physical medicine &amp; rehabilitation</i> 2007;86:826-34. <a href="https://doi.org/10.1097/PHM.0b013e318151fd86">https://doi.org/10.1097/PHM.0b013e318151fd86</a>
671	Mason VMF. Cardiac rehabilitation, home-walking, health status, and self-efficacy: University of Massachusetts Amherst; 2002.
672	Miller C, Zimmerman L, Barnason S, Nieveen J. Impact of an early recovery management intervention on functioning in postoperative coronary artery bypass patients with diabetes. <i>Heart &amp; Lung</i> 2007;36:418-30.
673	Moutzouri M, Coutts F, Gliatis J, Billis E, Tsepis E, Gleeson N. Early initiation of home-based sensori-motor training improves muscle strength, activation and size in patients after knee replacement: a secondary analysis of a controlled clinical trial. <i>BMC Musculoskeletal Disorders</i> 2019;20:231.
674	Olotu C, Ascone L, Wiede J, Manthey J, Kuehn S, Scherwath A, et al. The effect of delirium preventive measures on the occurrence of postoperative cognitive dysfunction in older adults undergoing cardiovascular surgery. The DelPOCD randomised controlled trial. <i>Journal of clinical anesthesia</i> 2022;78:110686. <a href="https://doi.org/https://dx.doi.org/10.1016/j.jclinane.2022.110686">https://doi.org/https://dx.doi.org/10.1016/j.jclinane.2022.110686</a>
675	Parry MJE. A pilot trial of a home-based peer support program after coronary artery bypass graft surgery: University of Toronto (Canada); 2008.
676	Rosendahl J, Tigges-Limmer K, Gummert J, Dziewas R, Albes JM, Strauss B. Bypass surgery with psychological and spiritual support (the BY.PASS Study): results of a pragmatic trial based on patients' preference. <i>Psychotherapy &amp; Psychosomatics</i> 2013;82:35-44.
677	Sawatzky JA, Christie S, Singal RK. Exploring outcomes of a nurse practitioner-managed cardiac surgery follow-up intervention: a randomized trial. <i>Journal of Advanced Nursing</i> 2013;69:2076-87.
678	Sawatzky JAV, Christie S, Singal RK. Exploring outcomes of a nurse practitioner-managed cardiac surgery follow-up intervention: a randomized trial. <i>Journal of Advanced Nursing</i> 2013;69:2076-87. <a href="https://doi.org/10.1111/jan.12075">https://doi.org/10.1111/jan.12075</a>
679	Turunen KM, Aaltonen-Maatta L, Tormakangas T, Rantalainen T, Portegijs E, Keikkala S, et al. Effects of an individually targeted multicomponent counseling and home-based rehabilitation program on physical activity and mobility in community-dwelling older people after discharge from hospital: a randomized controlled trial. <i>Clinical Rehabilitation</i> 2020;34:491-503.
680	Wilson RA, Watt-Watson J, Hodnett E, Tranmer J. A Randomized Controlled Trial of an Individualized Preoperative Education Intervention for Symptom Management After Total Knee Arthroplasty. <i>Orthopaedic Nursing</i> 2016;35:20-9. <a href="https://doi.org/10.1097/nor.0000000000000210">https://doi.org/10.1097/nor.0000000000000210</a>
681	Ziegelmueller BK, Jokisch JF, Buchner A, Grimm T, Kretschmer A, Schulz GB, et al. Long-Term Follow-Up and Oncological Outcome of Patients Undergoing Radical Cystectomy for Bladder Cancer following an Enhanced Recovery after Surgery (ERAS) Protocol: Results of a Large Randomized, Prospective, Single-Center Study. <i>Urologia Internationalis</i> 2020;104:55-61.
	<b>Methods not relevant (n=31) (PRISMA flow diagram code: METH)</b>

682	Getting hospital patients up and moving shortens stay and improves fitness. <i>Frontline</i> (20454910) 2019;25:40-1.
683	Allen CJ, Eska JS, Thaker NG, Feeley TW, Kaplan RS, Huey RW, et al. Developing a Value Framework: Utilizing Administrative Data to Assess an Enhanced Care Initiative. <i>Journal of Surgical Research</i> 2021;262:115-20.
684	Awasthi R, Minnella EM, Ferreira V, Ramanakumar AV, Scheede-Bergdahl C, Carli F. Supervised exercise training with multimodal pre-habilitation leads to earlier functional recovery following colorectal cancer resection. <i>Acta anaesthesiologica scandinavica</i> 2018;(no pagination). <a href="https://doi.org/10.1111/aas.13292">https://doi.org/10.1111/aas.13292</a>
685	Blick C, Hadway P, Patel N, Lal S, Kelleher JP, Haldar N, et al. The use of a multimodal enhanced recovery program for patients undergoing radical cystectomy. <i>Journal of Clinical Urology</i> 2013;6:234-8.
686	Catho H, Guigard S, Toffart AC, Frey G, Chollier T, Brichon PY, et al. What are the barriers to the completion of a home-based rehabilitation programme for patients awaiting surgery for lung cancer: a prospective observational study. <i>BMJ Open</i> 2021;11:e041907.
687	Forsmo HM, Erichsen C, Rasdal A, Korner H, Pfeffer F. Enhanced Recovery After Colorectal Surgery (ERAS) in Elderly Patients Is Feasible and Achieves Similar Results as in Younger Patients. <i>Gerontology &amp; Geriatric Medicine</i> 2017;3:2333721417706299.
688	Gotz JS, Leiss F, Maderbacher G, Meyer M, Reinhard J, Zeman F, et al. Implementing fast-track in total hip arthroplasty: rapid mobilization with low need for pain medication and low pain values : Retrospective analysis of 102 consecutive patients. <i>Einführung von Fast-Track in der Hüftgelenkendoprothetik: frühpostoperative Mobilisation mit geringem Analgetikabedarf und niedrigen Schmerzwerten : Eine retrospektive Analyse von 102 Patienten</i> 2022;81:253-62. <a href="https://doi.org/https://dx.doi.org/10.1007/s00393-021-00978-5">https://doi.org/https://dx.doi.org/10.1007/s00393-021-00978-5</a>
689	Grant MC, Hanna A, Benson A, Hobson D, Wu CL, Yuan CT, et al. Dedicated Operating Room Teams and Clinical Outcomes in an Enhanced Recovery after Surgery Pathway for Colorectal Surgery. <i>Journal of the American College of Surgeons</i> 2018;226:267-76.
690	Grissom SP, Dunagan L. Improved satisfaction during inpatient rehabilitation after hip and knee arthroplasty: a retrospective analysis. <i>American Journal of Physical Medicine &amp; Rehabilitation</i> 2001;80:798-803.
691	Hiltunen AM, Horhammer I, Silander K, Kaikuluoma J, Linna M. Integrating health service delivery for geriatric patients after hospital admission-A register study on the outcomes and costs. <i>Health Services Management Research</i> 2020;33:24-32.
692	Himmelseher S, Kochs EF. Improving brain recovery after craniotomy. <i>Best Practice &amp; Research Clinical Anaesthesiology</i> 2007;21:vii-xi.
693	Kisialeuski M, Pedziwiatr M, Matlok M, Major P, Migaczewski M, Kolodziej D, et al. Enhanced recovery after colorectal surgery in elderly patients. <i>Wideochirurgia I inne techniki maloinwazyjne</i> 2015;10:30-6. <a href="https://doi.org/10.5114/wiitm.2015.48697">https://doi.org/10.5114/wiitm.2015.48697</a>
694	Kocman D, Regen E, Phelps K, Martin G, Parker S, Gilbert T, et al. Can comprehensive geriatric assessment be delivered without the need for geriatricians? A formative evaluation in two perioperative surgical settings. <i>Age &amp; Ageing</i> 2019;48:644-9.
695	MacDonald V, Arthur B, Parent S. The Vancouver General Hospital joint replacement Rapid Recovery Program: optimizing outcomes through focused pathways. <i>Journal of</i>

	Orthopaedic Nursing 2005;9:95-102. <a href="https://doi.org/10.1016/j.joon.2005.03.006">https://doi.org/10.1016/j.joon.2005.03.006</a>
696	Meyer L, Nick A, Shi Q, Iniesta M, Harris M, Palmer L, et al. Comparison of patient reported symptom burden pre-and postimplementation of an enhanced recovery pathway (ERP) for gynecologic surgery. <i>International Journal of Gynecological Cancer</i> 2015;1):40-1.
697	Mikkelsen MK, Nielsen DL, Vinther A, Lund CM, Jarden M. Attitudes towards physical activity and exercise in older patients with advanced cancer during oncological treatment - A qualitative interview study. <i>European Journal of Oncology Nursing</i> 2019;41:16-23.
698	Mohn AC, Bernardshaw SV, Ristesund SM, Hansen PEH, Rokke O. ENHANCED RECOVERY AFTER COLORECTAL SURGERY. RESULTS FROM A PROSPECTIVE OBSERVATIONAL TWO-CENTRE STUDY. <i>Scandinavian Journal of Surgery</i> 2009;98:155-9.
699	Naylor JM, Hart A, Mittal R, Harris I, Wei X, Xuan W. The value of inpatient rehabilitation after uncomplicated knee arthroplasty: a propensity score analysis. <i>Medical Journal of Australia</i> 2017;207:250-5. <a href="https://doi.org/10.5694/mja16.01362">https://doi.org/10.5694/mja16.01362</a>
700	Rathinam S, Oey I, Steiner M, Spyt T, Morgan MD, Waller DA. The role of the emphysema multidisciplinary team in a successful lung volume reduction surgery programme. <i>European Journal of Cardio-Thoracic Surgery</i> 2014;46:1021-6; discussion 6.
701	Reddy C, Ernst A, Lamb C, Feller-Kopman D. Rapid pleurodesis for malignant pleural effusions: A pilot study. <i>Chest</i> 2011;139:1419-23.
702	Room J, Batting M, Barker KL. Development of a functional rehabilitation intervention for post knee arthroplasty patients: COMMUNITY based Rehabilitation post Knee Arthroplasty (CORKA) trial. <i>Physiotherapy</i> 2020;106:52-64.
703	Scatizzi M, Kroning KC, Boddi V, De Prizio M, Feroci F. Fast-track surgery after laparoscopic colorectal surgery: is it feasible in a general surgery unit? <i>Surgery</i> 2010;147:219-26.
704	Scott NB, McDonald D, Campbell J, Smith RD, Carey AK, Johnston IG, et al. The use of enhanced recovery after surgery (ERAS) principles in Scottish orthopaedic units - An implementation and follow-up at 1 year, 2010-2011: A report from the Musculoskeletal Audit, Scotland. <i>Archives of Orthopaedic and Trauma Surgery</i> 2013;133:117-24.
705	Sharareh B, Le NB, Hoang MT, Schwarzkopf R. Factors determining discharge destination for patients undergoing total joint arthroplasty. <i>Journal of Arthroplasty</i> 2014;29:1355-8.e1.
706	Slatyer S, Aoun SM, Hill KD, Walsh D, Whitty D, Toye C. Caregivers' experiences of a home support program after the hospital discharge of an older family member: a qualitative analysis. <i>BMC Health Services Research</i> 2019;19:220.
707	Tovar EA. One-day admission for major lung resections in septuagenarians and octogenarians: a comparative study with a younger cohort. <i>European Journal of Cardio-Thoracic Surgery</i> 2001;20:449-53; discussion 53-4.
708	Tveit M. On the generalizability of same-day partial knee replacement surgery-A non-selective interventional study evaluating efficacy, patient satisfaction, and safety in a public hospital setting. <i>PLoS one</i> 2021;16:e0260816.

	<a href="https://doi.org/https://dx.doi.org/10.1371/journal.pone.0260816">https://doi.org/https://dx.doi.org/10.1371/journal.pone.0260816</a>
709	Uccheddu F, Governi L, Carfagni M. A Preliminary 3D Depth Camera-Based System to Assist Home Physiotherapy Rehabilitation. International Conference on Design Tools and Methods in Industrial Engineering (ADM); Sep 09-10; Univ Modena & Reggio Emilia, Modena, ITALY, abstract no. 1029, p. 696-706. <a href="https://doi.org/10.1007/978-3-030-31154-4_59">https://doi.org/10.1007/978-3-030-31154-4_59</a>
710	Verweij L, Spoon DF, Terbraak MS, Jepma P, Peters RJG, Scholte Op Reimer WJM, et al. The Cardiac Care Bridge randomized trial in high-risk older cardiac patients: A mixed-methods process evaluation. <i>Journal of Advanced Nursing</i> 2021;77:2498-510.
711	Warrington D, Cholowski K, Peters D. Effectiveness of home-based cardiac rehabilitation for special needs patients. <i>Journal of Advanced Nursing</i> 2003;41:121-9.
712	Weed HG. 2017 - Preoperative geriatric assessment reduced hospital stay and complications in patients $\geq 65$ y having vascular surgery. <i>ACP journal club</i> 2017;167:1-. <a href="https://doi.org/10.7326/ACPJC-2017-167-2-002">https://doi.org/10.7326/ACPJC-2017-167-2-002</a>
	<b>Outcomes not relevant (n=250) (PRISMA flow diagram code: OUT)</b>
713	Aarts MA, Okrainec A, Glicksman A, Pearsall E, Victor JC, McLeod RS. Adoption of enhanced recovery after surgery (ERAS) strategies for colorectal surgery at academic teaching hospitals and impact on total length of hospital stay. <i>Surgical Endoscopy and Other Interventional Techniques</i> 2012;26:442-50. <a href="https://doi.org/10.1007/s00464-011-1897-5">https://doi.org/10.1007/s00464-011-1897-5</a>
714	Abdeen A, Monarrez R, Drew JM, Kennedy KF. Use of a Smart-Phone Mobile Application is Associated With Improved Compliance and Reduced Length of Stay in Patients Undergoing Primary Total Joint Arthroplasty of the Hip and Knee. <i>The Journal of arthroplasty</i> 2022; <a href="https://dx.doi.org/10.1016/j.arth.2022.03.068">https://dx.doi.org/10.1016/j.arth.2022.03.068</a> . <a href="https://doi.org/https://dx.doi.org/10.1016/j.arth.2022.03.068">https://doi.org/https://dx.doi.org/10.1016/j.arth.2022.03.068</a>
715	Ahmad M, Ur Rehman H, Shaikh AA. Enhanced Recovery Program: Does Preoperative Education Reduce Length of Hospital Stay in Primary Hip and Knee Arthroplasty? <i>Cureus</i> 2021;13:e18639. <a href="https://doi.org/https://dx.doi.org/10.7759/cureus.18639">https://doi.org/https://dx.doi.org/10.7759/cureus.18639</a>
716	Akiyama Y, Iwaya T, Endo F, Shioi Y, Kumagai M, Takahara T, et al. Effectiveness of intervention with a perioperative multidisciplinary support team for radical esophagectomy. <i>Supportive Care in Cancer</i> 2017;25:3733-9.
717	Alcantara-Moral M, Serra-Aracil X, Gil-Egea MJ, Frasson M, Flor-Lorente B, Garcia-Granero E. Observational cross-sectional study of compliance with the fast track protocol in elective surgery for colon cancer in Spain. <i>International Journal of Colorectal Disease</i> 2014;29:477-83.
718	Aldhaam NA, Elsayed AS, Hussein AA, Siam A, Osei J, Jing Z, et al. Impact of Perioperative Multidisciplinary Rehabilitation Pathway on Early Outcomes after Robot-assisted Radical Cystectomy: A Matched Analysis. <i>Urology</i> 2021;147:155-60. <a href="https://doi.org/10.1016/j.urology.2020.05.113">https://doi.org/10.1016/j.urology.2020.05.113</a>
719	Ali JM, Gerrard C, Clayton J, Moorjani N. Reduced re-exploration and blood product transfusion after the introduction of the Papworth haemostasis checklist. <i>European Journal of Cardio-Thoracic Surgery</i> 2019;55:729-36.
720	Altobelli E, Buscarini M, Gill HS, Skinner EC. Readmission rate and causes at 90-day after radical cystectomy in patients on early recovery after surgery protocol. <i>Bladder Cancer</i> 2017;3:51-6.



721	Alvis BD, Amsler RG, Leisy PJ, Feng X, Shotwell MS, Pandharipande PP, et al. Effects of an anesthesia perioperative surgical home for total knee and hip arthroplasty at a Veterans Affairs Hospital: a quality improvement before-and-after cohort study. Effets d'un centre de soins chirurgicaux perioperatoires en anesthésie pour les arthroplasties totales du genou et de la hanche dans un hopital pour anciens combattants : une etude de cohorte d'amelioration de la qualite avant et apres 2021;68:367-75. <a href="https://doi.org/https://dx.doi.org/10.1007/s12630-020-01865-4">https://doi.org/https://dx.doi.org/10.1007/s12630-020-01865-4</a>
722	Alvis BD, Amsler RG, Leisy PJ, Feng X, Shotwell MS, Pandharipande PP, et al. Effects of an anesthesia perioperative surgical home for total knee and hip arthroplasty at a Veterans Affairs Hospital: a quality improvement before-and-after cohort study. Canadian Journal of Anaesthesia 2021;68:367-75.
723	Andreasen JJ, Sindby JE, Brocki BC, Rasmussen BS, Dethlefsen C. Efforts to change transfusion practice and reduce transfusion rates are effective in coronary artery bypass surgery. Journal of Cardiothoracic & Vascular Anesthesia 2012;26:545-9.
724	Aoyama T, Yoshitsugu K, Fukaya M, Kume T, Kawashima M, Nakajima K, et al. Benefit of Reducing Body Weight Loss with A Nutritional Support Pathway in Patients Undergoing Allogeneic Hematopoietic Stem Cell Transplantation. Medical science monitor basic research 2019;25. <a href="https://doi.org/10.12659/MSMBR.917329">https://doi.org/10.12659/MSMBR.917329</a>
725	Auer CJ, Laferton JAC, Shedden-Mora MC, Salzmann S, Moosdorf R, Rief W. Optimizing preoperative expectations leads to a shorter length of hospital stay in CABG patients: Further results of the randomized controlled PSY-HEART trial. Journal of Psychosomatic Research 2017;97:82-9.
726	Ausania F, Senra P, Melendez R, Caballeiro R, Ouvina R, Casal-Nunez E. Prehabilitation in patients undergoing pancreaticoduodenectomy: a randomized controlled trial. Revista Espanola de Enfermedades Digestivas 2019;111:603-8.
727	Bakker N, Doodeman HJ, Dunker MS, Schreurs WH, Houdijk APJ. Improving postoperative outcome in rectal cancer surgery: Enhanced Recovery After Surgery in an era of increasing laparoscopic resection. Langenbecks Archives of Surgery; <a href="https://doi.org/10.1007/s00423-021-02266-x">10.1007/s00423-021-02266-x</a> . <a href="https://doi.org/10.1007/s00423-021-02266-x">https://doi.org/10.1007/s00423-021-02266-x</a>
728	Bakker N, Doodeman HJ, Dunker MS, Schreurs WH, Houdijk APJ. Improving postoperative outcome in rectal cancer surgery: Enhanced Recovery After Surgery in an era of increasing laparoscopic resection. Langenbeck's archives of surgery 2021;406:2769-79. <a href="https://doi.org/https://dx.doi.org/10.1007/s00423-021-02266-x">https://doi.org/https://dx.doi.org/10.1007/s00423-021-02266-x</a>
729	Bansal N, Morris J. Pharmacist involvement to improve patient outcomes in lower gastrointestinal surgery: a prospective before and after study. International Journal of Clinical Pharmacy 2019;41:1220-6.
730	Bazargani ST, Djaladat H, Ahmadi H, Miranda G, Cai J, Schuckman AK, et al. Gastrointestinal Complications Following Radical Cystectomy Using Enhanced Recovery Protocol. European Urology Focus 2018;4:889-94.
731	Bellato V, An Y, Cerbo D, Campanelli M, Franceschilli M, Khanna K, et al. Feasibility and outcomes of ERAS protocol in elective cT4 colorectal cancer patients: results from a single-center retrospective cohort study. World journal of surgical oncology 2021;19:196. <a href="https://doi.org/https://dx.doi.org/10.1186/s12957-021-02282-7">https://doi.org/https://dx.doi.org/10.1186/s12957-021-02282-7</a>
732	Bendzsak AM, Baxter NN, Darling GE, Austin PC, Urbach DR. Regionalization and Outcomes of Lung Cancer Surgery in Ontario, Canada. Journal of Clinical Oncology 2017;35:2772-80.

733	Benzo R, Wigle D, Novotny P, Wetzstein M, Nichols F, Shen RK, et al. Preoperative pulmonary rehabilitation before lung cancer resection: results from two randomized studies. <i>Lung Cancer</i> 2011;74:441-5.
734	Berg U, BuLow E, Sundberg M, Rolfson O. No increase in readmissions or adverse events after implementation of fast-track program in total hip and knee replacement at 8 Swedish hospitals: An observational before-and-after study of 14,148 total joint replacements 2011-2015. <i>Acta Orthopaedica</i> 2018;89:522-7.
735	Berninger MT, Friederichs J, Leidinger W, Augat P, Buhren V, Fulghum C, et al. Effect of local infiltration analgesia, peripheral nerve blocks, general and spinal anesthesia on early functional recovery and pain control in total knee arthroplasty. <i>Bmc Musculoskeletal Disorders</i> 2018;19. <a href="https://doi.org/10.1186/s12891-018-2154-z">https://doi.org/10.1186/s12891-018-2154-z</a>
736	Boitano TKL, Smith HJ, Cohen AC, Todd A, Leath Iii CA, Straughn JM, Jr. An enhanced recovery protocol decreases complication rates in high-risk gynecologic oncology patients undergoing non-emergent laparotomy. <i>International Journal of Gynecological Cancer</i> 2021;31:721-6.
737	Boon K, Bislenghi G, D'Hoore A, Boon N, Wolthuis AM. Do older patients (> 80 years) also benefit from ERAS after colorectal resection? A safety and feasibility study. <i>Aging clinical and experimental research</i> 2021;33:1345-52. <a href="https://doi.org/https://dx.doi.org/10.1007/s40520-020-01655-4">https://doi.org/https://dx.doi.org/10.1007/s40520-020-01655-4</a>
738	Boon K, Bislenghi G, D'Hoore A, Boon N, Wolthuis AM. Do older patients (> 80 years) also benefit from ERAS after colorectal resection? A safety and feasibility study. <i>Aging Clinical &amp; Experimental Research</i> 2021;33:1345-52. <a href="https://doi.org/10.1007/s40520-020-01655-4">https://doi.org/10.1007/s40520-020-01655-4</a>
739	Bray MS, Appel AL, Kallies KJ, Borgert AJ, Zinnel BA, Shapiro SB. Implementation of an Enhanced Recovery After Surgery Program for Colorectal Surgery at a Community Teaching Hospital. <i>WMJ</i> 2017;116:22-6.
740	Brown EG, Josephson SA, Anderson N, Reid M, Lee M, Douglas VC. Evaluation of a multicomponent pathway to address inpatient delirium on a neurosciences ward. <i>BMC Health Services Research</i> 2018;18:106.
741	Carrao A, Ribeiro D, Manso M, Oliveira J, Feria L, Ghira M, et al. ERAS R Program in a Portuguese Hospital: Results from Elective Colorectal Surgery after One Year of Implementation. <i>Acta Medica Portuguesa</i> 2020;33:568-75.
742	Chabot K, Gillis C, Minnella EM, Ferreira V, Awasthi R, Baldini G, et al. Functional capacity of prediabetic patients: effect of multimodal prehabilitation in patients undergoing colorectal cancer resection. <i>Acta Oncologica</i> 2021;60:1025-31. <a href="https://doi.org/10.1080/0284186x.2021.1937307">https://doi.org/10.1080/0284186x.2021.1937307</a>
743	Chanyeong K, Young K. Clinical Nurse Specialist-Led Implementation of an Early Discharge Protocol After Cardiac Surgery. <i>Clinical Nurse Specialist: The Journal for Advanced Nursing Practice</i> 2019;33:184-90. <a href="https://doi.org/10.1097/NUR.0000000000000457">https://doi.org/10.1097/NUR.0000000000000457</a>
744	Charles RJ, Singal BM, Urquhart AG, Masini MA, Hallstrom BR. Data Sharing Between Providers and Quality Initiatives Eliminate Unnecessary Nursing Home Admissions. <i>Journal of Arthroplasty</i> 2017;32:1418-25. <a href="https://doi.org/10.1016/j.arth.2016.11.041">https://doi.org/10.1016/j.arth.2016.11.041</a>
745	Chen HW, Chen HM, Wang YC, Chen PY, Chien CW. ASSOCIATION BETWEEN REHABILITATION TIMING AND MAJOR COMPLICATIONS OF TOTAL KNEE ARTHROPLASTY. <i>Journal of Rehabilitation Medicine</i> 2012;44:588-92.

	<a href="https://doi.org/10.2340/16501977-0971">https://doi.org/10.2340/16501977-0971</a>
746	Chesterfield-Thomas G, Goldsmith I. Impact of preoperative pulmonary rehabilitation on the Thoracoscore of patients undergoing lung resection. <i>Interactive Cardiovascular &amp; Thoracic Surgery</i> 2016;23:729-32.
747	Chiang HA, Cheng PJ, Speed JM, Steinberg J, Najjar PA, Steele GS, et al. Implementation of a Perioperative Venous Thromboembolism Prophylaxis Program for Patients Undergoing Radical Cystectomy on an Enhanced Recovery After Surgery Protocol. <i>European Urology Focus</i> 2020;6:74-80.
748	Chiu A, Nguyen HV, Reutens S, Grace D, Schmidtman R, Shen Q, et al. Clinical outcomes and length of stay of a co-located psychogeriatric and geriatric unit. <i>Archives of Gerontology and Geriatrics</i> 2009;49:233-6.
749	Christensen HK, Thaysen HV, Rodt SA, Carlsson P, Laurberg S. Short Hospital Stay and Low Complication Rate Are Possible with a Fully Implemented Fast-Track Model after Elective Colonic Surgery. <i>European Surgical Research</i> 2011;46:156-61. <a href="https://doi.org/10.1159/000324406">https://doi.org/10.1159/000324406</a>
750	Cintorino D, Ricotta C, Bonsignore P, Di Francesco F, Li Petri S, Pagano D, et al. Preliminary Report on Introduction of Enhanced Recovery After Surgery Protocol for Laparoscopic Rectal Resection: A Single-Center Experience. <i>Journal of Laparoendoscopic &amp; Advanced Surgical Techniques Part A</i> 2018;28:1437-42.
751	Cintorino D, Ricotta C, Bonsignore P, Di Francesco F, Li Petri S, Pagano D, et al. Preliminary Report on Introduction of Enhanced Recovery After Surgery Protocol for Laparoscopic Rectal Resection: A Single-Center Experience. <i>Journal of Laparoendoscopic &amp; Advanced Surgical Techniques</i> 2018;28:1437-42. <a href="https://doi.org/10.1089/lap.2018.0234">https://doi.org/10.1089/lap.2018.0234</a>
752	Cleary M, Cahill RA, Younis F, Sheehan SJ, Mehigan D, Barry MC. The impact of the establishment of a surgical high dependency unit on management of abdominal aortic aneurysm. <i>Irish Journal of Medical Science</i> 2006;175:9-12.
753	Closa C, Mas MA, Santaeugenia SJ, Inzitari M, Ribera A, Gallofre M. Hospital-at-home Integrated Care Program for Older Patients With Orthopedic Processes: An Efficient Alternative to Usual Hospital-Based Care. <i>Journal of the American Medical Directors Association</i> 2017;18:780-4.
754	Colibaseanu DT, Osagiede O, McCoy RG, Spaulding AC, Habermann EB, Naessens JM, et al. Proactive Protocol-Based Management of Hyperglycemia and Diabetes in Colorectal Surgery Patients. <i>Endocrine Practice</i> 2018;24:1073-85.
755	Collett G, Insley AP, Michaelis S, Shaji S, Feierstein B, Martell JR, Jr. Reduction of Opioid Use With Enhanced Recovery Program for Total Knee Arthroplasty. <i>Federal practitioner : for the health care professionals of the VA, DoD, and PHS</i> 2021;38:212-9. <a href="https://doi.org/https://dx.doi.org/10.12788/fp.0124">https://doi.org/https://dx.doi.org/10.12788/fp.0124</a>
756	Collette AM, Spies C, Eckardt R, Wernecke KD, Schmidt M, Grp P. Patient Empowerment Reduces Pain in Geriatric Patients After Gynecologic Onco-Surgery: Subgroup Analysis of a Prospective Randomized Controlled Clinical Trial. <i>Journal of Perianesthesia Nursing</i> 2018;33:281-9. <a href="https://doi.org/10.1016/j.jopan.2016.10.005">https://doi.org/10.1016/j.jopan.2016.10.005</a>
757	Cove ME, Ying C, Taculod JM, Oon SE, Oh P, Kollengode R, et al. Multidisciplinary Extubation Protocol in Cardiac Surgical Patients Reduces Ventilation Time and Length of Stay in the Intensive Care Unit. <i>Annals of Thoracic Surgery</i> 2016;102:28-34.

758	Croasdale DR, Su EM, Olutola OE, Polito CP, Ata A, Keenan M, et al. The Effect of an Enhanced Recovery Program on Elective Right Hemicolectomies for Crohn's Disease vs. Colon Cancer: A Retrospective Cohort Analysis. <i>American Surgeon</i> 2020;3134820982573.
759	Croasdale DR, Su EM, Olutola OE, Polito CP, Ata A, Keenan M, et al. The Effect of an Enhanced Recovery Program on Elective Right Hemicolectomies for Crohn's Disease vs. Colon Cancer: A Retrospective Cohort Analysis. <i>The American surgeon</i> 2022;88:120-5. <a href="https://doi.org/https://dx.doi.org/10.1177/0003134820982573">https://doi.org/https://dx.doi.org/10.1177/0003134820982573</a>
760	Crolla RM, van der Laan L, Veen EJ, Hendriks Y, van Schendel C, Kluytmans J. Reduction of surgical site infections after implementation of a bundle of care. <i>PLoS ONE [Electronic Resource]</i> 2012;7:e44599.
761	Czyzewski P, Szczepkowski M, Domaniecki J, Dabek A. Physiotherapy based on PNF concept for elderly people after conventional colon surgery. <i>Polski Przegląd Chirurgiczny</i> 2013;85:475-82.
762	D'Souza K, Choi JI, Wootton J, Wallace T. Impact of sequential implementation of multimodal perioperative care pathways on colorectal surgical outcomes. <i>Canadian Journal of Surgery</i> 2019;62:25-32.
763	Daenen C, Coimbra C, Hans G, Joris J. Labelling as reference Centre of GRACE (Groupe francophone de Rehabilitation Amelioree apres ChirurgiE) for colorectal surgery: its impact on the implementation of enhanced recovery programme at the University Hospital of Liege. <i>Acta Chirurgica Belgica</i> 2018;118:294-8.
764	Dagal A, Bellabarba C, Bransford R, Zhang F, Chesnut RM, O'Keefe GE, et al. Enhanced Perioperative Care for Major Spine Surgery. <i>Spine</i> 2019;44:959-66.
765	Daniel SK, Thornblade LW, Mann GN, Park JO, Pillarisetty VG. Standardization of perioperative care facilitates safe discharge by postoperative day five after pancreaticoduodenectomy. <i>PLoS ONE [Electronic Resource]</i> 2018;13:e0209608.
766	de Groot JJ, van Es LE, Maessen JM, Dejong CH, Kruitwagen RF, Slangen BF. Diffusion of Enhanced Recovery principles in gynecologic oncology surgery: is active implementation still necessary? <i>Gynecologic Oncology</i> 2014;134:570-5.
767	de Klerk M, van Dalen DH, Nahar-van Venrooij LMW, Meijerink WJHJ, Verdaasdonk EGG. A multimodal prehabilitation program in high-risk patients undergoing elective resection for colorectal cancer: A retrospective cohort study. <i>European journal of surgical oncology : the journal of the European Society of Surgical Oncology and the British Association of Surgical Oncology</i> 2021;47:2849-56. <a href="https://doi.org/https://dx.doi.org/10.1016/j.ejso.2021.05.033">https://doi.org/https://dx.doi.org/10.1016/j.ejso.2021.05.033</a>
768	De Waele E, Nguyen D, De Bondt K, La Meir M, Diltoer M, Honore PM, et al. The CoCoS trial: Caloric Control in Cardiac Surgery patients promotes survival, an interventional trial with retrospective control. <i>Clinical Nutrition</i> 2018;37:864-9.
769	Del Calvo H, Nguyen DT, Meisenbach LM, Chihara R, Chan EY, Graviss EA, et al. Pre-emptive pain management program is associated with reduction of opioid prescription after minimally invasive pulmonary resection. <i>Journal of Thoracic Disease</i> 2020;12:1982-90.
770	Detry JMR, Vierendeel IA, Vanbutsele RJ, Robert AR. Early short-term intensive cardiac rehabilitation induces positive results as long as one year after the acute coronary event: A prospective one-year controlled study. <i>Journal of Cardiovascular Risk</i>

	2001;8:355-61.
771	Dewberry LC, Wingrove LJ, Marsh MD, Glode AE, Schefter TE, Leong S, et al. Pilot Prehabilitation Program for Patients With Esophageal Cancer During Neoadjuvant Therapy and Surgery. <i>Journal of Surgical Research</i> 2019;235:66-72.
772	Dowsey MM. Clinical pathways in hip and knee athroplasty: a prospective randomised controlled study. <i>Medical Journal of Australia</i> 1999;170.
773	Elia-Guedea M, Cordoba-Diaz de Laspra E, Echazarreta-Gallego E, Valero-Lazaro MI, Ramirez-Rodriguez JM, Aguilera-Diago V. Colorectal surgery and surgical site infection: is a change of attitude necessary? <i>International Journal of Colorectal Disease</i> 2017;32:967-74.
774	Ely S, Alabaster A, Ashiku SK, Patel A, Velotta JB. Regionalization of thoracic surgery improves short-term cancer esophagectomy outcomes. <i>Journal of Thoracic Disease</i> 2019;11:1867-78.
775	Engelman DT, Crisafi C, Germain M, Greco B, Nathanson BH, Engelman RM, et al. Using urinary biomarkers to reduce acute kidney injury following cardiac surgery. <i>Journal of Thoracic &amp; Cardiovascular Surgery</i> 2020;160:1235-46.e2.
776	Esteban F, Cerdan FJ, Garcia-Alonso M, Sanz-Lopez R, Arroyo A, Ramirez JM, et al. A multicentre comparison of a fast track or conventional postoperative protocol following laparoscopic or open elective surgery for colorectal cancer surgery. <i>Colorectal Disease</i> 2014;16:134-40. <a href="https://doi.org/10.1111/codi.12472">https://doi.org/10.1111/codi.12472</a>
777	Everts PA, Devilee RJ, Oosterbos CJ, Mahoney CB, Schattenkerk ME, Knape JT, et al. Autologous platelet gel and fibrin sealant enhance the efficacy of total knee arthroplasty: improved range of motion, decreased length of stay and a reduced incidence of arthrofibrosis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> 2007;15:888-94.
778	Feo CV, Lanzara S, Sortini D, Ragazzi R, De Pinto M, Pansini GC, et al. Fast Track Postoperative Management after Elective Colorectal Surgery: A Controlled Trial. <i>American Surgeon</i> 2009;75:1247-51.
779	Findlay JM, Tustian E, Millo J, Klucniks A, Sgromo B, Marshall RE, et al. The effect of formalizing enhanced recovery after esophagectomy with a protocol. <i>Diseases of the Esophagus</i> 2015;28:567-73.
780	Floyd S, Craig SW, Topley D, Tullmann D. Evaluation of a Progressive Mobility Protocol in Postoperative Cardiothoracic Surgical Patients. <i>DCCN - Dimensions of Critical Care Nursing</i> 2016;35:277-82.
781	Forsmo HM, Pfeffer F, Rasdal A, Ostgaard G, Mohn AC, Korner H, et al. Compliance with enhanced recovery after surgery criteria and preoperative and postoperative counselling reduces length of hospital stay in colorectal surgery: results of a randomized controlled trial. <i>Colorectal Disease</i> 2016;18:603-11. <a href="https://doi.org/10.1111/codi.13253">https://doi.org/10.1111/codi.13253</a>
782	Garulli G, Lucchi A, Berti P, Gabbianelli C, Siani L, Siani LM. "Ultra" E.R.A.S. in laparoscopic colectomy for cancer: discharge after the first flatus? A prospective, randomized trial. <i>Surgical Endoscopy</i> 2017;31:1806-13. <a href="https://doi.org/10.1007/s00464-016-5177-2">https://doi.org/10.1007/s00464-016-5177-2</a>
783	Ghosh K, Downs LS, Padilla LA, Murray KP, Twiggs LB, Letourneau CM, et al. The implementation of critical pathways in gynecologic oncology in a managed care

	setting: A cost analysis. <i>Gynecologic Oncology</i> 2001;83:378-82.
784	Ghuman A, Chan T, Karimuddin AA, Brown CJ, Raval MJ, Phang PT. Surgical Site Infection Rates Following Implementation of a Colorectal Closure Bundle in Elective Colorectal Surgeries. <i>Diseases of the Colon &amp; Rectum</i> 2015;58:1078-82.
785	Giannotti C, Massobrio A, Carmisciano L, Signori A, Napolitano A, Pertile D, et al. Effect of Geriatric Comanagement in Older Patients Undergoing Surgery for Gastrointestinal Cancer: A Retrospective, Before-and-After Study. <i>Journal of the American Medical Directors Association</i> 2022; <a href="https://dx.doi.org/10.1016/j.jamda.2022.03.020">https://dx.doi.org/10.1016/j.jamda.2022.03.020</a> . <a href="https://doi.org/https://dx.doi.org/10.1016/j.jamda.2022.03.020">https://doi.org/https://dx.doi.org/10.1016/j.jamda.2022.03.020</a>
786	Gianotti L, Braga M, Nespoli L, Radaelli G, Beneduce A, Di Carlo V. A randomized controlled trial of preoperative oral supplementation with a specialized diet in patients with gastrointestinal cancer. <i>Gastroenterology</i> 2002;122:1763-70. <a href="https://doi.org/10.1053/gast.2002.33587">https://doi.org/10.1053/gast.2002.33587</a>
787	Gillis C, Fenton TR, Sajobi TT, Minnella EM, Awasthi R, Loiselle S, et al. Trimodal prehabilitation for colorectal surgery attenuates post-surgical losses in lean body mass: a pooled analysis of randomized controlled trials. <i>Clinical nutrition (Edinburgh, Scotland)</i> 2019;38:1053-60. <a href="https://doi.org/10.1016/j.clnu.2018.06.982">https://doi.org/10.1016/j.clnu.2018.06.982</a>
788	Gillissen F, Hoff C, Maessen JM, Winkens B, Teeuwen JH, von Meyenfeldt MF, et al. Structured synchronous implementation of an enhanced recovery program in elective colonic surgery in 33 hospitals in The Netherlands. <i>World Journal of Surgery</i> 2013;37:1082-93.
789	Gillissen F, Hoff C, Maessen JMC, Winkens B, Teeuwen J, von Meyenfeldt MF, et al. Structured Synchronous Implementation of an Enhanced Recovery Program in Elective Colonic Surgery in 33 Hospitals in The Netherlands. <i>World Journal of Surgery</i> 2013;37:1082-93. <a href="https://doi.org/10.1007/s00268-013-1938-4">https://doi.org/10.1007/s00268-013-1938-4</a>
790	Gloor S, Misirlic M, Frei-Lanter C, Herzog P, Muller P, Schafli-Thurnherr J, et al. Prehabilitation in patients undergoing colorectal surgery fails to confer reduction in overall morbidity: results of a single-center, blinded, randomized controlled trial. <i>Langenbeck's archives of surgery / Deutsche Gesellschaft fur Chirurgie</i> 2022; <a href="https://doi.org/10.1007/s00423-022-02449-0">10.1007/s00423-022-02449-0</a> . <a href="https://doi.org/10.1007/s00423-022-02449-0">https://doi.org/10.1007/s00423-022-02449-0</a>
791	Göcze I, Jauch D, Götz M, Kennedy P, Jung B, Zeman F, et al. Biomarker-guided Intervention to Prevent Acute Kidney Injury After Major Surgery: the Prospective Randomized BigpAK Study. <i>Annals of surgery</i> 2018;267:1013-20. <a href="https://doi.org/10.1097/SLA.0000000000002485">https://doi.org/10.1097/SLA.0000000000002485</a>
792	Gonzalez M, Abdelnour-Berchtold E, Perentes JY, Doucet V, Zellweger M, Marcucci C, et al. An enhanced recovery after surgery program for video-assisted thoracoscopic surgery anatomical lung resections is cost-effective. <i>Journal of Thoracic Disease</i> 2018;10:5879-88.
793	Goudeau JJ, Clermont G, Guillery O, Lemaire-Ewing S, Musat A, Vernet M, et al. In high-risk patients, combination of antiinflammatory procedures during cardiopulmonary bypass can reduce incidences of inflammation and oxidative stress. <i>Journal of Cardiovascular Pharmacology</i> 2007;49:39-45.
794	Gouvas N, Gogos-Pappas G, Tsimogiannis K, Tsimoyiannis E, Dervenis C, Xynos E. Implementation of Fast-Track Protocols in Open and Laparoscopic Sphincter-Preserving Rectal Cancer Surgery: A Multicenter, Comparative, Prospective, Non-Randomized Study. <i>Digestive Surgery</i> 2012;29:301-9.

	<a href="https://doi.org/10.1159/000342554">https://doi.org/10.1159/000342554</a>
795	Grosh KM, Folkert KN, Chou J, Shebrain SA, Munene GM. A Cohort Study of an Enhanced Recovery Pathway for Pancreatic Surgery at a Community Hospital. <i>The American surgeon</i> 2022; <a href="https://dx.doi.org/10.1177/00031348221093806:31348221093806">https://dx.doi.org/10.1177/00031348221093806:31348221093806</a> . <a href="https://doi.org/https://dx.doi.org/10.1177/00031348221093806">https://doi.org/https://dx.doi.org/10.1177/00031348221093806</a>
796	Guisado-Gil AB, Ramirez-Duque N, Baron-Franco B, Sanchez-Hidalgo M, De la Portilla F, Santos-Rubio MD. Impact of a multidisciplinary medication reconciliation program on clinical outcomes: A pre-post intervention study in surgical patients. <i>Research in social &amp; administrative pharmacy : RSAP</i> 2020;01.
797	Gustafsson UO, Hausel J, Thorell A, Ljungqvist O, Soop M, Nygren J. Adherence to the enhanced recovery after surgery protocol and outcomes after colorectal cancer surgery. <i>Archives of Surgery</i> 2011;146:571-7.
798	Gustafsson UO, Hausel J, Thorell A, Ljungqvist O, Soop M, Nygren J, et al. Adherence to the Enhanced Recovery After Surgery Protocol and Outcomes After Colorectal Cancer Surgery. <i>Archives of Surgery</i> 2011;146:571-7. <a href="https://doi.org/10.1001/archsurg.2010.309">https://doi.org/10.1001/archsurg.2010.309</a>
799	Hardt J, Schwarzbach M, Hasenberg T, Post S, Kienle P, Ronellenfitsch U. The effect of a clinical pathway for enhanced recovery of rectal resections on perioperative quality of care. <i>International Journal of Colorectal Disease</i> 2013;28:1019-26. <a href="https://doi.org/10.1007/s00384-013-1650-8">https://doi.org/10.1007/s00384-013-1650-8</a>
800	Harkouk H, Capmas P, Derridj N, Belbachir A, Nkam L, Aegerter P, et al. Limited impact of a top-down approach to improve enhanced recovery programme in French university hospitals: a before-after retrospective survey. <i>Perioperative medicine (London, England)</i> 2021;10:29. <a href="https://doi.org/https://dx.doi.org/10.1186/s13741-021-00200-9">https://doi.org/https://dx.doi.org/10.1186/s13741-021-00200-9</a>
801	Haro GJ, Sheu B, Marcus SG, Sarin A, Campbell L, Jablons DM, et al. Perioperative Lung Resection Outcomes After Implementation of a Multidisciplinary, Evidence-based Thoracic ERAS Program. <i>Annals of Surgery</i> 2019;05:05.
802	Haro GJ, Sheu B, Marcus SG, Sarin A, Campbell L, Jablons DM, et al. Perioperative Lung Resection Outcomes After Implementation of a Multidisciplinary, Evidence-based Thoracic ERAS Program. <i>Annals of surgery</i> 2021;274:e1008-e13. <a href="https://doi.org/https://dx.doi.org/10.1097/SLA.0000000000003719">https://doi.org/https://dx.doi.org/10.1097/SLA.0000000000003719</a>
803	Hassinger TE, Mehaffey JH, Martin AN, Bauer-Nilsen K, Turrentine FE, Thiele RH, et al. Implementation of an Enhanced Recovery Protocol Is Associated With On-Time Initiation of Adjuvant Chemotherapy in Colorectal Cancer. <i>Diseases of the Colon &amp; Rectum</i> 2019;62:1305-15.
804	Hendry PO, van Dam RM, Bukkems SF, McKeown DW, Parks RW, Preston T, et al. Randomized clinical trial of laxatives and oral nutritional supplements within an enhanced recovery after surgery protocol following liver resection. <i>British journal of surgery</i> 2010;97:1198-206. <a href="https://doi.org/10.1002/bjs.7120">https://doi.org/10.1002/bjs.7120</a>
805	Hitchen SA, Lan NSR, Ali US, Hort AL, Larbalestier R, Yeap BB, et al. Investigating the effect of an education programme on diabetes and lipid lowering medication usage following coronary artery bypass graft surgery. <i>Internal medicine journal</i> 2021; <a href="https://dx.doi.org/10.1111/imj.15393">https://dx.doi.org/10.1111/imj.15393</a> . <a href="https://doi.org/https://dx.doi.org/10.1111/imj.15393">https://doi.org/https://dx.doi.org/10.1111/imj.15393</a>

806	Hojskov IE, Thygesen LC, Moons P, Egerod I, Olsen PS, Berg SK. The challenge of non-adherence to early rehabilitation after coronary artery bypass surgery: secondary results from the SheppHeartCABG trial. <i>European journal of cardiovascular nursing</i> 2019; 10.1177/1474515119883454. <a href="https://doi.org/10.1177/1474515119883454">https://doi.org/10.1177/1474515119883454</a>
807	Horres CR, Adam MA, Sun Z, Thacker JK, Moon RE, Miller TE, et al. Enhanced recovery protocols for colorectal surgery and postoperative renal function: a retrospective review. <i>Perioperative Medicine</i> 2017;6:13.
808	Hough P, Gleeson S, Shkuratova N, Coker F, Williams C. Introducing a clinically effective allied health rapid discharge team within a complex aged subacute in-patient cohort on a cost recovery basis: the supported patient centred early discharge (SPeED) initiative. <i>Australian Health Review</i> 2020;44:931-4.
809	Huang S, Kuo ML, Yu HM, Huang CH, Shieh WY, Hsu WH, et al. Clinical information and guidance shared via a patient infotainment system can reduce hospital stay and maintain 2 medical quality for total knee arthroplasty: A single-blinded quasi-randomised controlled trial. <i>International Journal of Nursing Studies</i> 2020;104:103440.
810	Hughes MJ, Cunningham W, Yalamarthi S. The effect of preoperative stoma training for patients undergoing colorectal surgery in an enhanced recovery programme. <i>Annals of the Royal College of Surgeons of England</i> 2020;102:180-4. <a href="https://doi.org/10.1308/rcsann.2019.0145">https://doi.org/10.1308/rcsann.2019.0145</a>
811	Hwang DW, Kim HJ, Lee JH, Song KB, Kim MH, Lee SK, et al. Effect of Enhanced Recovery After Surgery program on pancreaticoduodenectomy: a randomized controlled trial. <i>Journal of Hepato-biliary-pancreatic Sciences</i> 2019;26:360-9.
812	Ionescu D, Iancu C, Ion D, Al-Hajjar N, Margarit S, Mocan L, et al. Implementing fast-track protocol for colorectal surgery: a prospective randomized clinical trial. <i>World Journal of Surgery</i> 2009;33:2433-8.
813	Ionescu D, Iancu C, Ion D, Al-Hajjar N, Margarit S, Mocan L, et al. Implementing Fast-Track Protocol for Colorectal Surgery: A Prospective Randomized Clinical Trial. <i>World Journal of Surgery</i> 2009;33:2433-8. <a href="https://doi.org/10.1007/s00268-009-0197-x">https://doi.org/10.1007/s00268-009-0197-x</a>
814	Jensen JU, Hein L, Lundgren B, Bestle MH, Mohr TT, Andersen MH, et al. Procalcitonin-guided interventions against infections to increase early appropriate antibiotics and improve survival in the intensive care unit: a randomized trial. <i>Critical care medicine</i> 2011;39:2048-58. <a href="https://doi.org/10.1097/CCM.0b013e31821e8791">https://doi.org/10.1097/CCM.0b013e31821e8791</a>
815	Jepma P, Verweij L, Buurman BM, Terbraak MS, Daliri S, Latour CHM, et al. The nurse-coordinated cardiac care bridge transitional care programme: a randomised clinical trial. <i>Age and ageing</i> 2021;50:2105-15. <a href="https://doi.org/https://dx.doi.org/10.1093/ageing/afab146">https://doi.org/https://dx.doi.org/10.1093/ageing/afab146</a>
816	Jones S, Alnaib M, Kokkinakis M, Wilkinson M, Gibson AS, Kader D. Pre-operative patient education reduces length of stay after knee joint arthroplasty. <i>Annals of the Royal College of Surgeons of England</i> 2011;93:71-5. <a href="https://doi.org/10.1308/003588410x12771863936765">https://doi.org/10.1308/003588410x12771863936765</a>
817	Kalogera E, Bakkum-Gamez JN, Jankowski CJ, Trabuco E, Lovely JK, Dhanorker S, et al. Enhanced Recovery in Gynecologic Surgery. <i>Obstetrics and Gynecology</i> 2013;122:319-28. <a href="https://doi.org/10.1097/AOG.0b013e31829aa780">https://doi.org/10.1097/AOG.0b013e31829aa780</a>



818	Keane C, Savage S, McFarlane K, Seigne R, Robertson G, Eglinton T. Enhanced recovery after surgery versus conventional care in colonic and rectal surgery. <i>Anz Journal of Surgery</i> 2012;82:697-703. <a href="https://doi.org/10.1111/j.1445-2197.2012.06139.x">https://doi.org/10.1111/j.1445-2197.2012.06139.x</a>
819	Khan JH, Green EA, Chang J, Ayala AM, Barkin MS, Reinys EE, et al. Blood and Blood Product Conservation: Results of Strategies to Improve Clinical Outcomes in Open Heart Surgery Patients at a Tertiary Hospital. <i>Journal of Extra-Corporeal Technology</i> 2017;49:273-82.
820	Khan MA, Pandey S. Clinical outcomes of the very elderly undergoing enhanced recovery programmes in elective colorectal surgery. <i>Annals of the Royal College of Surgeons of England</i> 2016;98:29-33.
821	Khan SK, Malviya A, Muller SD, Carluke I, Partington PF, Emmerson KP, et al. Reduced short-term complications and mortality following Enhanced Recovery primary hip and knee arthroplasty: results from 6,000 consecutive procedures. <i>Acta Orthopaedica</i> 2014;85:26-31. <a href="https://doi.org/10.3109/17453674.2013.874925">https://doi.org/10.3109/17453674.2013.874925</a>
822	Khanna A, Zampini A, Crane A, Ericson K, Murthy P, Fascelli M, et al. Reducing Readmissions Following Radical Cystectomy: Moving Beyond Enhanced Recovery. <i>Urology</i> 2020;141:114-8.
823	Kim DH, Yoon YS, Han HS, Cho JY, Lee JS, Lee B. Effect of Enhanced Recovery After Surgery program on hospital stay and 90-day readmission after pancreaticoduodenectomy: a single, tertiary center experience in Korea. <i>Annals of Surgical Treatment and Research</i> 2021;100:76-85. <a href="https://doi.org/10.4174/ast.2021.100.2.76">https://doi.org/10.4174/ast.2021.100.2.76</a>
824	Kocian P, Pazdirek F, Vjaclovsky M, Bockova M, Prikryl P, Vymazal T, et al. Enhanced recovery after surgery and mini-invasive approaches in rectal cancer surgery - short-term outcomes. <i>Rozhledy V Chirurgii</i> 2020;99:539-47.
825	Kocian P, Whitley A, Prikryl P, Bockova M, Hodyc D, Cermakova B, et al. Enhanced recovery after colorectal surgery: the clinical and economic benefit in elderly patients. <i>European Surgery - Acta Chirurgica Austriaca</i> 2019;51:183-8.
826	Kodia K, Stephens-McDonnough JA, Alnajar A, Villamizar NR, Nguyen DM. Implementation of an enhanced recovery after thoracic surgery care pathway for thoracotomy patients-achieving better pain control with less (schedule II) opioid utilization. <i>Journal of thoracic disease</i> 2021;13:3948-59. <a href="https://doi.org/https://dx.doi.org/10.21037/jtd-21-552">https://doi.org/https://dx.doi.org/10.21037/jtd-21-552</a>
827	Kolkailah AA, Hirji SA, Ejiofor JI, Ramirez Del Val F, Lee J, Norman AV, et al. Novel fast-track recovery protocol for alternative access transcatheter aortic valve replacement: application to non-femoral approaches. <i>Interactive Cardiovascular &amp; Thoracic Surgery</i> 2018;26:938-43.
828	Kristensen MT, Holm G, Krasheninnikoff M, Jensen PS, Gebuhr P. An enhanced treatment program with markedly reduced mortality after a transtibial or higher non-traumatic lower extremity amputation. <i>Acta Orthopaedica</i> 2016;87:306-11.
829	Landry M, Lewis R, Antill A, Eric Heidel R, Taylor J, Casillas MA, Jr., et al. Effect of Enhanced Recovery After Surgery Protocol Implementation on Cost and Outcomes by Type of Colectomy Performed. <i>American Surgeon</i> 2020;86:1078-82.
830	Lavu H, McCall NS, Winter JM, Burkhart RA, Pucci M, Leiby BE, et al. Enhancing Patient Outcomes while Containing Costs after Complex Abdominal Operation: A Randomized Controlled Trial of the Whipple Accelerated Recovery Pathway. <i>Journal of the</i>

	American College of Surgeons 2019;228:415-24.
831	Lee A, Seyednejad N, Lawati YA, Mattice A, Anstee C, Legacy M, et al. Evolution of Process and Outcome Measures during an Enhanced Recovery after Thoracic Surgery Program. <i>Journal of chest surgery</i> 2022;55:118-25. <a href="https://doi.org/https://dx.doi.org/10.5090/jcs.21.139">https://doi.org/https://dx.doi.org/10.5090/jcs.21.139</a>
832	Lee JK, Klein GJ, Krahn AD, Yee R, Zarnke K, Simpson C, et al. Rate-control versus conversion strategy in postoperative atrial fibrillation: a prospective, randomized pilot study. <i>American Heart Journal</i> 2000;140:871-7.
833	Leong JY, van der Merwe J, Pepe S, Bailey M, Perkins A, Lymbury R, et al. Perioperative metabolic therapy improves redox status and outcomes in cardiac surgery patients: a randomised trial. <i>Heart, Lung &amp; Circulation</i> 2010;19:584-91.
834	Lester PE, Ripley D, Grandelli R, Drew LA, Keegan M, Islam S. Interdisciplinary Protocol for Surgery in Older Persons: Development and Implementation. <i>Journal of the American Medical Directors Association</i> 2022;23:555-62. <a href="https://doi.org/https://dx.doi.org/10.1016/j.jamda.2022.01.070">https://doi.org/https://dx.doi.org/10.1016/j.jamda.2022.01.070</a>
835	Lethborg C, Brown R, Posenelli S, Pollerd L, Wigg S, Challis C, et al. Is it helpful to give older people with cancer the same chance at rehabilitation as older general medical patients? <i>Journal of Psychosocial Oncology</i> 2014;32:396-412.
836	Li I, Bui T, Phan HT, Llado A, King C, Scrivener K. App-based supplemental exercise in rehabilitation, adherence, and effect on outcomes: a randomized controlled trial. <i>Clinical rehabilitation</i> 2020;34:1083-93. <a href="https://doi.org/10.1177/0269215520928119">https://doi.org/10.1177/0269215520928119</a>
837	Lirosi MC, Tirelli F, Biondi A, Mele MC, Larotonda C, Lorenzon L, et al. Enhanced Recovery Program for Colorectal Surgery: a Focus on Elderly Patients Over 75 Years Old. <i>Journal of Gastrointestinal Surgery</i> 2019;23:587-94.
838	Liu B, Domes T, Jana K. Evaluation of an enhanced recovery protocol on patients having radical cystectomy for bladder cancer. <i>Canadian Urological Association Journal</i> 2018;12:421-6.
839	Liu VX, Rosas E, Hwang J, Cain E, Foss-Durant A, Clopp M, et al. Enhanced Recovery After Surgery Program Implementation in 2 Surgical Populations in an Integrated Health Care Delivery System. <i>JAMA Surgery</i> 2017;152:e171032.
840	Loftus TJ, Stelton S, Efaw BW, Bloomstone J. A System-Wide Enhanced Recovery Program Focusing on Two Key Process Steps Reduces Complications and Readmissions in Patients Undergoing Bowel Surgery. <i>Journal for Healthcare Quality</i> 2017;39:129-35.
841	Macias JA, Malone ML, Tooke D, Wardynski M, Legros C. Collaboration between hospital elder life program (HELP) and rehab aides to improve early mobilization of older patients. <i>Journal of the American Geriatrics Society</i> 2017;65 (Supplement 1):S175.
842	Mackay MR, Ellis E, Johnston C. Randomised clinical trial of physiotherapy after open abdominal surgery in high risk patients. <i>Australian journal of physiotherapy</i> 2005;51:151-9. <a href="https://doi.org/10.1016/s0004-9514(05)70021-0">https://doi.org/10.1016/s0004-9514(05)70021-0</a>
843	Maessen JM, Hoff C, Jottard K, Kessels AG, Bremers AJ, Havenga K, et al. To eat or not to eat: facilitating early oral intake after elective colonic surgery in the Netherlands. <i>Clinical Nutrition</i> 2009;28:29-33.
844	Malviya A, Martin K, Harper I, Muller SD, Emmerson KP, Partington PF, et al. Enhanced recovery program for hip and knee replacement reduces death rate A study of 4,500

	consecutive primary hip and knee replacements. <i>Acta Orthopaedica</i> 2011;82:577-81. <a href="https://doi.org/10.3109/17453674.2011.618911">https://doi.org/10.3109/17453674.2011.618911</a>
845	Marcus RK, Lillemoe HA, Rice DC, Mena G, Bednarski BK, Speer BB, et al. Determining the Safety and Efficacy of Enhanced Recovery Protocols in Major Oncologic Surgery: An Institutional NSQIP Analysis. <i>Annals of Surgical Oncology</i> 2019;26:782-90.
846	Mari G, Crippa J, Costanzi A, Mazzola M, Rossi M, Maggioni D. ERAS Protocol Reduces IL-6 Secretion in Colorectal Laparoscopic Surgery: Results From a Randomized Clinical Trial. <i>Surgical Laparoscopy, Endoscopy &amp; Percutaneous Techniques</i> 2016;26:444-8.
847	Mariotti G, Sciarra A, Gentilucci A, Salciccia S, Alfarone A, Di Pierro G, et al. Early recovery of urinary continence after radical prostatectomy using early pelvic floor electrical stimulation and biofeedback associated treatment. <i>Journal of Urology</i> 2009;181:1788-93.
848	Markel D, Allen M, Zappa N, Markel DC, Allen MW, Zappa NM. Can an Arthroplasty Registry Help Decrease Transfusions in Primary Total Joint Replacement? A Quality Initiative. <i>Clinical Orthopaedics &amp; Related Research</i> ® 2016;474:126-31. <a href="https://doi.org/10.1007/s11999-015-4470-z">https://doi.org/10.1007/s11999-015-4470-z</a>
849	Markham T, Wegner R, Hernandez N, Lee JW, Choi W, Eltzschig HK, et al. Assessment of a multimodal analgesia protocol to allow the implementation of enhanced recovery after cardiac surgery: Retrospective analysis of patient outcomes. <i>Journal of Clinical Anesthesia</i> 2019;54:76-80.
850	Marres CC, van de Ven AW, Verbeek PC, van Dieren S, Bemelman WA, Buskens CJ. The effect of a postoperative quality improvement program on outcomes in colorectal surgery in a community hospital. <i>International Journal of Colorectal Disease</i> 2016;31:1603-9.
851	Martinez AD, Osaba E, Oregi I, Fister I, Fister I, Del Ser J, et al. Hybridizing Differential Evolution and Novelty Search for Multimodal Optimization Problems. <i>Genetic and Evolutionary Computation Conference (GECCO)</i> ; Jul 13-17; Prague, CZECH REPUBLIC, abstract no. 1004, p. 1980-9. <a href="https://doi.org/10.1145/3319619.3326799">https://doi.org/10.1145/3319619.3326799</a>
852	Martinez C, Omesiete P, Pandit V, Thompson E, Nocera M, Riall T, et al. A Protocol-Driven Reduction in Surgical Site Infections After Colon Surgery. <i>Journal of Surgical Research</i> 2020;246:100-5.
853	Master VA, Ethun CG, Kooby DA, Staley CA, 3rd, Maithel SK. The value of a cross-discipline team-based approach for resection of renal cell carcinoma with IVC tumor thrombus: A report of a large, contemporary, single-institution experience. <i>Journal of Surgical Oncology</i> 2018;118:1219-26.
854	Matassi F, Duerinckx J, Vandenneucker H, Bellemans J. Range of motion after total knee arthroplasty: the effect of a preoperative home exercise program. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> 2014;22:703-9.
855	Matsugu Y, Ito K, Oshita A, Nobuhara H, Tanaka J, Akita T, et al. Postoperative oral energy and protein intakes for an enhanced recovery after surgery program incorporating early enteral nutrition for pancreaticoduodenectomy: A retrospective study. <i>Nutrition in Clinical Practice</i> ; 10.1002/ncp.10791. <a href="https://doi.org/10.1002/ncp.10791">https://doi.org/10.1002/ncp.10791</a>
856	Matsugu Y, Ito K, Oshita A, Nobuhara H, Tanaka J, Akita T, et al. Postoperative oral energy and protein intakes for an enhanced recovery after surgery program incorporating early enteral nutrition for pancreaticoduodenectomy: A retrospective

	study. Nutrition in clinical practice : official publication of the American Society for Parenteral and Enteral Nutrition 2021; <a href="https://dx.doi.org/10.1002/ncp.10791">https://dx.doi.org/10.1002/ncp.10791</a> . <a href="https://doi.org/https://dx.doi.org/10.1002/ncp.10791">https://doi.org/https://dx.doi.org/10.1002/ncp.10791</a>
857	Mattson J, Thayer M, Mott SL, Lyons YA, Hardy-Fairbanks A, Hill EK. Multimodal perioperative pain protocol for gynecologic laparotomy is associated with reduced hospital length of stay. <i>The journal of obstetrics and gynaecology research</i> 2021;47:1082-9. <a href="https://doi.org/https://dx.doi.org/10.1111/jog.14640">https://doi.org/https://dx.doi.org/10.1111/jog.14640</a>
858	Matulewicz RS, Patel M, Jordan BJ, Morano J, Frainey B, Bhanji Y, et al. Transversus Abdominis Plane Blockade as Part of a Multimodal Postoperative Analgesia Plan in Patients Undergoing Radical Cystectomy. <i>Bladder Cancer</i> 2018;4:161-7.
859	Mayor JM, Lazarus DR, Casal RF, Omer S, Preventza O, Simpson K, et al. Air Leak Management Program With Digital Drainage Reduces Length of Stay After Lobectomy. <i>Annals of Thoracic Surgery</i> 2018;106:1647-53.
860	McCarthy D, McNamara J, Galbraith J, Loughnane F, Shorten G, Iohom G. A comparison of the analgesic efficacy of local infiltration analgesia vs. intrathecal morphine after total knee replacement A randomised controlled trial. <i>European Journal of Anaesthesiology</i> 2019;36:264-71. <a href="https://doi.org/10.1097/eja.0000000000000943">https://doi.org/10.1097/eja.0000000000000943</a>
861	Mehdorn M, Lubbert C, Chaberny IF, Gockel I, Jansen-Winkel B. Mechanical plus oral bowel preparation with paromomycine and metronidazole reduces infectious complications in elective colorectal surgery: a matched case-control study. <i>International Journal of Colorectal Disease</i> 2021;25:25.
862	Meillat H, Braticevic C, Zemmour C, Brun C, Cecile M, Faucher M, et al. Real-world implementation of a geriatric-specific ERAS protocol in patients undergoing colonic cancer surgery. <i>European Journal of Surgical Oncology</i> 2020.
863	Meillat H, Braticevic C, Zemmour C, Brun C, Cecile M, Faucher M, et al. Real-world implementation of a geriatric-specific ERAS protocol in patients undergoing colonic cancer surgery. <i>European journal of surgical oncology : the journal of the European Society of Surgical Oncology and the British Association of Surgical Oncology</i> 2021;47:1012-8. <a href="https://doi.org/https://dx.doi.org/10.1016/j.ejso.2020.11.128">https://doi.org/https://dx.doi.org/10.1016/j.ejso.2020.11.128</a>
864	Meillat H, Braticevic C, Zemmour C, Brun C, Cecile M, Faucher M, et al. Real-world implementation of a geriatric-specific ERAS protocol in patients undergoing colonic cancer surgery. <i>European Journal of Surgical Oncology</i> 2021;47:1012-8.
865	Meillat H, Brun C, Zemmour C, de Chaisemartin C, Turrini O, Faucher M, et al. Laparoscopy is not enough: full ERAS compliance is the key to improvement of short-term outcomes after colectomy for cancer. <i>Surgical Endoscopy</i> 2020;34:2067-75.
866	Meillat H, Serenon V, Brun C, de Chaisemartin C, Faucher M, Lelong B. Impact of fast-track care program in laparoscopic rectal cancer surgery: a cohort-comparative study. <i>Surgical endoscopy</i> 2022; <a href="https://dx.doi.org/10.1007/s00464-021-08811-5">https://dx.doi.org/10.1007/s00464-021-08811-5</a> . <a href="https://doi.org/https://dx.doi.org/10.1007/s00464-021-08811-5">https://doi.org/https://dx.doi.org/10.1007/s00464-021-08811-5</a>
867	Melchor-Ripolles J, Rodriguez R, Jorda L, Bordonaba-Bosque D, Abad-Gurumeta A, Abad-Motos A, et al. Neuromuscular blockade management and postoperative outcomes in enhanced recovery colorectal surgery: Secondary analysis of POWER trial. <i>Minerva Anestesiologica</i> 2020;87:13-25.
868	Mertes SC, Raut S, Khanduja V. Integrated care pathways in lower-limb arthroplasty: are they effective in reducing length of hospital stay? <i>International Orthopaedics</i>

	2013;37:1157-63. <a href="https://doi.org/10.1007/s00264-013-1829-1">https://doi.org/10.1007/s00264-013-1829-1</a>
869	Moller AM, Villebro N, Pedersen T, Tonnesen H. Effect of preoperative smoking intervention on postoperative complications: a randomised clinical trial. <i>Lancet</i> 2002;359:114-7.
870	Mosquera C, Koutlas NJ, Fitzgerald TL. A single surgeon's experience with enhanced recovery after surgery: An army of one. <i>American Surgeon</i> 2016;82:594-601.
871	Mudge AM, Maussen C, Duncan J, Denaro CP. Improving quality of delirium care in a general medical service with established interdisciplinary care: a controlled trial. <i>Internal Medicine Journal</i> 2013;43:270-7.
872	Muehling B, Schelzig H, Steffen P, Meierhenrich R, Sunder-Plassmann L, Orend KH. A Prospective Randomized Trial Comparing Traditional and Fast-Track Patient Care in Elective Open Infrarenal Aneurysm Repair. <i>World Journal of Surgery</i> 2009;33:577-85. <a href="https://doi.org/10.1007/s00268-008-9892-2">https://doi.org/10.1007/s00268-008-9892-2</a>
873	Muehling BM, Halter G, Lang G, Schelzig H, Steffen P, Wagner F, et al. Prospective randomized controlled trial to evaluate "fast-track" elective open infrarenal aneurysm repair. <i>Langenbecks Archives of Surgery</i> 2008;393:281-7. <a href="https://doi.org/10.1007/s00423-008-0284-8">https://doi.org/10.1007/s00423-008-0284-8</a>
874	Mueller SA, Mayer C, Bojaxhiu B, Aeberhard C, Schuetz P, Stanga Z, et al. Effect of preoperative immunonutrition on complications after salvage surgery in head and neck cancer. <i>Le Journal d'oto-rhino-laryngologie et de chirurgie cervico-faciale [Journal of otolaryngology - head &amp; neck surgery]</i> 2019;48:25. <a href="https://doi.org/10.1186/s40463-019-0345-8">https://doi.org/10.1186/s40463-019-0345-8</a>
875	Munitiz V, Martinez-de-Haro LF, Ortiz A, Ruiz-de-Angulo D, Pastor P, Parrilla P. Effectiveness of a written clinical pathway for enhanced recovery after transthoracic (Ivor Lewis) oesophagectomy. <i>British Journal of Surgery</i> 2010;97:714-8.
876	Nardi P, Pellegrino A, Pisano C, Vacirca SR, Anselmi D, Saulle S, et al. The effect of preoperative respiratory physiotherapy and motor exercise in patients undergoing elective cardiac surgery: short-term results. <i>Kardiochirurgia I Torakochirurgia Polska</i> 2019;16:81-7.
877	Nardi P, Pisano C, Altieri C, Buioni D, Pedicelli C, Saulle S, et al. The benefit of a preoperative respiratory protocol and musculoskeletal exercise in patients undergoing cardiac surgery. <i>Kardiochirurgia I Torakochirurgia Polska</i> 2020;17:94-100.
878	Nason GJ, Kim JK, Tan GH, Ajib K, Nam RK. Single-night stay for open radical prostatectomy. <i>Canadian Urological Association Journal</i> 2020;15.
879	Neelemaat F, Bosmans JE, Thijs A, Seidell JC, van Bokhorst-de van der Schueren MA. Oral nutritional support in malnourished elderly decreases functional limitations with no extra costs. <i>Clinical Nutrition</i> 2012;31:183-90.
880	Nipp RD, Qian CL, Knight HP, Ferrone CR, Kunitake H, Castillo CF-D, et al. Effects of a perioperative geriatric intervention for older adults with Cancer: A randomized clinical trial. <i>Journal of geriatric oncology</i> 2022;13:410-5. <a href="https://doi.org/https://dx.doi.org/10.1016/j.jgo.2022.01.001">https://doi.org/https://dx.doi.org/10.1016/j.jgo.2022.01.001</a>
881	Nobuhara H, Yanamoto S, Funahara M, Matsugu Y, Hayashida S, Soutome S, et al. Effect of perioperative oral management on the prevention of surgical site infection after colorectal cancer surgery: A multicenter retrospective analysis of 698 patients via analysis of covariance using propensity score. <i>Medicine</i> 2018;97:e12545.

882	Nygren J, Hausel J, Kehlet H, Revhaug A, Lassen K, Dejong C, et al. A comparison in five European Centres of case mix, clinical management and outcomes following either conventional or fast-track perioperative care in colorectal surgery. <i>Clinical Nutrition</i> 2005;24:455-61. <a href="https://doi.org/10.1016/j.clnu.2005.02.003">https://doi.org/10.1016/j.clnu.2005.02.003</a>
883	Okabayashi T, Nishimori I, Yamashita K, Sugimoto T, Namikawa T, Maeda H, et al. Preoperative oral supplementation with carbohydrate and branched-chain amino acid-enriched nutrient improves insulin resistance in patients undergoing a hepatectomy: a randomized clinical trial using an artificial pancreas. <i>Amino acids</i> 2010;38:901-7. <a href="https://doi.org/10.1007/s00726-009-0297-9">https://doi.org/10.1007/s00726-009-0297-9</a>
884	Ornstein K, Smith KL, Foer DH, Lopez-Cantor MT, Soriano T. To the hospital and back home again: a nurse practitioner-based transitional care program for hospitalized homebound people. <i>Journal of the American Geriatrics Society</i> 2011;59:544-51.
885	Ostermann S, Morel P, Chale JJ, Bucher P, Konrad B, Meier RPH, et al. Randomized Controlled Trial of Enhanced Recovery Program Dedicated to Elderly Patients After Colorectal Surgery. <i>Diseases of the Colon &amp; Rectum</i> 2019;62:1105-16.
886	Ota H, Ikenaga M, Hasegawa J, Murata K, Miyake Y, Mizushima T, et al. Safety and efficacy of an "enhanced recovery after surgery" protocol for patients undergoing colon cancer surgery: a multi-institutional controlled study. <i>Surgery today</i> 2016; 10.1007/s00595-016-1423-4:1-8. <a href="https://doi.org/10.1007/s00595-016-1423-4">https://doi.org/10.1007/s00595-016-1423-4</a>
887	Padula CA, Hughes C, Baumhover L. Impact of a nurse-driven mobility protocol on functional decline in hospitalized older adults. <i>Journal of Nursing Care Quality</i> 2009;24:325-31.
888	Paille M, Senage T, Roussel J-C, Manigold T, Piccoli M, Chapelet G, et al. Association of Preoperative Geriatric Assessment With Length of Stay After Combined Cardiac Surgery. <i>The Annals of thoracic surgery</i> 2021;112:763-9. <a href="https://doi.org/https://dx.doi.org/10.1016/j.athoracsur.2020.09.041">https://doi.org/https://dx.doi.org/10.1016/j.athoracsur.2020.09.041</a>
889	Paille M, Senage T, Roussel JC, Manigold T, Piccoli M, Chapelet G, et al. Association of preoperative geriatric assessment with length of stay after combined cardiac surgery. <i>Annals of Thoracic Surgery</i> 2020;20:20.
890	Palumbo V, Giannarini G, Crestani A, Rossanese M, Calandriello M, Ficarra V. Enhanced Recovery After Surgery Pathway in Patients Undergoing Open Radical Cystectomy Is Safe and Accelerates Bowel Function Recovery. <i>Urology</i> 2018;115:125-32.
891	Pamilo KJ, Torkki P, Peltola M, Pesola M, Remes V, Paloneva J. Fast-tracking for total knee replacement reduces use of institutional care without compromising quality. <i>Acta Orthopaedica</i> 2018;89:184-9.
892	Pang NQ, He SS, Foo JQX, Koh NHY, Yuen TW, Liew MN, et al. Multimodal prehabilitation before major abdominal surgery: A retrospective study. <i>Annals of the Academy of Medicine, Singapore</i> 2021;50:892-902. <a href="https://doi.org/https://dx.doi.org/10.47102/annals-acadmedsg.2021264">https://doi.org/https://dx.doi.org/10.47102/annals-acadmedsg.2021264</a>
893	Parkes RJ, Ayeko O, Brunton L, Griffiths-Jones W, Ungvari Z, Goss H. Revolutionising rapid recovery: a quality improvement project in hip and knee replacement. <i>BMJ Open Quality</i> 2021;10.
894	Patel SY, Trona N, Alford B, Laborde JM, Kim Y, Li R, et al. Preoperative immunonutrition and carbohydrate loading associated with improved bowel function

	after radical cystectomy. Nutrition in Clinical Practice 2021.
895	Pearse BL, Smith I, Faulke D, Wall D, Fraser JF, Ryan EG, et al. Protocol guided bleeding management improves cardiac surgery patient outcomes. Vox Sanguinis 2015;109:267-79.
896	Pedersen PU. Nutritional care: the effectiveness of actively involving older patients. Journal of Clinical Nursing 2005;14:247-55.
897	Pedrazzani C, Conti C, Zamboni GA, Chincarini M, Turri G, Valdegamberi A, et al. Impact of visceral obesity and sarcobesity on surgical outcomes and recovery after laparoscopic resection for colorectal cancer. Clinical Nutrition 2020;39:3763-70.
898	Pedziwiatr M, Pisarska M, Kisielewski M, Major P, Matlok M, Wierdak M, et al. Enhanced Recovery After Surgery (ERAS) protocol in patients undergoing laparoscopic resection for stage IV colorectal cancer. World journal of surgical oncology 2015;13. <a href="https://doi.org/10.1186/s12957-015-0745-9">https://doi.org/10.1186/s12957-015-0745-9</a>
899	Peng T, Shemanski KA, Ding L, David EA, Kim AW, Kim M, et al. Enhanced Recovery After Surgery Protocol Minimizes Intensive Care Unit Utilization and Improves Outcomes Following Pulmonary Resection. World journal of surgery 2021;45:2955-63. <a href="https://doi.org/https://dx.doi.org/10.1007/s00268-021-06259-1">https://doi.org/https://dx.doi.org/10.1007/s00268-021-06259-1</a>
900	Pennell L, Smith-Snyder CM, Hudson LR, Hamar GB, Westerfield J. Practice changes in glycemic management and outcomes in coronary artery bypass surgery patients. Journal of Cardiovascular Nursing 2005;20:26-34.
901	Perinel J, Duclos A, Payet C, Bouffard Y, Lifante JC, Adham M. Impact of Enhanced Recovery Program after Surgery in Patients Undergoing Pancreatectomy on Postoperative Outcomes: A Controlled before and after Study. Digestive Surgery 2020;37:47-55.
902	Pestaña D, Espinosa E, Eden A, Nájera D, Collar L, Aldecoa C, et al. Perioperative goal-directed hemodynamic optimization using noninvasive cardiac output monitoring in major abdominal surgery: a prospective, randomized, multicenter, pragmatic trial: POEMAS Study (PeriOperative goal-directed thErapy in Major Abdominal Surgery). Anesthesia and analgesia 2014;119:579-87. <a href="https://doi.org/10.1213/ANE.000000000000295">https://doi.org/10.1213/ANE.000000000000295</a>
903	Petersen PB, Jorgensen CC, Kehlet H, Lundbeck Foundation Center for Fast-track H, Knee Replacement collaborative g. Temporal trends in length of stay and readmissions after fast-track hip and knee arthroplasty. Danish Medical Journal 2019;66.
904	Pineda-Solis K, Burchard PR, Ruffolo LI, Schoeniger LO, Linehan DC, Moalem J, et al. Early Prediction of Length of Stay After Pancreaticoduodenectomy. Journal of Surgical Research 2021;260:499-505.
905	Pinilla-Gracia C, Mateo-Agudo J, Herrera A, Munoz M. On the relevance of preoperative haemoglobin optimisation within a Patient Blood Management programme for elective hip arthroplasty surgery. Blood Transfusion 2020;18:182-90.
906	Plate JF, Ryan SP, Black CS, Howell CB, Jiranek WA, Bolognesi MP, et al. No Changes in Patient Selection and Value-Based Metrics for Total Hip Arthroplasty After Comprehensive Care for Joint Replacement Bundle Implementation at a Single Center. Journal of Arthroplasty 2019;34:1581-4.
907	Plessl D, Salomon B, Haydel A, Leonardi C, Bronstone A, Dasa V. Rapid Versus Standard Recovery Protocol Is Associated With Improved Recovery of Range of Motion 12

	Weeks After Total Knee Arthroplasty. Journal of the American Academy of Orthopaedic Surgeons 2020;28:e962-e8. <a href="https://doi.org/10.5435/jaaos-d-19-00597">https://doi.org/10.5435/jaaos-d-19-00597</a>
908	Ploussard G, Almeras C, Beauval JB, Gautier JR, Garnault V, Fremont N, et al. A combination of enhanced recovery after surgery and prehabilitation pathways improves perioperative outcomes and costs for robotic radical prostatectomy. Cancer 2020;126:4148-55. <a href="https://doi.org/10.1002/cncr.33061">https://doi.org/10.1002/cncr.33061</a>
909	Ploussard G, Almeras C, Beauval JB, Gautier JR, Loison G, Salin A, et al. Same-day discharge surgery for robot-assisted radical prostatectomy in the era of ERAS and prehabilitation pathways: a contemporary, comparative, feasibility study. World Journal of Urology; 10.1007/s00345-020-03119-w. <a href="https://doi.org/10.1007/s00345-020-03119-w">https://doi.org/10.1007/s00345-020-03119-w</a>
910	Pulkkinen M, Jousela I, Engblom J, Salanterä S, Junttila K. The effect of a new perioperative practice model on length of hospital stay and on the surgical care process in patients undergoing hip and knee arthroplasty under spinal anesthesia: a randomized clinical trial. BMC Nursing 2020;19:1-9. <a href="https://doi.org/10.1186/s12912-020-00465-3">https://doi.org/10.1186/s12912-020-00465-3</a>
911	Rahota R-G, Salin A, Gautier J-R, Almeras C, Garnault V, Tollon C, et al. A prehabilitation programme implemented before robot-assisted radical prostatectomy improves peri-operative outcomes and continence recovery. BJU international 2021; <a href="https://dx.doi.org/10.1111/bju.15666">https://dx.doi.org/10.1111/bju.15666</a> . <a href="https://doi.org/https://dx.doi.org/10.1111/bju.15666">https://doi.org/https://dx.doi.org/10.1111/bju.15666</a>
912	Rahr HB, Streyms S, Kryh-Jensen CG, Hougaard HT, Knudsen AS, Kristensen SH, et al. Screening and systematic follow-up for cardiopulmonary comorbidity in elective surgery for colorectal cancer: a randomised feasibility study. World Journal of Surgical Oncology 2019;17:127.
913	Razi SS, Stephens-McDonnough JA, Haq S, Fabbro M, 2nd, Sanchez AN, Epstein RH, et al. Significant reduction of postoperative pain and opioid analgesics requirement with an Enhanced Recovery After Thoracic Surgery protocol. The Journal of thoracic and cardiovascular surgery 2021;161:1689-701. <a href="https://doi.org/https://dx.doi.org/10.1016/j.jtcvs.2019.12.137">https://doi.org/https://dx.doi.org/10.1016/j.jtcvs.2019.12.137</a>
914	Renkawitz T, Rieder T, Handel M, Koller M, Drescher J, Bonnlaender G, et al. Comparison of two accelerated clinical pathways--after total knee replacement how fast can we really go? Clinical Rehabilitation 2010;24:230-9.
915	Riepen DW, Gelvez D, Collett GA, Nakonezny P, Estrera KA, Huo MH. Standardized total knee arthroplasty pathway improves outcomes in minority patients. The American journal of managed care 2021;27:e152-e6. <a href="https://doi.org/https://dx.doi.org/10.37765/ajmc.2021.88637">https://doi.org/https://dx.doi.org/10.37765/ajmc.2021.88637</a>
916	Rinninella E, Persiani R, D'Ugo D, Pennestri F, Cicchetti A, Di Brino E, et al. NutriCatt protocol in the Enhanced Recovery After Surgery (ERAS) program for colorectal surgery: The nutritional support improves clinical and cost-effectiveness outcomes. Nutrition 2018;50:74-81. <a href="https://doi.org/10.1016/j.nut.2018.01.013">https://doi.org/10.1016/j.nut.2018.01.013</a>
917	Rotter T, Machotta A, Kinsman L, Champion R. Evaluation of a clinical pathway for 'radical laparoscopic prostatectomy': an interrupted time series study. International Journal of Urological Nursing 2014;8:84-9. <a href="https://doi.org/10.1111/ijun.12036">https://doi.org/10.1111/ijun.12036</a>
918	Saar M, Ohlmann CH, Siemer S, Lehmann J, Becker F, Stockle M, et al. Fast-track rehabilitation after robot-assisted laparoscopic cystectomy accelerates postoperative



	recovery. <i>BJU International</i> 2013;112:E99-106.
919	Sangaraju S, Cox I, Dalrymple-Hay M, Lloyd C, Suresh V, Riches T, et al. Effect of procedural refinement of transfemoral transcatheter aortic valve implantation on outcomes and costs: A single-centre retrospective study. <i>Open Heart</i> 2019;6 (2) (no pagination).
920	Sato H, Miyawaki Y, Lee S, Sugita H, Sakuramoto S, Tsubosa Y. Effectiveness and safety of a newly introduced multidisciplinary perioperative enhanced recovery after surgery protocol for thoracic esophageal cancer surgery. <i>General thoracic and cardiovascular surgery</i> 2022;70:170-7. <a href="https://doi.org/https://dx.doi.org/10.1007/s11748-021-01717-y">https://doi.org/https://dx.doi.org/10.1007/s11748-021-01717-y</a>
921	Scalvini S, Zanelli E, Comini L, Dalla Tomba M, Troise G, Febo O, et al. Home-based versus in-hospital cardiac rehabilitation after cardiac surgery: a nonrandomized controlled study. <i>Physical Therapy</i> 2013;93:1073-83.
922	Scatizzi M, Feroci F, Zironda A, Lenzi E, Baraghini M, Garzi A, et al. Enhanced recovery after surgery efficacy in an older patients and high-risk population affected by colorectal cancer: a more than 1000 patients experience. <i>Giornale di Chirurgia</i> 2019;40:559-68.
923	Schultz BJ, Segovia N, Castillo TN. Successful Implementation of an Accelerated Recovery and Outpatient Total Joint Arthroplasty Program at a County Hospital. <i>Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews</i> 2019;3. <a href="https://doi.org/10.5435/JAAOSGlobal-D-19-00110">https://doi.org/10.5435/JAAOSGlobal-D-19-00110</a>
924	Serena G, Corredor C, Fletcher N, Sanfilippo F. Implementation of a nurse-led protocol for early extubation after cardiac surgery: A pilot study. <i>World Journal of Critical Care Medicine</i> 2019;8:28-35.
925	Shakib S, Dundon BK, Maddison J, Thomas J, Stanners M, Caughey GE, et al. Effect of a Multidisciplinary Outpatient Model of Care on Health Outcomes in Older Patients with Multimorbidity: A Retrospective Case Control Study. <i>PLoS ONE [Electronic Resource]</i> 2016;11:e0161382.
926	Slieker J, Hubner M, Addor V, Duvoisin C, Demartines N, Hahnloser D. Application of an enhanced recovery pathway for ileostomy closure: a case-control trial with surprising results. <i>Techniques in Coloproctology</i> 2018;22:295-300.
927	Smucker L, Victory J, Scribani M, Ocegüera L, Monzon R. Rural context, single institution prospective outcomes after enhanced recovery colorectal surgery protocol implementation. <i>BMC Health Services Research</i> 2020;20:1120.
928	Smucker L, Victory J, Scribani M, Ocegüera L, Monzon R. Rural context, single institution prospective outcomes after enhanced recovery colorectal surgery protocol implementation. <i>BMC Health Services Research</i> 2020;20. <a href="https://doi.org/10.1186/s12913-020-05971-3">https://doi.org/10.1186/s12913-020-05971-3</a>
929	Sommer MS, Trier K, Vibe-Petersen J, Missel M, Christensen M, Larsen KR, et al. Perioperative Rehabilitation in Operable Lung Cancer Patients (PROLUCA): a Feasibility Study. <i>Integrative cancer therapies</i> 2016;15:455-66. <a href="https://doi.org/10.1177/1534735416635741">https://doi.org/10.1177/1534735416635741</a>
930	Stephens I, Murphy C, Reynolds IS, Sahebally S, Deasy J, Burke JP, et al. Implementation of day of surgery admission for rectal cancer surgery in Ireland following a national centralisation programme. <i>Irish Journal of Medical Science</i>

	2019;188:765-9.
931	Suarez-Llanos JP, Rosat-Rodrigo A, Garcia-Niebla J, Vallejo-Torres L, Delgado-Brito I, Garcia-Bello MA, et al. Comparison of clinical outcomes in surgical patients subjected to CIPA nutrition screening and treatment versus standard care. <i>Nutrients</i> 2019;11 (4) (no pagination).
932	Suojaranta-Ylinen RT, Roine RO, Vento AE, Niskanen MM, Salmenpera MT. Improved neurologic outcome after implementing evidence-based guidelines for cardiac surgery. <i>Journal of Cardiothoracic &amp; Vascular Anesthesia</i> 2007;21:529-34.
933	Szerlip M, Tabachnick D, Hamandi M, Caras L, Lanfear AT, Squiers JJ, et al. Safe implementation of enhanced recovery after surgery protocol in transfemoral transcatheter aortic valve replacement. <i>Baylor University Medical Center Proceedings</i> 2020;34:5-10.
934	Takatsu J, Higaki E, Hosoi T, Yoshida M, Yamamoto M, Abe T, et al. Clinical benefits of a swallowing intervention for esophageal cancer patients after esophagectomy. <i>Diseases of the esophagus : official journal of the International Society for Diseases of the Esophagus</i> 2020;29.
935	Takchi R, Cos H, Williams GA, Woolsey C, Hammill CW, Fields RC, et al. Enhanced recovery pathway after open pancreaticoduodenectomy reduces postoperative length of hospital stay without reducing composite length of stay. <i>HPB : the official journal of the International Hepato Pancreato Biliary Association</i> 2022;24:65-71. <a href="https://doi.org/https://dx.doi.org/10.1016/j.hpb.2021.05.014">https://doi.org/https://dx.doi.org/10.1016/j.hpb.2021.05.014</a>
936	Taniguchi H, Sasaki T, Fujita H, Kobayashi H, Kawasaki R, Ogata T, et al. Effects of goal-directed fluid therapy on enhanced postoperative recovery: An interventional comparative observational study with a historical control group on oesophagectomy combined with ERAS program. <i>Clinical Nutrition ESPEN</i> 2018;23:184-93.
937	Targa S, Portinari M, Ascanelli S, Camerani S, Verri M, Volta CA, et al. Enhanced Recovery Program in Laparoscopic Colorectal Surgery: An Observational Controlled Trial. <i>Journal of Laparoendoscopic &amp; Advanced Surgical Techniques Part A</i> 2021;31:363-70.
938	Tatsuishi W, Kohri T, Koderu K, Asano R, Kataoka G, Kubota S, et al. Usefulness of an enhanced recovery after surgery protocol for perioperative management following open repair of an abdominal aortic aneurysm. <i>Surgery today</i> 2012;42:1195-200. <a href="https://doi.org/10.1007/s00595-012-0252-3">https://doi.org/10.1007/s00595-012-0252-3</a>
939	Tejedor P, Pastor C, Gonzalez-Ayora S, Ortega-Lopez M, Guadalajara H, Garcia-Olmo D. Short-term outcomes and benefits of ERAS program in elderly patients undergoing colorectal surgery: a case-matched study compared to conventional care. <i>International Journal of Colorectal Disease</i> 2018;33:1251-8.
940	Thillainadesan J, Aitken SJ, Monaro SR, Cullen JS, Kerdic R, Hilmer SN, et al. Geriatric Comanagement of Older Vascular Surgery Inpatients Reduces Hospital-Acquired Geriatric Syndromes. <i>Journal of the American Medical Directors Association</i> 2022;23:589-95.e6. <a href="https://doi.org/https://dx.doi.org/10.1016/j.jamda.2021.09.037">https://doi.org/https://dx.doi.org/10.1016/j.jamda.2021.09.037</a>
941	Tidadini F, Bonne A, Trilling B, Quesada J-L, Sage P-Y, Foote A, et al. Effect of implementation of enhanced recovery after surgery (ERAS) protocol and risk factors on 3-year survival after colorectal surgery for cancer-a retrospective cohort of 1001 patients. <i>International journal of colorectal disease</i> 2022;37:1151-9. <a href="https://doi.org/https://dx.doi.org/10.1007/s00384-022-04155-1">https://doi.org/https://dx.doi.org/10.1007/s00384-022-04155-1</a>

942	Tierney CC, Oermann MH, Molloy MA, Brien L, Neisler C. Implementing a Weaning Protocol for Cardiac Surgery Patients Using Simulation: A Quality Improvement Project. <i>DCCN - Dimensions of Critical Care Nursing</i> 2019;38:248-55.
943	Trevisan D, Zavatti L, Gabbieri D, Pedulli M, Giordano G, Meli M. Point-of-care-based protocol with first-line therapy with coagulation factor concentrates is associated with decrease allogenic blood transfusion and costs in cardiovascular surgery: an Italian single-center experience. <i>Minerva Anestesiologica</i> 2016;82:1077-88.
944	Van Dijk-Huisman HC, Weemaes ATR, Boymans T, Lenssen AF, de Bie RA. Smartphone App with an Accelerometer Enhances Patients' Physical Activity Following Elective Orthopedic Surgery: A Pilot Study. <i>Sensors</i> 2020;20. <a href="https://doi.org/10.3390/s20154317">https://doi.org/10.3390/s20154317</a>
945	Van Osdol AD, Borgert AJ, Kallies KJ, Froman JP, Bottner WA, Shapiro SB. Long-term outcomes of an integrated transfusion reduction initiative in patients undergoing resection for colorectal cancer. <i>American Journal of Surgery</i> 2015;210:990-4; discussion 5.
946	van Velthuisen EL, Zwakhalen SMG, Warnier RMJ, Ambergen T, Mulder WJ, Verhey FRJ, et al. Can education improve clinical practice concerning delirium in older hospitalised patients? Results of a pre-test post-test study on an educational intervention for nursing staff. <i>BMC Medical Education</i> 2018;18:59.
947	van Zelm R, Coeckelberghs E, Sermeus W, Wolthuis A, Bruyneel L, Panella M, et al. Effects of implementing a care pathway for colorectal cancer surgery in ten European hospitals: an international multicenter pre-post-test study. <i>Updates in Surgery</i> 2020;72:61-71.
948	Vassallo M, Vignaraja R, Sharma JC, Hallam H, Binns K, Briggs R, et al. The effect of changing practice on fall prevention in a rehabilitative hospital: the Hospital Injury Prevention Study. <i>Journal of the American Geriatrics Society</i> 2004;52:335-9.
949	Vignali A, Elmore U, Cossu A, Lemma M, Cali B, de Nardi P, et al. Enhanced recovery after surgery (ERAS) pathway vs traditional care in laparoscopic rectal resection: a single-center experience. <i>Techniques in Coloproctology</i> 2016;20:559-66. <a href="https://doi.org/10.1007/s10151-016-1497-4">https://doi.org/10.1007/s10151-016-1497-4</a>
950	Vlad O, Catalin B, Mihai H, Adrian P, Manuela O, Gener I, et al. Enhanced recovery after surgery (ERAS) protocols in patients undergoing radical cystectomy with ileal urinary diversions: A randomized controlled trial. <i>Medicine</i> 2020;99:e20902.
951	Vlug MS, Bartels SA, Wind J, Ubbink DT, Hollmann MW, Bemelman WA. Which fast track elements predict early recovery after colon cancer surgery? <i>Colorectal disease</i> 2012;14:1001-8. <a href="https://doi.org/10.1111/j.1463-1318.2011.02854.x">https://doi.org/10.1111/j.1463-1318.2011.02854.x</a>
952	Walter CJ, Watson JT, Pullan RD, Kenefick NJ, Mitchell SJ, DeFriend DJ. Enhanced recovery in major colorectal surgery: Safety and efficacy in an unselected surgical population at a UK district general hospital. <i>Surgeon-Journal of the Royal Colleges of Surgeons of Edinburgh and Ireland</i> 2011;9:259-64. <a href="https://doi.org/10.1016/j.surge.2010.10.003">https://doi.org/10.1016/j.surge.2010.10.003</a>
953	Weber M, Klein U, Weigert A, Schiller W, Bayley-Ezziddin V, Wirtz DC, et al. Use of Pre- and Intensified Postprocedural Physiotherapy in Patients with Symptomatic Aortic Stenosis Undergoing Transcatheter Aortic Valve Replacement Study (the 4P-TAVR Study). <i>Journal of interventional cardiology</i> 2021;2021:8894223. <a href="https://doi.org/https://dx.doi.org/10.1155/2021/8894223">https://doi.org/https://dx.doi.org/10.1155/2021/8894223</a>

954	Weinberg L, Banting J, Churilov L, McLeod RL, Fernandes K, Chao I, et al. The effect of a surgery-specific cardiac output-guided haemodynamic algorithm on outcomes in patients undergoing pancreaticoduodenectomy in a high-volume centre: a retrospective comparative study. <i>Anaesthesia &amp; Intensive Care</i> 2017;45:569-80.
955	Weiser MR, Gonen M, Usiak S, Pottinger T, Samedy P, Patel D, et al. Effectiveness of a multidisciplinary patient care bundle for reducing surgical-site infections. <i>British journal of surgery</i> 2018;105:1680-7. <a href="https://doi.org/10.1002/bjs.10896">https://doi.org/10.1002/bjs.10896</a>
956	Wood DA, Lauck SB, Cairns JA, Humphries KH, Cook R, Welsh R, et al. The Vancouver 3M (Multidisciplinary, Multimodality, But Minimalist) Clinical Pathway Facilitates Safe Next-Day Discharge Home at Low-, Medium-, and High-Volume Transfemoral Transcatheter Aortic Valve Replacement Centers: The 3M TAVR Study. <i>Jacc: Cardiovascular Interventions</i> 2019;12:459-69.
957	Wouters MWJM, Karim-Kos HE, Le Cessie S, Wijnhoven BPL, Stassen LPS, Steup WH, et al. Centralization of esophageal cancer surgery: Does it improve clinical outcome? <i>Annals of Surgical Oncology</i> 2009;16:1789-98.
958	Wu SK, Lin YW, Chen CL, Tsai SW. Cardiac rehabilitation vs. home exercise after coronary artery bypass graft surgery: a comparison of heart rate recovery. <i>American Journal of Physical Medicine &amp; Rehabilitation</i> 2006;85:711-7.
959	Wuethrich PY, Burkhard FC, Thalmann GN, Stueber F, Studer UE. Restrictive deferred hydration combined with preemptive norepinephrine infusion during radical cystectomy reduces postoperative complications and hospitalization time. <i>Anesthesiology</i> 2014;120:365-77.
960	Yanik JM, Bedard NA, Hanley JM, Otero JE, Callaghan JJ, Marsh JL. Rapid Recovery Total Joint Arthroplasty is Safe, Efficient, and Cost-Effective in the Veterans Administration Setting. <i>Journal of Arthroplasty</i> 2018;33:3138-42. <a href="https://doi.org/10.1016/j.arth.2018.07.004">https://doi.org/10.1016/j.arth.2018.07.004</a>
961	Zaouter C, Imbault J, Labrousse L, Abdelmoumen Y, Coiffic A, Colonna G, et al. Association of Robotic Totally Endoscopic Coronary Artery Bypass Graft Surgery Associated With a Preliminary Cardiac Enhanced Recovery After Surgery Program: A Retrospective Analysis. <i>Journal of Cardiothoracic &amp; Vascular Anesthesia</i> 2015;29:1489-97.
962	Zorrilla-Vaca A, Ripolles-Melchor J, Abad-Motos A, Mingu IR, Moreno-Jurado N, Martinez-Duran F, et al. Association between enrollment in an enhanced recovery program for colorectal cancer surgery and long-term recurrence and survival. <i>Journal of surgical oncology</i> 2022;125:1269-76. <a href="https://doi.org/https://dx.doi.org/10.1002/jso.26836">https://doi.org/https://dx.doi.org/10.1002/jso.26836</a>
	<b>Pain (n=19) (PRISMA flow diagram code: in -hospital PAIN the only outcome)</b>
963	Biau DJ, Porcher R, Roren A, Babinet A, Rosencher N, Chevret S, et al. Neither pre-operative education or a minimally invasive procedure have any influence on the recovery time after total hip replacement. <i>International Orthopaedics</i> 2015;39:1475-81.
964	Borys M, Zurek S, Kurowicki A, Horeczy B, Bielina B, Sejboth J, et al. Implementation of Enhanced Recovery After Surgery (ERAS) protocol in off-pump coronary artery bypass graft surgery. A prospective cohort feasibility study. <i>Anestezjologia Intensywna Terapia</i> 2020;52:10-4.

965	Campagnacci R, Patrizi A, Piangatelli C, Rimini M, Guerrieri M. A flexible concept of fast track surgery for laparoscopic colorectal resections. <i>Minerva Chirurgica</i> 2010;65:609-17.
966	Donahue RE, Bradbury GR, Zychowicz ME, Muckler VC. Multimodal Perioperative Analgesia Regimen to Improve Patient Outcomes After Total Knee Arthroplasty: A Multidisciplinary Quality Improvement Project. <i>Journal of PeriAnesthesia Nursing</i> 2018;33:138-52.
967	Duggal S, Flics S, Cornell CN. Intra-articular Analgesia and Discharge to Home Enhance Recovery Following Total Knee Replacement. <i>HSS Journal</i> 2015;11:56-64.
968	Dunkman WJ, Manning MW, Whittle J, Hunting J, Rampersaud EN, Inman BA, et al. Impact of an enhanced recovery pathway on length of stay and complications in elective radical cystectomy: A before and after cohort study. <i>Perioperative Medicine</i> 2019;8 (1) (no pagination).
969	Ellis TA, 2nd, Hammoud H, Dela Merced P, Nooli NP, Ghoddoussi F, Kong J, et al. Multimodal Clinical Pathway With Adductor Canal Block Decreases Hospital Length of Stay, Improves Pain Control, and Reduces Opioid Consumption in Total Knee Arthroplasty Patients: A Retrospective Review. <i>Journal of Arthroplasty</i> 2018;33:2440-8.
970	Gleicher Y, Siddiqui N, Mazda Y, Matelski J, Backstein DJ, Wolfstadt JI. Reducing Acute Hospitalization Length of Stay After Total Knee Arthroplasty: A Quality Improvement Study. <i>Journal of Arthroplasty</i> 2021;36:837-44.
971	Hebl JR, Dilger JA, Byer DE, Kopp SL, Stevens SR, Pagnano MW, et al. A pre-emptive multimodal pathway featuring peripheral nerve block improves perioperative outcomes after major orthopedic surgery. <i>Regional Anesthesia &amp; Pain Medicine</i> 2008;33:510-7.
972	Kapritsou M, Korkolis DP, Giannakopoulou M, Kaklamanos I, Konstantinou M, Katsoulas T, et al. Fast-Track Recovery Program After Major Liver Resection: a Randomized Prospective Study. <i>Gastroenterology nursing</i> 2018;41:104-10. <a href="https://doi.org/10.1097/SGA.0000000000000306">https://doi.org/10.1097/SGA.0000000000000306</a>
973	Martin D, Roulin D, Addor V, Blanc C, Demartines N, Hubner M. Enhanced recovery implementation in colorectal surgery-temporary or persistent improvement? <i>Langenbecks Archives of Surgery</i> 2016;401:1163-9.
974	Patel SY, Garcia Getting RE, Alford B, Hussein K, Schaible BJ, Boulware D, et al. Improved Outcomes of Enhanced Recovery After Surgery (ERAS) Protocol for Radical Cystectomy with Addition of a Multidisciplinary Care Process in a US Comprehensive Cancer Care Center. <i>World Journal of Surgery</i> 2018;42:2701-7.
975	Peters CL, Shirley B, Erickson J. The effect of a new multimodal perioperative anesthetic regimen on postoperative pain, side effects, rehabilitation, and length of hospital stay after total joint arthroplasty. <i>Journal of Arthroplasty</i> 2006;21:132-8.
976	Razi SS, Stephens-McDonnough JA, Haq S, Fabbro M, 2nd, Sanchez AN, Epstein RH, et al. Significant reduction of postoperative pain and opioid analgesics requirement with an Enhanced Recovery After Thoracic Surgery protocol. <i>Journal of Thoracic &amp; Cardiovascular Surgery</i> 2021;161:1689-701.
977	Revie EJ, McKeown DW, Wilson JA, Garden OJ, Wigmore SJ. Randomized clinical trial of local infiltration plus patient-controlled opiate analgesia vs. epidural analgesia following liver resection surgery. <i>HPB : the official journal of the International Hepato</i>

	Pancreato Biliary Association 2012;14:611-8. <a href="https://doi.org/10.1111/j.1477-2574.2012.00490.x">https://doi.org/10.1111/j.1477-2574.2012.00490.x</a>
978	Silva YR, Li SK, Rickard MJ. Does the addition of deep breathing exercises to physiotherapy-directed early mobilisation alter patient outcomes following high-risk open upper abdominal surgery? Cluster randomised controlled trial. <i>Physiotherapy</i> 2013;99:187-93. <a href="https://doi.org/10.1016/j.physio.2012.09.006">https://doi.org/10.1016/j.physio.2012.09.006</a>
979	Townsend WB, Worrilow WM, Robinson MM, Beano H, Parker B, Gaston KE, et al. Implementation of a Dedicated Enhanced Recovery after Surgery (ERAS) Program for Radical Cystectomy Patients is Associated With Decreased Postoperative Inpatient Opioid Usage and Pain Scores. <i>Urology</i> 2020;143:186-93.
980	Tsunoda A, Shibusawa M, Takata M, Hiratsuka K, Shida K, Kusano M. Early oral feeding should be resumed following the resolution of gastric ileus. <i>Hepato-Gastroenterology</i> 2005;52:775-9.
981	Zaouter C, Oses P, Assatourian S, Labrousse L, Remy A, Ouattara A. Reduced Length of Hospital Stay for Cardiac Surgery-Implementing an Optimized Perioperative Pathway: Prospective Evaluation of an Enhanced Recovery After Surgery Program Designed for Mini-Invasive Aortic Valve Replacement. <i>Journal of Cardiothoracic &amp; Vascular Anesthesia</i> 2019;33:3010-9.
	<b>Protocol/Ongoing (n=47) (PRISMA flow diagram code: PROT)</b>
982	Abdullah HR, Lien VP, Ong HK, Er PL, Hao Y, Khan SA, et al. Protocol for a single-centre, randomised controlled study of a preoperative rehabilitation bundle in the frail and elderly undergoing abdominal surgery. <i>BMJ Open</i> 2017;7:e016815.
983	Abunimer A, Fogel S. A Protocol to Decrease Surgical Site Infection Rates in Colorectal Surgical Procedures. <i>American Surgeon</i> 2018;84:e411-e2. <a href="https://doi.org/10.1177/000313481808400926">https://doi.org/10.1177/000313481808400926</a>
984	Adrion C, Weiss B, Paul N, Berger E, Busse R, Marschall U, et al. Enhanced Recovery after Intensive Care (ERIC): study protocol for a German stepped wedge cluster randomised controlled trial to evaluate the effectiveness of a critical care telehealth program on process quality and functional outcomes. <i>BMJ open</i> 2020;10:e036096-. <a href="https://doi.org/10.1136/bmjopen-2019-036096">https://doi.org/10.1136/bmjopen-2019-036096</a>
985	Ahmad A, Hugtenburg J, Welschen LM, Dekker JM, Nijpels G. Effect of medication review and cognitive behaviour treatment by community pharmacists of patients discharged from the hospital on drug related problems and compliance: design of a randomized controlled trial. <i>BMC Public Health</i> 2010;10:133.
986	Allen S, Brown V, Prabhu P, Scott M, Rockall T, Preston S, et al. A randomised controlled trial to assess whether prehabilitation improves fitness in patients undergoing neoadjuvant treatment prior to oesophagogastric cancer surgery: study protocol. <i>BMJ open</i> 2018;8:e023190. <a href="https://doi.org/10.1136/bmjopen-2018-023190">https://doi.org/10.1136/bmjopen-2018-023190</a>
987	Barberan-Garcia A, Navarro-Ripoll R, Sánchez-Lorente D, Moisés-Lafuente J, Boada M, Messaggi-Sartor M, et al. Cost-effectiveness of a technology-supported multimodal prehabilitation program in moderate-to-high risk patients undergoing lung cancer resection: randomized controlled trial protocol. <i>BMC health services research</i> 2020;20:207. <a href="https://doi.org/10.1186/s12913-020-05078-9">https://doi.org/10.1186/s12913-020-05078-9</a>
988	Berkel AEM, Bongers BC, van Kamp MJ, Kotte H, Weltevreden P, de Jongh FHC, et al. The effects of prehabilitation versus usual care to reduce postoperative complications in high-risk patients with colorectal cancer or dysplasia scheduled for elective

	colorectal resection: study protocol of a randomized controlled trial. BMC gastroenterology 2018;18. <a href="https://doi.org/10.1186/s12876-018-0754-6">https://doi.org/10.1186/s12876-018-0754-6</a>
989	Betz U, Langanki L, Heid F, Spielberger J, Schollenberger L, Kronfeld K, et al. The PROMISE study protocol: a multicenter prospective study of process optimization with interdisciplinary and cross-sectoral care for German patients receiving hip and knee endoprostheses. Acta orthopaedica 2020:1-7.
990	Busso C, Castorina G, Di Monaco M, Rodriguez D, Mahdavi H, Balocco S, et al. Effectiveness of a home-based telerehabilitation system in patients after total hip arthroplasty: study protocol of a randomized controlled trial. Trials [Electronic Resource] 2020;21:852.
991	Carramiñana A, Ferrando C, Unzueta MC, Navarro R, Suárez-Sipmann F, Tusman G, et al. Rationale and Study Design for an Individualized Perioperative Open Lung Ventilatory Strategy in Patients on One-Lung Ventilation (iPROVE-OLV). Journal of cardiothoracic and vascular anesthesia 2019;33:2492-502. <a href="https://doi.org/10.1053/j.jvca.2019.01.056">https://doi.org/10.1053/j.jvca.2019.01.056</a>
992	Coca-Martinez M, Lopez-Hernandez A, Montane-Muntane M, Arguis MJ, Gimeno-Santos E, Navarro-Ripoll R, et al. Multimodal prehabilitation as strategy for reduction of postoperative complications after cardiac surgery: a randomised controlled trial protocol. BMJ open 2020;10. <a href="https://doi.org/10.1136/bmjopen-2020-039885">https://doi.org/10.1136/bmjopen-2020-039885</a>
993	Coker F, Williams CM, Taylor NF, Caspers K, McAlinden F, Wilton A, et al. IMPACT: Investigating the impact of Models of Practice for Allied health Care in subacute settings. A protocol for a quasi-experimental mixed methods study of cost effectiveness and outcomes for patients exposed to different models of allied health care. BMJ Open 2018;8:e020361.
994	Dolin TG, Mikkelsen M, Jakobsen HL, Nordentoft T, Pedersen TS, Vinther A, et al. Geriatric assessment and intervention in older vulnerable patients undergoing surgery for colorectal cancer: a protocol for a randomised controlled trial (GEPOC trial). BMC geriatrics 2021;21:88-. <a href="https://doi.org/10.1186/s12877-021-02045-9">https://doi.org/10.1186/s12877-021-02045-9</a>
995	Harmelink KEM, Zeegers A, Tonis TM, Hullegie W, Nijhuis-van der Sanden MWG, Staal JB. The effectiveness of the use of a digital activity coaching system in addition to a two-week home-based exercise program in patients after total knee arthroplasty: study protocol for a randomized controlled trial. BMC Musculoskeletal Disorders 2017;18:290.
996	Hill AM, Etherton-Bear C, McPhail SM, Morris ME, Flicker L, Shorr R, et al. Reducing falls after hospital discharge: a protocol for a randomised controlled trial evaluating an individualised multimodal falls education programme for older adults. BMJ Open 2017;7:e013931.
997	Hojskov IE, Moons P, Hansen NV, La Cour S, Olsen PS, Gluud C, et al. SheppHeartCABG trial-comprehensive early rehabilitation after coronary artery bypass grafting: a protocol for a randomised clinical trial. BMJ Open 2017;7:e013038.
998	Ie K, Hirose M, Sakai T, Motohashi I, Aihara M, Otsuki T, et al. Protocol of a randomised controlled trial on the efficacy of medication optimisation in elderly inpatients: medication optimisation protocol efficacy for geriatric inpatients (MPEG) trial. BMJ Open 2020;10:e041125.
999	Janssen TL, Mosk CA, van Hoof-de Lepper C, Wielders D, Seerden TCJ, Steyerberg EW, et al. A multicomponent prehabilitation pathway to reduce the incidence of delirium

	in elderly patients in need of major abdominal surgery: study protocol for a before-and-after study. <i>BMC Geriatrics</i> 2019;19:87.
1000	Kim DH, Bae JM, Son GM, Kim KH, Hong SP, Yang GY, et al. Acupuncture and PC6 stimulation for the prevention of postoperative nausea and vomiting in patients undergoing elective laparoscopic resection of colorectal cancer: a study protocol for a three-arm randomised pilot trial. <i>BMJ open</i> 2017;7. <a href="https://doi.org/10.1136/bmjopen-2016-013457">https://doi.org/10.1136/bmjopen-2016-013457</a>
1001	Kutz A, Koch D, Conca A, Baechli C, Haubitz S, Regez K, et al. Integrative hospital treatment in older patients to benchmark and improve outcome and length of stay - the In-HospiTOOL study. <i>BMC Health Services Research</i> 2019;19:237.
1002	Lagier D, Fischer F, Fornier W, Fellahi JL, Colson P, Cholley B, et al. A perioperative surgeon-controlled open-lung approach versus conventional protective ventilation with low positive end-expiratory pressure in cardiac surgery with cardiopulmonary bypass (PROVECS): study protocol for a randomized controlled trial. <i>Trials</i> 2018;19:624. <a href="https://doi.org/10.1186/s13063-018-2967-y">https://doi.org/10.1186/s13063-018-2967-y</a>
1003	Liptak MG, Theodoulou A, Kaambwa B, Saunders S, Hinrichs SW, Woodman RJ, et al. The safety, efficacy and cost-effectiveness of the Maxm Skate, a lower limb rehabilitation device for use following total knee arthroplasty: study protocol for a randomised controlled trial. <i>Trials [Electronic Resource]</i> 2019;20:36.
1004	Markle-Reid M, McAiney C, Ganann R, Fisher K, Gafni A, Gauthier AP, et al. Study protocol for a hospital-to-home transitional care intervention for older adults with multiple chronic conditions and depressive symptoms: a pragmatic effectiveness-implementation trial. <i>BMC Geriatrics</i> 2020;20:240.
1005	Marshall S, van der Meij BS, Milte R, Collins CE, de van der Schueren MA, Banbury M, et al. Family in Rehabilitation, Empowering Carers for Improved Malnutrition Outcomes: Protocol for the FREER Pilot Study. <i>JMIR Research Protocols</i> 2019;8:e12647.
1006	Merki-Kunzli C, Kerstan-Huber M, Switalla D, Gisi D, Raptis DA, Greco N, et al. Assessing the Value of Prehabilitation in Patients Undergoing Colorectal Surgery According to the Enhanced Recovery After Surgery (ERAS) Pathway for the Improvement of Postoperative Outcomes: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> 2017;6:e199.
1007	Molliex S, Passot S, Futier E, Bonnefoi M, Rancon F, Lemanach Y, et al. Stepped wedge cluster randomised controlled trial to assess the effectiveness of an optimisation strategy for general anaesthesia on postoperative morbidity and mortality in elderly patients (the OPTI-AGED study): a study protocol. <i>BMJ Open</i> 2018;8:e021053.
1008	Mudge AM, Banks MD, Barnett AG, Blackberry I, Graves N, Green T, et al. CHERISH (collaboration for hospitalised elders reducing the impact of stays in hospital): protocol for a multi-site improvement program to reduce geriatric syndromes in older inpatients. <i>BMC geriatrics</i> 2017;17:11. <a href="https://doi.org/10.1186/s12877-016-0399-7">https://doi.org/10.1186/s12877-016-0399-7</a>
1009	Munk T, Svendsen JA, Knudsen AW, Ostergaard TB, Beck AM. Effect of nutritional interventions on discharged older patients: study protocol for a randomized controlled trial. <i>Trials [Electronic Resource]</i> 2020;21:365.
1010	Negm AM, Kennedy CC, Ioannidis G, Gajic-Veljanoski O, Lee J, Thabane L, et al. Getting fit for hip and knee replacement: a protocol for the Fit-Joints pilot randomized controlled trial of a multi-modal intervention in frail patients with osteoarthritis. Pilot



	and feasibility studies 2018;4. <a href="https://doi.org/10.1186/s40814-018-0316-2">https://doi.org/10.1186/s40814-018-0316-2</a>
1011	Parke R, Gilder E, Gillham M, Walker L, Bailey M, McGuinness S. Design and statistical analysis plan for a trial comparing a conservative fluid management strategy with usual care in patients after cardiac surgery: the FAB study. <i>Critical care and resuscitation</i> 2018;20:190-7.
1012	Porserud A, Karlsson P, Rydwick E, Aly M, Henningsohn L, Nygren-Bonnier M, et al. The CanMoRe trial - evaluating the effects of an exercise intervention after robotic-assisted radical cystectomy for urinary bladder cancer: the study protocol of a randomised controlled trial. <i>BMC Cancer</i> 2020;20:805.
1013	Ramirez-Rodriguez JM, Martinez-Ubieto J, Munoz-Rodes JL, Rodriguez-Fraile JR, Garcia-Erce JA, Blanco-Gonzalez J, et al. Surgical treatment for colorectal cancer: analysis of the influence of an enhanced recovery programme on long-term oncological outcomes-a study protocol for a prospective, multicentre, observational cohort study. <i>BMJ Open</i> 2020;10:e040316.
1014	Reurings JC, Spanjersberg WR, Oostvogel HJ, Buskens E, Maring J, Kruijt F, et al. A prospective cohort study to investigate cost-minimisation, of Traditional open, open fAst track recovery and laParoscopic fAst track multimodal management, for surgical patients with colon carcinomas (TAPAS study). <i>BMC Surgery</i> 2010;10:18.
1015	Rimmele M, Wirth J, Britting S, Gehr T, Hermann M, Van Den Heuvel D, et al. Improvement of transitional care from hospital to home for older patients, the TIGER study: Protocol of a randomised controlled trial. <i>BMJ Open</i> 2021;11 (2) (no pagination).
1016	Saunders R, Seaman K, Ashford C, Sullivan T, McDowall J, Whitehead L, et al. An eHealth Program for Patients Undergoing a Total Hip Arthroplasty: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> 2018;7:e137.
1017	Seeber GH, Wijnen A, Lazovic D, Bulstra SK, Dietz G, van Lingen CP, et al. Effectiveness of rehabilitation after a total hip arthroplasty: a protocol for an observational study for the comparison of usual care in the Netherlands versus Germany. <i>BMJ Open</i> 2017;7:e016020.
1018	Smith TO, Parsons S, Fordham B, Ooms A, Dutton S, Hing C, et al. Behaviour change physiotherapy intervention to increase physical activity following hip and knee replacement (PEP-TALK): study protocol for a pragmatic randomised controlled trial. <i>BMJ open</i> 2020;10. <a href="https://doi.org/10.1136/bmjopen-2019-035014">https://doi.org/10.1136/bmjopen-2019-035014</a>
1019	Sommer MS, Trier K, Vibe-Petersen J, Missel M, Christensen M, Larsen KR, et al. Perioperative rehabilitation in operation for lung cancer (PROLUCA) - rationale and design. <i>BMC cancer</i> 2014;14:404. <a href="https://doi.org/10.1186/1471-2407-14-404">https://doi.org/10.1186/1471-2407-14-404</a>
1020	Stevens M, van den Akker-Scheek I, Spriensma A, Boss NA, Diercks RL, van Horn JR. The Groningen Orthopedic Exit Strategy (GOES): a home-based support program for total hip and knee arthroplasty patients after shortened hospital stay. <i>Patient Education &amp; Counseling</i> 2004;54:95-9.
1021	Suárez-Llanos JP, Benítez-Brito N, Vallejo-Torres L, Delgado-Brito I, Rosat-Rodrigo A, Hernández-Carballo C, et al. Clinical and cost-effectiveness analysis of early detection of patients at nutrition risk during their hospital stay through the new screening method CIPA: a study protocol. <i>BMC health services research</i> 2017;17:292. <a href="https://doi.org/10.1186/s12913-017-2218-z">https://doi.org/10.1186/s12913-017-2218-z</a>

1022	Sun V, Raz DJ, Erhunmwunsee L, Ruel N, Carranza J, Prieto R, et al. Improving family caregiver and patient outcomes in lung cancer surgery: Study protocol for a randomized trial of the multimedia self-management (MSM) intervention. <i>Contemporary Clinical Trials</i> 2019;83:88-96.
1023	Toye C, Moorin R, Slatyer S, Aoun SM, Parsons R, Hegney D, et al. Protocol for a randomised controlled trial of an outreach support program for family carers of older people discharged from hospital. <i>BMC Geriatrics</i> 2015;15:70.
1024	van Rooijen S, Carli F, Dalton S, Thomas G, Bojesen R, Le Guen M, et al. Multimodal prehabilitation in colorectal cancer patients to improve functional capacity and reduce postoperative complications: the first international randomized controlled trial for multimodal prehabilitation. <i>BMC cancer</i> 2019;19:98. <a href="https://doi.org/10.1186/s12885-018-5232-6">https://doi.org/10.1186/s12885-018-5232-6</a>
1025	Verweij L, Jepma P, Buurman BM, Latour CHM, Engelbert RHH, Ter Riet G, et al. The cardiac care bridge program: design of a randomized trial of nurse-coordinated transitional care in older hospitalized cardiac patients at high risk of readmission and mortality. <i>BMC Health Services Research</i> 2018;18:508.
1026	Vlisides PE, Ragheb JW, Leis A, Schoettinger A, Hickey K, McKinney A, et al. Recommendations and Alerting for Delirium Alleviation in Real-Time (RADAR): Protocol for a pilot randomized controlled trial. <i>F1000Research</i> 2020;8 (no pagination).
1027	Wind J, Hofland J, Preckel B, Hollmann MW, Bossuyt PM, Gouma DJ, et al. Perioperative strategy in colonic surgery; LAParoscopy and/or FASt track multimodal management versus standard care (LAFA trial). <i>BMC Surgery</i> 2006;6:16.
1028	Yates M, Watts JJ, Bail K, Mohebbi M, MacDermott S, Jebramek JC, et al. Evaluating the Impact of the Dementia Care in Hospitals Program (DCHP) on Hospital-Acquired Complications: Study Protocol. <i>International Journal of Environmental Research &amp; Public Health [Electronic Resource]</i> 2018;15:30.
	<b>No overnight stay (n=9) (PRISMA flow diagram code: STAY)</b>
1029	Heiman J, Onerup A, Wessman C, Haglind E, Olofsson Bagge R. Recovery after breast cancer surgery following recommended pre and postoperative physical activity: (PhysSURG-B) randomized clinical trial. <i>British journal of surgery</i> 2021;108:32-9. <a href="https://doi.org/10.1093/bjs/znaa007">https://doi.org/10.1093/bjs/znaa007</a>
1030	Hermann-Eriksen M, Nilsen T, Hove Å, Eilertsen L, Haugen IK, Sexton J, et al. Comparison of 2 Postoperative Therapy Regimens After Trapeziectomy Due to Osteoarthritis: a Randomized, Controlled Trial. <i>Journal of hand surgery</i> 2022;47:120-9.e4. <a href="https://doi.org/10.1016/j.jhsa.2021.08.015">https://doi.org/10.1016/j.jhsa.2021.08.015</a>
1031	Hristea D, Deschamps T, Paris A, Lefrancois G, Collet V, Savoie C, et al. Combining intra-dialytic exercise and nutritional supplementation in malnourished older haemodialysis patients: Towards better quality of life and autonomy. <i>Nephrology</i> 2016;21:785-90.
1032	Orum M, Eriksen SV, Gregersen M, Jensen AR, Jensen K, Meldgaard P, et al. The impact of a tailored follow-up intervention on comprehensive geriatric assessment in older patients with cancer - a randomised controlled trial. <i>Journal of geriatric oncology</i> 2020; 10.1016/j.jgo.2020.07.011. <a href="https://doi.org/10.1016/j.jgo.2020.07.011">https://doi.org/10.1016/j.jgo.2020.07.011</a>
1033	Parker S, Oliver P, Pennington M, Bond J, Jagger C, Enderby P, et al. Rehabilitation of older patients: day hospital compared with rehabilitation at home. A randomised

	controlled trial. <i>Health Technology Assessment</i> 2009; <b>13</b> :1-168. <a href="https://doi.org/10.3310/hta13390">https://doi.org/10.3310/hta13390</a>
1034	Parker SG, Oliver P, Pennington M, Bond J, Jagger C, Enderby P, <i>et al.</i> Rehabilitation of older patients: day hospital compared with rehabilitation at home. Clinical outcomes. <i>Age &amp; Ageing</i> 2011; <b>40</b> :557-62.
1035	Pottel L, Lycke M, Boterberg T, Pottel H, Goethals L, Duprez F, <i>et al.</i> Serial comprehensive geriatric assessment in elderly head and neck cancer patients undergoing curative radiotherapy identifies evolution of multidimensional health problems and is indicative of quality of life. <i>European Journal of Cancer Care</i> 2014; <b>23</b> :401-12.
1036	Schmidt H, Boese S, Lampe K, Jordan K, Fiedler E, Muller-Werdan U, <i>et al.</i> Trans sectoral care of geriatric cancer patients based on comprehensive geriatric assessment and patient-reported quality of life - Results of a multicenter study to develop and pilot test a patient-centered interdisciplinary care concept for geriatric oncology patients (PIVOG). <i>Journal of Geriatric Oncology</i> 2017; <b>8</b> :262-70.
1037	Witherspoon LDE, Gan AML, Breau RH, Saumure G, Shea J, Mallick R, <i>et al.</i> Use of video education in postoperative patient counselling: A quality improvement initiative. <i>Canadian Urological Association journal = Journal de l'Association des urologues du Canada</i> 2021; <b>15</b> :E658-E63. <a href="https://doi.org/https://dx.doi.org/10.5489/cuaj.7240">https://doi.org/https://dx.doi.org/10.5489/cuaj.7240</a>

**Table 2.** Full text excludes for qualitative review with reasons for exclusion (n=252)

	<b>Average age of population &lt;60 (n=38) (PRISMA flow diagram code: AGE)</b>
1	Ament SMC, Gillissen F, Moser A, Maessen JMC, Dirksen CD, Meyenfeldt MF, et al. Factors associated with sustainability of 2 quality improvement programs after achieving early implementation success. A qualitative case study. <i>Journal of Evaluation in Clinical Practice</i> 2017;23:1135-43. <a href="https://doi.org/10.1111/jep.12735">https://doi.org/10.1111/jep.12735</a>
2	Boughton M, Halliday L. Home alone: Patient and carer uncertainty surrounding discharge with continuing clinical care needs. <i>Contemporary Nurse</i> 2009;33:30-40. <a href="https://doi.org/10.5172/conu.33.1.30">https://doi.org/10.5172/conu.33.1.30</a>
3	Byrne BE, Pinto A, Aylin P, Bottle A, Faiz OD, Vincent CA. Understanding how colorectal units achieve short length of stay: an interview survey among representative hospitals in England. <i>Patient Safety in Surgery [Electronic Resource]</i> 2015;9:2.
4	Causey-Upton R, Howell DM. Patient Experiences When Preparing for Discharge Home after Total Knee Replacement. <i>Internet Journal of Allied Health Sciences and Practice</i> 2017;15.
5	cillis C, Gill M, Marlett N, MacKean G, GermAnn K, Gilmour L, et al. Patients as partners in Enhanced Recovery After Surgery: a qualitative patient-led study. <i>BMJ Open</i> 2017;7.
6	Cox J, Cormack C, Prendergast M, Celestino H, Willis S, Witteveen M. Patient and provider experience with a new model of care for primary hip and knee arthroplasties. <i>International Journal of Orthopaedic and Trauma Nursing</i> 2016;20:13-27. <a href="https://doi.org/10.1016/j.ijotn.2015.05.003">https://doi.org/10.1016/j.ijotn.2015.05.003</a>
7	Dos Santos Marques IC, Herbey, II, Theiss LM, Hollis RH, Knight SJ, Davis TC, et al. Understanding the Surgical Experience for African-Americans and Caucasians With Enhanced Recovery. <i>Journal of Surgical Research</i> 2020;250:12-22.
8	Drew S, Judge A, Cohen R, Fitzpatrick R, Barker K, Goberman-Hill R. Enhanced Recovery After Surgery implementation in practice: an ethnographic study of services for hip and knee replacement. <i>BMJ Open</i> 2019;9:e024431.
9	Gautreau S, Aquino-Russell C, Gould ON, Forsythe ME. In their own words: A short report of patients' experiences of recovering from total knee replacement. <i>Musculoskeletal Care</i> 2017;15:249-52. <a href="https://doi.org/10.1002/msc.1169">https://doi.org/10.1002/msc.1169</a>
10	Gillespie B, Spalding NJ. A phenomenological study of patients experiences of an orthopaedic preadmission clinic. <i>Int J Ther Rehabil</i> 2007;14:16-23.
11	Gillis C, Gill M, Marlett N, MacKean G, GermAnn K, Gilmour L, et al. Patients as partners in Enhanced Recovery After Surgery: A qualitative patient-led study. <i>BMJ Open</i> 2017;7:e017002.
12	Gillis C, Martin L, Gill M, Gilmour L, Nelson G, Gramlich L. Food Is Medicine: A Qualitative Analysis of Patient and Institutional Barriers to Successful Surgical Nutrition Practices in an Enhanced Recovery After Surgery Setting. <i>Nutrition in Clinical Practice</i> 2019;34:606-15.
13	Gramlich L, Nelson G, Nelson A, Lagendyk L, Gilmour LE, Wasylak T. Moving enhanced recovery after surgery from implementation to sustainability across a health system: a qualitative assessment of leadership perspectives. <i>BMC Health Services Research</i> 2020;20:361.
14	Gramlich LM, Sheppard CE, Wasylak T, Gilmour LE, Ljungqvist O, Basualdo-Hammond C, et al. Implementation of Enhanced Recovery After Surgery: a strategy to transform surgical care across a health system. <i>Implementation Science</i> 2017;12:1-17.

	<a href="https://doi.org/10.1186/s13012-017-0597-5">https://doi.org/10.1186/s13012-017-0597-5</a>
15	Halding AG, Hovland G, Johansen VA, Eide PH, Kringeland TA. A planned but vulnerable pathway towards self-management following day surgery. Orthopaedic patients' experiences. <i>Scandinavian Journal of Caring Sciences</i> 2021;35:1114-22. <a href="https://doi.org/10.1111/scs.12926">https://doi.org/10.1111/scs.12926</a>
16	Herbert G, Sutton E, Burden S, Lewis S, Thomas S, Ness A, et al. Healthcare professionals' views of the enhanced recovery after surgery programme: a qualitative investigation. <i>BMC Health Services Research</i> 2017;17:617.
17	Kaptain K, Ulsoe ML, Dreyer P. Surgical perioperative pathways-Patient experiences of unmet needs show that a person-centred approach is needed. <i>Journal of Clinical Nursing</i> 2019;28:2214-24. <a href="https://doi.org/10.1111/jocn.14817">https://doi.org/10.1111/jocn.14817</a>
18	Kersley AR, Bertero C. Women's experiences of an enhanced recovery after surgery program: A qualitative study. <i>Nursing &amp; Health Sciences</i> 2021;23:263-72. <a href="https://doi.org/10.1111/nhs.12810">https://doi.org/10.1111/nhs.12810</a>
19	Laan MT, Roelofs S, Van Huet I, Adang EMM, Bartels R. Selective Intensive Care Unit Admission After Adult Supratentorial Tumor Craniotomy: Complications, Length of Stay, and Costs. <i>Neurosurgery</i> 2020;86:E54-E9.
20	Lapum JL, Fredericks S, Liu L, Yau TM, Retta B, Jones VM, et al. Facilitators and Barriers of Heart Surgery Discharge. <i>Journal of Cardiovascular Nursing</i> 2016;31:350-6. <a href="https://doi.org/10.1097/JCN.0000000000000253">https://doi.org/10.1097/JCN.0000000000000253</a>
21	Lo PS, Lin YP, Hsu HH, Chang SC, Yang SP, Huang WC, et al. Health self-management experiences of colorectal cancer patients in postoperative recovery: A qualitative study. <i>European Journal of Oncology Nursing</i> 2021;51. <a href="https://doi.org/10.1016/j.ejon.2021.101906">https://doi.org/10.1016/j.ejon.2021.101906</a>
22	Marques ICD, Herbey, II, Theiss LM, Hollis RH, Knight SJ, Davis TC, et al. Understanding the Surgical Experience for African -Americans and Caucasians With Enhanced Recovery. <i>Journal of Surgical Research</i> 2020;250:12-22. <a href="https://doi.org/10.1016/j.jss.2019.12.034">https://doi.org/10.1016/j.jss.2019.12.034</a>
23	Martorella G, Graven L, Schluck G, Berube M, Gelinac C. Nurses' Perception of a Tailored Web-Based Intervention for the Self-Management of Pain After Cardiac Surgery. <i>SAGE Open Nursing</i> 2018;4:2377960818806270.
24	McNeil D, Strasser R, Lightfoot N, Pong R. A "Simple" Evidence-Based Intervention to Improve Care Transitions for Frail Patients with Complex Health Conditions: Why Didn't It Work as Expected? <i>Healthcare Quarterly</i> 2016;19:67-72. <a href="https://doi.org/10.12927/hcq.2016.24702">https://doi.org/10.12927/hcq.2016.24702</a>
25	Missel M, Pedersen JH, Hendriksen C, Tewes M, Adamsen L. Regaining familiarity with own body after treatment for operable lung cancer - a qualitative longitudinal exploration. <i>European Journal of Cancer Care</i> 2016;25:1076-90. <a href="https://doi.org/10.1111/ecc.12383">https://doi.org/10.1111/ecc.12383</a>
26	Norlyk A, Harder I. After colonic surgery: the lived experience of participating in a fast-track programme. <i>International Journal of Qualitative Studies on Health &amp; Well-Being</i> 2009;4:170-80. <a href="https://doi.org/10.1080/17482620903027726">https://doi.org/10.1080/17482620903027726</a>
27	Norlyk A, Harder I. Recovering at home: participating in a fast-track colon cancer surgery programme. <i>Nursing Inquiry</i> 2011;18:165-73. <a href="https://doi.org/10.1111/j.1440-1800.2011.00519.x">https://doi.org/10.1111/j.1440-1800.2011.00519.x</a>
28	Pearsall EA, Meghji Z, Pitzul KB, Aarts MA, McKenzie M, McLeod RS, et al. A qualitative study to understand the barriers and enablers in implementing an enhanced recovery after

	surgery program. <i>Annals of Surgery</i> 2015;261:92-6.
29	Poland F, Spalding N, Gregory S, McCulloch J, Sargen K, Vicary P. Developing patient education to enhance recovery after colorectal surgery through action research: a qualitative study. <i>BMJ Open</i> 2017;7:e013498.
30	Reynolds BR, Bulsara C, Zeps N, Codde J, Lawrentschuk N, Bolton D, et al. Exploring pathways towards improving patient experience of robot-assisted radical prostatectomy (RARP): assessing patient satisfaction and attitudes. <i>BJU International</i> 2018;121 Suppl 3:33-9.
31	Roche D, Jones A. A qualitative study of nurse-patient communication and information provision during surgical pre-admission clinics. <i>Health Expectations</i> 2021;24:1357-66. <a href="https://doi.org/10.1111/hex.13270">https://doi.org/10.1111/hex.13270</a>
32	Strickland LH, Kelly L, Hamilton TW, Murray DW, Pandit HG, Jenkinson C. Health Care Professionals' Perceptions of the Arthroplasty Patient Experience: Planning Phase in the Development of a Patient-Reported Outcome Measure. <i>Journal of PeriAnesthesia Nursing</i> 2019;34:376-85. <a href="https://doi.org/10.1016/j.jopan.2018.05.018">https://doi.org/10.1016/j.jopan.2018.05.018</a>
33	Sutton E, Herbert G, Burden S, Lewis S, Thomas S, Ness A, et al. Using the Normalization Process Theory to qualitatively explore sense-making in implementation of the Enhanced Recovery After Surgery programme: "It's not rocket science". <i>Plos One</i> 2018;13. <a href="https://doi.org/10.1371/journal.pone.0195890">https://doi.org/10.1371/journal.pone.0195890</a>
34	Taylor C, Burch J. Feedback on an enhanced recovery programme for colorectal surgery. <i>British Journal of Nursing</i> 2011;20:286-90.
35	Teng LJ, Goldsmith LJ, Sawhney M, Jussaume L. Hip and Knee Replacement Patients' Experiences With an Orthopaedic Patient Navigator A Qualitative Study. <i>Orthopaedic Nursing</i> 2021;40:292-8. <a href="https://doi.org/10.1097/nor.0000000000000789">https://doi.org/10.1097/nor.0000000000000789</a>
36	van Kasteren Y, Freyne J, Hussain MS. Total Knee Replacement and the Effect of Technology on Cocreation for Improved Outcomes and Delivery: Qualitative Multi-Stakeholder Study. <i>Journal of Medical Internet Research</i> 2018;20:35-. <a href="https://doi.org/10.2196/jmir.7541">https://doi.org/10.2196/jmir.7541</a>
37	van Zelm R, Coeckelberghs E, Sermeus W, Wolthuis A, Bruyneel L, Panella M, et al. A mixed methods multiple case study to evaluate the implementation of a care pathway for colorectal cancer surgery using extended normalization process theory. <i>BMC Health Services Research</i> 2021;21:11-. <a href="https://doi.org/10.1186/s12913-020-06011-w">https://doi.org/10.1186/s12913-020-06011-w</a>
38	Webster F, Bremner S, Katz J, Watt-Watson J, Kennedy D, Sawhney M, et al. Patients' perceptions of joint replacement care in a changing healthcare system: a qualitative study. <i>Healthcare Policy = Politiques de sante</i> 2014;9:55-66.
	<b>Commentary article (n=4) (PRISMA flow diagram code: COM)</b>
39	Enhanced recovery nurse facilitator. In: Mark Allen Holdings Limited; 2014: 50-. <a href="https://doi.org/10.12968/gasn.2014.12.4.50">https://doi.org/10.12968/gasn.2014.12.4.50</a>
40	Anonymous. An exploration of the contribution of the community nurse to rehabilitation. <i>Nurs Older People</i> 2003;15:8. <a href="https://doi.org/10.7748/nop.15.7.8.s8">https://doi.org/10.7748/nop.15.7.8.s8</a>
41	Anonymous. Discharge decisions. <i>Nurs Manag (Harrow)</i> 2005;12:4. <a href="https://doi.org/10.7748/nm.12.7.4.s2">https://doi.org/10.7748/nm.12.7.4.s2</a>
42	Brown D, Xhaja A. Nursing Perspectives on Enhanced Recovery After Surgery. <i>Surgical Clinics of North America</i> 2018;98:1211-+. <a href="https://doi.org/10.1016/j.suc.2018.07.008">https://doi.org/10.1016/j.suc.2018.07.008</a>

	<b>Conference abstracts/proceedings (n=2) (PRISMA flow diagram code: CONF)</b>
43	Embuldeniya G, Kirst M, Walker K, Wodchis W. The Generation of Integration: The mechanisms and challenges of implementing healthcare integration across Ontario, Canada. <i>International Journal of Integrated Care (IJIC)</i> 2017;17:1-2. <a href="https://doi.org/10.5334/ijic.3500">https://doi.org/10.5334/ijic.3500</a>
44	Sendall C, Wright P, Downes R. CARE HOME LIAISON ROLE-BRIDGING THE GAP BETWEEN ACUTE HOSPITALS AND CARE HOMES...British Geriatrics Society Autumn Meeting, November 6-8, 2019, Leicester, England. <i>Age &amp; Ageing</i> 2020;49:i11-i. <a href="https://doi.org/10.1093/ageing/afz185.02">https://doi.org/10.1093/ageing/afz185.02</a>
	<b>Date of publication (n=1) (PRISMA flow diagram code: DATE)</b>
45	Shepherd A. Home from hospital: the experiences of older people and carers of discharge to community care. <i>Research, Policy and Planning</i> 1998;14:4-12.
	<b>Duplicate (n=3) (PRISMA flow diagram code: DUP)</b>
46	Aasa A, Hovbäck M, Berterö CM. The importance of preoperative information for patient participation in colorectal surgery care. <i>Journal of Clinical Nursing (John Wiley &amp; Sons, Inc)</i> 2013;22:1604-12. <a href="https://doi.org/10.1111/jocn.12110">https://doi.org/10.1111/jocn.12110</a>
47	Berg U, Berg M, Rolfson O, Erichsen-Andersson A. Fast-track program of elective joint replacement in hip and knee-patients' experiences of the clinical pathway and care process. <i>Journal of Orthopaedic Surgery</i> 2019;14:186.
48	J. Everink IH, van Haastregt JCM, C. Maessen JM, A. Schols JMG, M. Kempen GIJ, Everink IHJ, et al. Process evaluation of an integrated care pathway in geriatric rehabilitation for people with complex health problems. <i>BMC Health Services Research</i> 2017;17:1-12. <a href="https://doi.org/10.1186/s12913-016-1974-5">https://doi.org/10.1186/s12913-016-1974-5</a>
	<b>Not all procedures elective (n=79) (PRISMA flow diagram code: ELEC)</b>
49	Aberg AC, Ehrenberg A. Inpatient geriatric care in Sweden-Important factors from an interdisciplinary team perspective. <i>Archives of Gerontology &amp; Geriatrics</i> 2017;72:113-20.
50	Alami S, Desjeux D, Lefevre-Colau MM, Boisgard AS, Boccard E, Rannou F, et al. Management of pain induced by exercise and mobilization during physical therapy programs: views of patients and care providers. <i>BMC Musculoskeletal Disorders</i> 2011;12:172.
51	Alawadi ZM, Leal I, Phatak UR, Flores-Gonzalez JR, Holihan JL, Karanjawala BE, et al. Facilitators and barriers of implementing enhanced recovery in colorectal surgery at a safety net hospital: A provider and patient perspective. <i>Surgery</i> 2016;159:700-12.
52	Algamdi SJ. <html><head><meta name='ValidationSchema' content='http://www.w3.org/2002/08/xhtml/xhtml1-strict.xsd'/><title></title></head><body>Older patients' satisfaction with home health care services in Al-Baha Region, Saudi Arabia</body></html> [Ph.D.]. Ann Arbor: University of Salford (United Kingdom); 2016.
53	Allen J, Hutchinson AM, Brown R, Livingston PM. Communication and Coordination Processes Supporting Integrated Transitional Care: Australian Healthcare Practitioners' Perspectives. <i>International Journal of Integrated Care (IJIC)</i> 2020;20:1-10. <a href="https://doi.org/10.5334/ijic.4685">https://doi.org/10.5334/ijic.4685</a>
54	Aminzadeh F, Amos S, Byszewski A, Dalziel WB. Assessment. Comprehensive geriatric assessment: exploring clients' and caregivers' perceptions of the assessment process and outcomes. <i>Journal of Gerontological Nursing</i> 2002;28:6-13.

55	Andersson L, Burman M, Skar L. Experiences of carettime during hospitalization in a medical ward: older patients' perspective. <i>Scandinavian Journal of Caring Sciences</i> 2011;25:646-52.
56	Atwal A, McIntyre A, Craik C, Hunt J. Occupational therapists' perceptions of pre-discharge home assessments with older adults in acute care. <i>British Journal of Occupational Therapy</i> 2008;71:52-8. <a href="https://doi.org/10.1177/030802260807100203">https://doi.org/10.1177/030802260807100203</a>
57	Benten J, Spalding NJ. Intermediate care: what are service users' experiences of rehabilitation? <i>Quality in Ageing</i> 2008;9:4-14. <a href="https://doi.org/10.1108/14717794200800015">https://doi.org/10.1108/14717794200800015</a>
58	Birchwood LA. Rehabilitation of older people in the lodge rehabilitation unit: a case study [Ph.D.]. Ann Arbor: University of Portsmouth (United Kingdom); 2015.
59	Bjorkman Randstrom K, Asplund K, Svedlund M, Paulson M. Activity and participation in home rehabilitation: Older people's and family members' perspectives. <i>J Rehabil Med</i> 2013;45:211-6.
60	Blair A, Bateman C, Anderson K. "They take a lot of pressure off us": Volunteers reducing staff and family care burden and contributing to quality of care for older patients with cognitive impairment in rural hospitals. <i>Australasian Journal on Ageing</i> 2019;38:34-45. <a href="https://doi.org/10.1111/ajag.12612">https://doi.org/10.1111/ajag.12612</a>
61	Busetto L, Kiselev J, Ger Luijckx K, Steinhagen-Thiessen E, Maria Vrijhoef HJ, Luijckx KG, et al. Implementation of integrated geriatric care at a German hospital: a case study to understand when and why beneficial outcomes can be achieved. <i>BMC Health Services Research</i> 2017;17:1-14. <a href="https://doi.org/10.1186/s12913-017-2105-7">https://doi.org/10.1186/s12913-017-2105-7</a>
62	Byrne K. Spousal caregivers' experiences during their husbands'/wives' transition from a geriatric rehabilitation unit to home: University of Western Ontario (Canada); 2008.
63	Byrnes A, Young A, Mudge A, Banks M, Bauer J. EXploring practice gaps to improve PERIperative Nutrition CarE (EXPERIENCE Study): a qualitative analysis of barriers to implementation of evidence-based practice guidelines. <i>European Journal of Clinical Nutrition</i> 2019;73:94-101. <a href="https://doi.org/10.1038/s41430-018-0276-x">https://doi.org/10.1038/s41430-018-0276-x</a>
64	Charalambous L, Goldberg S. 'Gaps, mishaps and overlaps'. Nursing documentation: How does it affect care? <i>Journal of Research in Nursing</i> 2016;21:638-48. <a href="https://doi.org/10.1177/1744987116678900">https://doi.org/10.1177/1744987116678900</a>
65	Coffey A, McCarthy GM. Older people's perception of their readiness for discharge and postdischarge use of community support and services. <i>International Journal of Older People Nursing</i> 2013;8:104-15.
66	Cunliffe AL, Gladman JR, Husbands SL, Miller P, Dewey ME, Harwood RH. Sooner and healthier: a randomised controlled trial and interview study of an early discharge rehabilitation service for older people. <i>Age and Ageing</i> 2004;33:246-52.
67	de Vos A, Cramm JM, van Wijngaarden JDH, Bakker T, Mackenbach JP, Nieboer AP. Understanding implementation of comprehensive geriatric care programs: a multiple perspective approach is preferred. <i>International Journal of Health Planning &amp; Management</i> 2017;32:608-36.
68	Durocher E, Gibson BE, Rappolt S. Mediators of marginalisation in discharge planning with older adults. <i>Ageing &amp; Society</i> 2017;37:1747-69. <a href="https://doi.org/10.1017/S0144686X16000593">https://doi.org/10.1017/S0144686X16000593</a>
69	Durocher EM-CL. Discharge Planning with Older Adults: The Influence of Social and Political Systems and Contexts [Ph.D.]. Ann Arbor: University of Toronto (Canada); 2014.



70	Everink IH, van Haastregt JC, Maessen JM, Schols JM, Kempen GI. Process evaluation of an integrated care pathway in geriatric rehabilitation for people with complex health problems. <i>BMC Health Services Research</i> 2017;17:34.
71	Fabbre VD, Buffington AS, Altfeld SJ, Shier GE, Golden RL. Social work and transitions of care: observations from an intervention for older adults. <i>Journal of Gerontological Social Work</i> 2011;54:615-26. <a href="https://doi.org/10.1080/01634372.2011.589100">https://doi.org/10.1080/01634372.2011.589100</a>
72	Facchinetti G, Albanesi B, Piredda M, Marchetti A, Ausili D, Ianni A, et al. "The light at the end of the tunnel". Discharge experience of older patients with chronic diseases: A multi-centre qualitative study. <i>Journal of Advanced Nursing</i> 2021;77:2417-28.
73	Feinberg JL, Russell D, Mola A, Trachtenberg M, Bick I, Lipman TH, et al. A Mixed Methods Evaluation of the Feasibility and Acceptability of an Adapted Cardiac Rehabilitation Program for Home Care Patients. <i>Geriatric Nursing</i> 2018;39:191-8.
74	Friesen KJ. Interdisciplinary team perceptions [M.A.]. Ann Arbor: Royal Roads University (Canada); 2005.
75	Gabrielsson-Järhult F, Nilsen P. On the threshold: older people's concerns about needs after discharge from hospital. <i>Scandinavian Journal of Caring Sciences</i> 2016;30:135-44. <a href="https://doi.org/10.1111/scs.12231">https://doi.org/10.1111/scs.12231</a>
76	Gair G, Hartery T. Medical dominance in multidisciplinary teamwork: a case study of discharge decision-making in a geriatric assessment unit. <i>Journal of Nursing Management (Wiley-Blackwell)</i> 2001;9:3-11. <a href="https://doi.org/10.1046/j.1365-2834.2001.00200.x">https://doi.org/10.1046/j.1365-2834.2001.00200.x</a>
77	Gallant N. <html><head><meta name='ValidationSchema' content='http://www.w3.org/2002/08/xhtml/xhtml1-strict.xsd'/><title></title></head><body>An Occupational View of Improving Mealtimes for People with Dementia in Acute Hospitals : a Mixed Methods Study</body></html> [Ph.D.]. Ann Arbor: University of Southampton (United Kingdom); 2019.
78	Gardner M, Shepperd S, Godfrey M, Makela P, Tsiachristas A, Singh-Mehta A, et al. NIHR Journals Library Health Services and Delivery Research 2019;3:3.
79	Grimmer K, Falco J, Moss J. Becoming a carer for an elderly person after discharge from an acute hospital admission. <i>Internet Journal of Allied Health Sciences &amp; Practice</i> 2004;2:13p-p.
80	Halm MA. Age and gender influences on the needs, concerns and strategies of CABG caregivers. <i>Heart and Lung: Journal of Acute and Critical Care</i> 2017;46:159-65. <a href="https://doi.org/10.1016/j.hrtlng.2017.01.012">https://doi.org/10.1016/j.hrtlng.2017.01.012</a>
81	Hart E, Lymbery M, Gladman JRF. Away from home: an ethnographic study of a transitional rehabilitation scheme for older people in the UK. <i>Social Science &amp; Medicine</i> 2005;60:1241-50. <a href="https://doi.org/10.1016/j.socscimed.2004.07.007">https://doi.org/10.1016/j.socscimed.2004.07.007</a>
82	Henry-Nweye RA. Older people and their carers' perspectives of causes and risk factors to hospital readmissions [Ph.D.]. Ann Arbor: The University of Liverpool (United Kingdom); 2011.
83	Holroyd-Leduc J, Harris C, Hamid JS, Ewusie JE, Quirk J, Osioy K, et al. Scaling-up implementation in community hospitals: a multisite interrupted time series design of the Mobilization of Vulnerable Elders (MOVE) program in Alberta. <i>BMC Geriatrics</i> 2019;19:288.
84	Huby G. Capturing the concealed: interprofessional practice and older patients' participation in decision-making about discharge after acute hospitalization. <i>Journal of</i>

	Interprofessional Care 2007;21:55-67.
85	Huson K, Stolee P, Pearce N, Bradfield C, Heckman GA. Examining the Hospital Elder Life Program in a rehabilitation setting: a pilot feasibility study. BMC Geriatrics 2016;17:1-12. <a href="https://doi.org/10.1186/s12877-016-0313-3">https://doi.org/10.1186/s12877-016-0313-3</a>
86	Ivanoff SD, Duner A, Eklund K, Wilhelmson K, Liden E, Holmgren E. Comprehensive geriatric assessment of frail older people: ideals and reality. Journal of Interprofessional Care 2018;32:728-34.
87	Johnson AM. Mobility Boost: A Quality Improvement Project to Bridge a Gap in Care for Hospitalized Adults [Ph.D.]. Ann Arbor: University of Kentucky; 2017.
88	Klein J, Hopper T. Restructuring a Rehabilitation Program for Older Adults: Effects on Patient Outcomes and Staff Perspectives. Canadian Journal on Aging 2013;32:185-94. <a href="https://doi.org/10.1017/S0714980812000402">https://doi.org/10.1017/S0714980812000402</a>
89	Lauck SB, Baumbusch J, Achtem L, Forman JM, Carroll SL, Cheung A, et al. Factors influencing the decision of older adults to be assessed for transcatheter aortic valve implantation: An exploratory study. European Journal of Cardiovascular Nursing 2016;15:486-94. <a href="https://doi.org/10.1177/1474515115612927">https://doi.org/10.1177/1474515115612927</a>
90	Laugaland K, Aase K, Waring J. Hospital discharge of the elderly--an observational case study of functions, variability and performance-shaping factors. BMC Health Services Research 2014;14:365.
91	Lawler K, Taylor NF, Shields N. Involving family members in physiotherapy for older people transitioning from hospital to the community: a qualitative analysis. Disability & Rehabilitation 2015;37:2061-9. <a href="https://doi.org/10.3109/09638288.2014.996673">https://doi.org/10.3109/09638288.2014.996673</a>
92	Lawler K, Taylor NF, Shields N. Family-assisted therapy empowered families of older people transitioning from hospital to the community: a qualitative study. Journal of Physiotherapy (Elsevier) 2019;65:166-71. <a href="https://doi.org/10.1016/j.jphys.2019.05.009">https://doi.org/10.1016/j.jphys.2019.05.009</a>
93	Lawrence E, Casler J-J, Jones J, Leonard C, Ladebue A, Ayele R, et al. Variability in skilled nursing facility screening and admission processes: Implications for value-based purchasing. Health Care Management Review 2020;45:353-63. <a href="https://doi.org/10.1097/HMR.0000000000000225">https://doi.org/10.1097/HMR.0000000000000225</a>
94	Lee-Steere K, Liddle J, Mudge A, Bennett S, McRae P, Barrimore SE. "You've got to keep moving, keep going": Understanding older patients' experiences and perceptions of delirium and nonpharmacological delirium prevention strategies in the acute hospital setting. Journal of Clinical Nursing 2020;29:2363-77.
95	Lilleheie I, Debesay J, Bye A, Bergland A. Informal caregivers' views on the quality of healthcare services provided to older patients aged 80 or more in the hospital and 30 days after discharge. BMC Geriatrics 2020;20:1-13. <a href="https://doi.org/10.1186/s12877-020-1488-1">https://doi.org/10.1186/s12877-020-1488-1</a>
96	Maier AB, Wachtler C, Hofmann W. Combined medical-psychiatric inpatient units: evaluation of the Centre for the Elderly. Zeitschrift fur Gerontologie und Geriatrie 2007;40:268-74.
97	Martinsen B, Harder I, Norlyk A. Being back home after intermediate care: the experience of older people. British Journal of Community Nursing 2015;20:422-8. <a href="https://doi.org/10.12968/bjcn.2015.20.9.422">https://doi.org/10.12968/bjcn.2015.20.9.422</a>
98	Nilsson I, Nygaard L. Geriatric Rehabilitation: Elderly Clients' Experiences of a Pre-discharge Occupational Therapy Group Programme. Scandinavian Journal of Occupational Therapy

	2003;10:107-17.
99	Nygaard L, Grahn U, Rudenhammar A, Hydling S. Reflecting on practice: are home visits prior to discharge worthwhile in geriatric inpatient care? <i>Scandinavian Journal of Caring Sciences</i> 2004;18:193-203. <a href="https://doi.org/10.1111/j.1471-6712.2004.00270.x">https://doi.org/10.1111/j.1471-6712.2004.00270.x</a>
100	O'Hana N. <html><head><meta name='ValidationSchema' content='http://www.w3.org/2002/08/xhtml/xhtml1-strict.xsd'/><title></title></head><body>The experience of hospital discharge planning for informal caregivers of older people with dementia : an interpretative phenomenological analysis</body></html> [D.Couns.Psy.]. Ann Arbor: London Metropolitan University (United Kingdom); 2019.
101	Page M, Jackman K, Snowden P. The experiences of patients undergoing percutaneous transluminal coronary angioplasty: a qualitative exploration. <i>CONNECT: The World of Critical Care Nursing</i> 2008;6:79-87. <a href="https://doi.org/10.1891/1748-6254.6.4.79">https://doi.org/10.1891/1748-6254.6.4.79</a>
102	Perry MAC, Hudson S, Ardis K. 'If I didn't have anybody, what would I have done?': Experiences of older adults and their discharge home after lower limb orthopaedic surgery. <i>Journal of Rehabilitation Medicine (Stiftelsen Rehabiliteringsinformation)</i> 2011;43:916-22.
103	Randstrom KB, Asplund K, Svedlund M. Impact of environmental factors in home rehabilitation--a qualitative study from the perspective of older persons using the International Classification of Functioning, Disability and Health to describe facilitators and barriers. <i>Disability &amp; Rehabilitation</i> 2012;34:779-87.
104	Randstrom KB, Asplund K, Svedlund M, Paulson M. ACTIVITY AND PARTICIPATION IN HOME REHABILITATION: OLDER PEOPLE'S AND FAMILY MEMBERS' PERSPECTIVES. <i>Journal of Rehabilitation Medicine</i> 2013;45:211-6. <a href="https://doi.org/10.2340/16501977-1085">https://doi.org/10.2340/16501977-1085</a>
105	Randstrom KB, Wengler Y, Asplund K, Svedlund M. Working with 'hands-off' support: a qualitative study of multidisciplinary teams' experiences of home rehabilitation for older people. <i>International Journal of Older People Nursing</i> 2014;9:25-33.
106	Rickards NA, Clarke CL. The involvement of older people in their rehabilitation: Generating a substantive grounded theory. <i>Int J Ther Rehabil</i> 2015;22:361-9.
107	Rolley J, Smith J, DiGiacomo M, Salamonson Y, Davidson P. The caregiving role following percutaneous coronary intervention. <i>Journal of Clinical Nursing</i> 2011;20:227-35. <a href="https://doi.org/10.1111/j.1365-2702.2009.03104.x">https://doi.org/10.1111/j.1365-2702.2009.03104.x</a>
108	Salehi V, Hanson N, Smith D, McCloskey R, Jarrett P, Veitch B. Modeling and analyzing hospital to home transition processes of frail older adults using the functional resonance analysis method (FRAM). <i>Applied Ergonomics</i> 2021;93:N.PAG-N.PAG. <a href="https://doi.org/10.1016/j.apergo.2021.103392">https://doi.org/10.1016/j.apergo.2021.103392</a>
109	Saragosa M, Jeffs L, Hahn-Goldberg S, Abrams H, Soong C, Hart M, et al. 'There was no preamble': Comparing the Transition from Hospital to Home in Different Care Settings. <i>Canadian Journal on Aging</i> 2021;40:282-92. <a href="https://doi.org/10.1017/S0714980820000380">https://doi.org/10.1017/S0714980820000380</a>
110	Schjodt K, Erlang AS, Starup-Linde J, Jensen AL. Older hospitalised patients' experience of involvement in discharge planning. <i>Scandinavian Journal of Caring Sciences</i> 2021;11:11.
111	Sefcik JS, Ritter AZ, Flores EJ, Nock RH, Chase J-AD, Bradway C, et al. Why older adults may decline offers of post-acute care services: A qualitative descriptive study. <i>Geriatric Nursing</i> 2017;38:238-43. <a href="https://doi.org/10.1016/j.gerinurse.2016.11.003">https://doi.org/10.1016/j.gerinurse.2016.11.003</a>
112	Simon SE. When effectiveness falls short: evaluation of a nursing-based trial to reduce delirium persistence among post-acute patients in skilled nursing facilities: Brandeis

	University, The Heller School for Social Policy and Management; 2005.
113	Slatyer S, Aoun SM, Hill KD, Walsh D, Whitty D, Toye C. Caregivers' experiences of a home support program after the hospital discharge of an older family member: a qualitative analysis. <i>BMC Health Services Research</i> 2019;19:N.PAG-N.PAG. <a href="https://doi.org/10.1186/s12913-019-4042-0">https://doi.org/10.1186/s12913-019-4042-0</a>
114	Stec SM. Transition from geriatric assessment and rehabilitation units to home [M.N.]. Ann Arbor: University of Manitoba (Canada); 2001.
115	Steihaug S, Lippestad JW, Werner A. Between ideals and reality in home-based rehabilitation. <i>Scandinavian Journal of Primary Health Care</i> 2016;34:46-54.
116	Steunenberg B, van der Mast R, Strijbos MJ. How trained volunteers can improve the quality of hospital care for older patients. A qualitative evaluation within the Hospital Elder Life Program (HELP). <i>Geriatric Nursing</i> 2016;37:458-63. <a href="https://doi.org/10.1016/j.gerinurse.2016.06.014">https://doi.org/10.1016/j.gerinurse.2016.06.014</a>
117	Swinkels A, Mitchell T. Delayed transfer from hospital to community settings: the older person's perspective. <i>Health &amp; Social Care in the Community</i> 2009;17:45-53. <a href="https://doi.org/10.1111/j.1365-2524.2008.00796.x">https://doi.org/10.1111/j.1365-2524.2008.00796.x</a>
118	Trappes-Lomax T. The user voice : older people's experiences of reablement and rehabilitation. <i>Journal of Integrated Care</i> 2012; <a href="http://dx.doi.org/10.1108/14769011211237528">http://dx.doi.org/10.1108/14769011211237528</a> . <a href="https://doi.org/http://dx.doi.org/10.1108/14769011211237528">https://doi.org/http://dx.doi.org/10.1108/14769011211237528</a>
119	Verweij L, Spoon DF, Terbraak MS, Jepma P, Peters RJG, Scholte Op Reimer WJM, et al. The Cardiac Care Bridge randomized trial in high-risk older cardiac patients: A mixed-methods process evaluation. <i>Journal of Advanced Nursing</i> 2021;77:2498-510.
120	Verwijs MH, Puijk-Hekman S, van der Heijden E, Vasse E, de Groot L, de van der Schueren MAE. Interdisciplinary communication and collaboration as key to improved nutritional care of malnourished older adults across health-care settings - A qualitative study. <i>Health Expectations</i> 2020;23:1096-107.
121	Vik K, Nygard L, Lilja M. Encountering staff in the home: three older adults' experience during six months of home-based rehabilitation. <i>Disability &amp; Rehabilitation</i> 2009;31:619-29.
122	Wells DL, LeClerc CM, Craig D, Martin DK, Marshall VW. Evaluation of an integrated model of discharge planning: achieving quality discharges in an efficient and ethical way. <i>Canadian Journal of Nursing Research</i> 2002;34:103-22.
123	Werner NE, Tong M, Borkenhagen A, Holden RJ. Performance-Shaping Factors Affecting Older Adults' Hospital-to-Home Transition Success: A Systems Approach. <i>Gerontologist</i> 2019;59:303-14. <a href="https://doi.org/10.1093/geront/gnx199">https://doi.org/10.1093/geront/gnx199</a>
124	Westgard T, Wilhelmson K, Dahlin-Ivanoff S, Ottenvall Hammar I. Feeling Respected as a Person: a Qualitative Analysis of Frail Older People's Experiences on an Acute Geriatric Ward Practicing a Comprehensive Geriatric Assessment. <i>Geriatrics</i> 2019;4:25.
125	Williams S, Nolan M, Keady J. Relational practice as the key to ensuring quality care for frail older people: discharge planning as a case example. <i>Quality in Ageing</i> 2009;10:44-55. <a href="https://doi.org/10.1108/14717794200900024">https://doi.org/10.1108/14717794200900024</a>
126	Wong C, Hogan DB. Care Transitions: Using Narratives to Assess Continuity of Care Provided to Older Patients after Hospital Discharge. <i>Canadian Geriatrics Journal</i> 2016;19:97-102. <a href="https://doi.org/10.5770/cgj.19.229">https://doi.org/10.5770/cgj.19.229</a>

127	Zakrajsek AG, Schuster E, Guenther D, Lorenz K. Exploring Older Adult Care Transitions From Hospital to Home: A Participatory Action Research Project. <i>Physical &amp; Occupational Therapy in Geriatrics</i> 2013;31:328-44. <a href="https://doi.org/10.3109/02703181.2013.825362">https://doi.org/10.3109/02703181.2013.825362</a>
	<b>Exp (n=17) (PRISMA flow diagram code: EXP)</b>
128	Designing a Care Pathway Model - A Case Study of the Outpatient Total Hip Arthroplasty Care Pathway [2017] 17 Ubiquity Press. <a href="https://doi.org/10.5334/ijic.2429">https://doi.org/10.5334/ijic.2429</a>
129	Ament SM, Gillissen F, Moser A, Maessen JM, Dirksen CD, von Meyenfeldt MF, et al. Identification of promising strategies to sustain improvements in hospital practice: a qualitative case study. <i>BMC Health Services Research</i> 2014;14:641.
130	Ayele R, Manges KA, Leonard C, Lee M, Galenbeck E, Molla M, et al. How Context Influences Hospital Readmissions from Skilled Nursing Facilities: A Rapid Ethnographic Study. <i>Journal of the American Medical Directors Association</i> 2021;22:1248-. <a href="https://doi.org/10.1016/j.jamda.2020.08.001">https://doi.org/10.1016/j.jamda.2020.08.001</a>
131	Bøttcher Berthelsen C, Lindhardt T, Frederiksen K. Inhibiting Interference - a grounded theory of health professionals' pattern of behaviour related to the relatives of older patients in fast-track treatment programmes. <i>Scandinavian Journal of Caring Sciences</i> 2014;28:609-17. <a href="https://doi.org/10.1111/scs.12126">https://doi.org/10.1111/scs.12126</a>
132	Conn LG, McKenzie M, Pearsall EA, McLeod RS, Gotlib Conn L. Successful implementation of an enhanced recovery after surgery programme for elective colorectal surgery: a process evaluation of champions' experiences. <i>Implementation Science</i> 2015;10:1-11. <a href="https://doi.org/10.1186/s13012-015-0289-y">https://doi.org/10.1186/s13012-015-0289-y</a>
133	Durocher E, Gibson BE, Rappolt S. Rehabilitation as “destination triage”: a critical examination of discharge planning. <i>Disability &amp; Rehabilitation</i> 2017;39:1271-8. <a href="https://doi.org/10.1080/09638288.2016.1193232">https://doi.org/10.1080/09638288.2016.1193232</a>
134	Fancott C, Jaglal S, Quan V, Berg K, Cott CA, Davis A, et al. Rehabilitation services following total joint replacement: a qualitative analysis of key processes and structures to decrease length of stay and increase surgical volumes in Ontario, Canada. <i>Journal of Evaluation in Clinical Practice</i> 2010;16:724-30.
135	Gotlib Conn L, McKenzie M, Pearsall EA, McLeod RS. Successful implementation of an enhanced recovery after surgery programme for elective colorectal surgery: a process evaluation of champions' experiences. <i>Implementation Science</i> 2015;10:99-. <a href="https://doi.org/10.1186/s13012-015-0289-y">https://doi.org/10.1186/s13012-015-0289-y</a>
136	Husted H, Hansen HC, Holm G, Bach-Dal C, Rud K, Andersen KL, et al. What determines length of stay after total hip and knee arthroplasty? A nationwide study in Denmark. <i>Archives of Orthopaedic &amp; Trauma Surgery</i> 2010;130:263-8.
137	Moore JE, Mascarenhas A, Marquez C, Almaawiy U, Chan WH, D'Souza J, et al. Mapping barriers and intervention activities to behaviour change theory for Mobilization of Vulnerable Elders in Ontario (MOVE ON), a multi-site implementation intervention in acute care hospitals. <i>Implementation Science</i> 2014;9:160.
138	Nilsen ER, Soderhamn U, Dale B. Facilitating holistic continuity of care for older patients: Home care nurses' experiences using checklists. <i>Journal of Clinical Nursing</i> 2019;28:3478-91.
139	Oosterholt RI, Simonse LW, Boess SU, Vehmeijer SB. Designing a Care Pathway Model - A Case Study of the Outpatient Total Hip Arthroplasty Care Pathway. <i>International Journal of Integrated Care [Electronic Resource]</i> 2017;17:2.

140	Rattray M, Roberts S, Desbrow B, Wullschleger M, Robertson T, Hickman I, et al. A qualitative exploration of factors influencing medical staffs' decision-making around nutrition prescription after colorectal surgery. <i>BMC Health Services Research</i> 2019;19:178.
141	Reed J, Pearson P, Douglas B, Swinburne S, Wilding H. Going home from hospital -- an appreciative inquiry study. <i>Health &amp; Social Care in the Community</i> 2002;10:36-45. <a href="https://doi.org/10.1046/j.0966-0410.2001.00341.x">https://doi.org/10.1046/j.0966-0410.2001.00341.x</a>
142	Ross F, O'Tuathail C, Stubberfield D. Towards multidisciplinary assessment of older people: exploring the change process. <i>Journal of Clinical Nursing (Wiley-Blackwell)</i> 2005;14:518-29. <a href="https://doi.org/10.1111/j.1365-2702.2004.01085.x">https://doi.org/10.1111/j.1365-2702.2004.01085.x</a>
143	Sperber NR, Bruening RA, Choate A, Mahanna E, Wang V, Powell BJ, et al. Implementing a Mandated Program Across a Regional Health Care System: A Rapid Qualitative Assessment to Evaluate Early Implementation Strategies. <i>Quality Management in Health Care</i> 2019;28:147-54. <a href="https://doi.org/10.1097/QMH.0000000000000221">https://doi.org/10.1097/QMH.0000000000000221</a>
144	Wykes K, Taylor K, Wilkinson SA. An investigation into the perioperative nutritional management of open colorectal surgery patients in major Australian hospitals: a comparison with the ERAS guidelines. <i>Nutrition &amp; Dietetics</i> 2013;70:175-80. <a href="https://doi.org/10.1111/1747-0080.12021">https://doi.org/10.1111/1747-0080.12021</a>
<b>Full text not retrieved (n=8) (PRISMA flow diagram code: FULL)</b>	
145	Implementation of integrated care at a German geriatric hospital: a case study [2016] 16 Ubiquity Press. <a href="https://doi.org/10.5334/ijic.3018">https://doi.org/10.5334/ijic.3018</a>
146	Corvol A, Somme D. How to Implement Transitional Care in France: first lesson. <i>International Journal of Integrated Care (IJIC)</i> 2017;17:1-2. <a href="https://doi.org/10.5334/ijic.3854">https://doi.org/10.5334/ijic.3854</a>
147	Dagsvik G, Abildsnes E, Thygesen E. Norwegian municipal rehabilitation services in transition. <i>International Journal of Integrated Care (IJIC)</i> 2018;18:1-2. <a href="https://doi.org/10.5334/ijic.s2291">https://doi.org/10.5334/ijic.s2291</a>
148	Decker E, Williams S, Leong M, Hare S, Grimes C. Use of patient focus groups to improve patient information in enhanced recovery in colorectal surgery. <i>International Journal of Surgery</i> 2018;55:S46-S. <a href="https://doi.org/10.1016/j.ijsu.2018.05.201">https://doi.org/10.1016/j.ijsu.2018.05.201</a>
149	Farrell M, Scarth F, Custers T, Orchard M, Soo S, Whitham L, et al. Impact of Bundled Care in Ontario. <i>International Journal of Integrated Care (IJIC)</i> 2018;18:1-2. <a href="https://doi.org/10.5334/ijic.s2089">https://doi.org/10.5334/ijic.s2089</a>
150	Matheson H. Nurses' perceptions of risk associated with the discharge of elderly people from acute hospital care: a personal construct theory: Homerton College School of Health Studies; 2002.
151	Owens C. Inspection of hospital discharge (care management) arrangements in Gloucestershire: March 1997. 1997.
152	Sturm H, Wildermuth R, Stolz R, Bertram L, Joos S. Differences in awareness between physicians and nurses for postoperative delirium and persistent cognitive dysfunction in geriatric patients. <i>International Journal of Integrated Care (IJIC)</i> 2019;19:1-2. <a href="https://doi.org/10.5334/ijic.s3455">https://doi.org/10.5334/ijic.s3455</a>
<b>Intervention not multicomponent (n=67) (PRISMA flow diagram code: INT)</b>	
153	'If I didn't have anybody, what would I have done?': Experiences of older adults and their discharge home after lower limb orthopaedic surgery. <i>J Rehabil Med</i> 2011;43:916-22.

154	Aasa A, Hovback M, Bertero CM. The importance of preoperative information for patient participation in colorectal surgery care. <i>Journal of Clinical Nursing</i> 2013;22:1604-12.
155	Ahsberg E. Discharge from hospital - a national survey of transition to out-patient care. <i>Scandinavian Journal of Caring Sciences</i> 2019;33:329-35.
156	Allen J, Ottmann G, Brown R, Rasmussen B. Communication pathways in community aged care: an Australian study. <i>International Journal of Older People Nursing</i> 2013;8:226-35.
157	Backman C, Stacey D, Crick M, Cho-Young D, Marck PB. Use of participatory visual narrative methods to explore older adults' experiences of managing multiple chronic conditions during care transitions. <i>BMC Health Services Research</i> 2018;18:N.PAG-N.PAG. <a href="https://doi.org/10.1186/s12913-018-3292-6">https://doi.org/10.1186/s12913-018-3292-6</a>
158	Bauer M, Fitzgerald L, Koch S, King S. How family carers view hospital discharge planning for the older person with a dementia. <i>Dementia (14713012)</i> 2011;10:317-23. <a href="https://doi.org/10.1177/1471301211407790">https://doi.org/10.1177/1471301211407790</a>
159	Baxter R, Shannon R, Murray J, O'Hara JK, Sheard L, Cracknell A, et al. Delivering exceptionally safe transitions of care to older people: a qualitative study of multidisciplinary staff perspectives. <i>BMC Health Services Research</i> 2020;20:1-16. <a href="https://doi.org/10.1186/s12913-020-05641-4">https://doi.org/10.1186/s12913-020-05641-4</a>
160	Bull MJ, Roberts J. Components of a proper hospital discharge for elders. <i>Journal of Advanced Nursing</i> 2001;35:571-81.
161	Bunzli S, O'Brien P, Klem N, Incoll I, Singh J, Davaris M, et al. Misconceived expectations: Patient reflections on the total knee replacement journey. <i>Musculoskeletal Care</i> 2020;18:415-24. <a href="https://doi.org/10.1002/msc.1475">https://doi.org/10.1002/msc.1475</a>
162	Byrne K, Orange JB, Ward-Griffin C. Care Transition Experiences of Spousal Caregivers: From a Geriatric Rehabilitation Unit to Home. <i>Qualitative Health Research</i> 2011;21:1371-87. <a href="https://doi.org/10.1177/1049732311407078">https://doi.org/10.1177/1049732311407078</a>
163	Byrnes TP. Impact of Delirium Education on a Post-Surgical Unit [D.N.P.]. Ann Arbor: The University of North Carolina at Charlotte; 2019.
164	Chapin RK, Chandran D, Sergeant JF, Koenig TL. Hospital to Community Transitions for Adults: Discharge Planners and Community Service Providers' Perspectives. <i>Social Work in Health Care</i> 2014;53:311-29. <a href="https://doi.org/10.1080/00981389.2014.884037">https://doi.org/10.1080/00981389.2014.884037</a>
165	Cleary K, LaPier T, Rippee A. Perceptions of exercise and quality of life in older patients in the United States during the first year following coronary artery bypass surgery. <i>Physiotherapy Theory &amp; Practice</i> 2015;31:337-46.
166	Cooper C, Burden ST, Molassiotis A. An explorative study of the views and experiences of food and weight loss in patients with operable pancreatic cancer perioperatively and following surgical intervention. <i>Supportive Care in Cancer</i> 2015;23:1025-33. <a href="https://doi.org/10.1007/s00520-014-2455-1">https://doi.org/10.1007/s00520-014-2455-1</a>
167	Corser WD. The perceptions of older veterans concerning their postdischarge outcome experiences. <i>Applied Nursing Research</i> 2006;19:63-9.
168	Crennan M, MacRae A. Occupational therapy discharge assessment of elderly patients from acute care hospitals. <i>Physical and Occupational Therapy in Geriatrics</i> 2010;28:33-43.
169	DeCaporale-Ryan LN, Cornell A, McCann RM, McCormick K, Speice J. Hospital to Home: A Geriatric Educational Program on Effective Discharge Planning. <i>Gerontology &amp; Geriatrics Education</i> 2014;35:369-79. <a href="https://doi.org/10.1080/02701960.2013.858332">https://doi.org/10.1080/02701960.2013.858332</a>

170	Digby R, Bloomer MJ. Families and caregivers of older people: Expectations, communication and care decisions. <i>Collegian</i> 2014;21:345-51. <a href="https://doi.org/10.1016/j.colegn.2013.08.006">https://doi.org/10.1016/j.colegn.2013.08.006</a>
171	Digby R, Lee S, Williams A. The liminality of the patient with dementia in hospital. <i>Journal of Clinical Nursing</i> (John Wiley & Sons, Inc) 2018;27:e70-e9. <a href="https://doi.org/10.1111/jocn.13869">https://doi.org/10.1111/jocn.13869</a>
172	Donnelly SM, Carter-Anand J, Cahill S, Gilligan R, Mehigan B, O'Neill D. Multiprofessional Views on Older Patients' Participation in Care Planning Meetings in a Hospital Context. <i>Practice</i> (09503153) 2013;25:121-38. <a href="https://doi.org/10.1080/09503153.2013.786695">https://doi.org/10.1080/09503153.2013.786695</a>
173	Donsel PO, Missel M. What's going on after hospital? - Exploring the transition from hospital to home and patient experiences of nurse-led follow-up phone calls. <i>Journal of Clinical Nursing</i> 2021;30:1694-705.
174	Edgren L, Lagercrantz K, Övretveit J. Inter-agency cooperation and discharge planning for older people in South Sweden. <i>Nordic Journal of Nursing Research &amp; Clinical Studies / Vård i Norden</i> 2005;25:53-8.
175	Ferreira EM, Mendes Lourenço O, Vasques da Costa P, Pinto SC, Gomes C, Oliveira AP, et al. Active Life: a project for a safe hospital-community transition after arthroplasty. <i>Revista Brasileira de Enfermagem</i> 2019;72:156-62. <a href="https://doi.org/10.1590/0034-7167-2018-0615">https://doi.org/10.1590/0034-7167-2018-0615</a>
176	Fielden JM, Scott S, Horne JG. An investigation of patient satisfaction following discharge after total hip replacement surgery. <i>Orthopaedic Nursing</i> 2003;22:429-36. <a href="https://doi.org/10.1097/00006416-200311000-00012">https://doi.org/10.1097/00006416-200311000-00012</a>
177	Foust RE. The Experience of Post-craniotomy Pain among Persons with Brain Tumors [Ph.D.]. Ann Arbor: Indiana University - Purdue University Indianapolis; 2018.
178	Fraher A, Coffey A. Older people's experiences of relocation to long-term care. <i>Nursing Older People</i> 2011;23:23-7. <a href="https://doi.org/10.7748/nop2011.12.23.10.23.c8838">https://doi.org/10.7748/nop2011.12.23.10.23.c8838</a>
179	Goodman H. Meeting patients' post-discharge needs after lung cancer surgery. <i>Nursing Times</i> 2000;96:35-6.
180	Grimmer K, Dawson A, May E, Peoples C. Informing discharge plans. Assessments of elderly patients in Australian public hospitals: a field study. <i>Internet Journal of Allied Health Sciences &amp; Practice</i> 2004;2:13p-p.
181	Hall C, Brown A, Gleeson S, Zinn J. Keeping the thread: older men's social networks in Sydney, Australia. <i>Quality in Ageing</i> 2007;8:10-7. <a href="https://doi.org/10.1108/14717794200700023">https://doi.org/10.1108/14717794200700023</a>
182	Hendrix CC, Ray C. Informal caregiver training on home care and cancer symptom management prior to hospital discharge: a feasibility study. <i>Oncology Nursing Forum</i> 2006;33:793-8. <a href="https://doi.org/10.1188/06.ONF.793-798">https://doi.org/10.1188/06.ONF.793-798</a>
183	Hibberd J. The home-visiting process for older people in the in-patient intermediate care services. <i>Quality in Ageing</i> 2008;9:13-23. <a href="https://doi.org/10.1108/14717794200800003">https://doi.org/10.1108/14717794200800003</a>
184	Jones MA. Patient outcomes, caregiver experience, and resource utilization after early discharge following minimally invasive surgery versus standard repair of abdominal aortic aneurysm in the aged [Ph.D.]. Ann Arbor: University of Pittsburgh; 2000.
185	King B, Bodden J, Steege L, Brown CJ. Older adults experiences with ambulation during a hospital stay: A qualitative study. <i>Geriatric Nursing</i> 2021;42:225-32. <a href="https://doi.org/10.1016/j.gerinurse.2020.08.005">https://doi.org/10.1016/j.gerinurse.2020.08.005</a>



186	Kordis S. Perceived needs of the coronary artery bypass patient: Qualitative study [M.S.]. Ann Arbor: Northern Kentucky University; 2000.
187	Langley MEP. Pain management after cardiac surgery: East Carolina University; 2009.
188	Lapum J, Angus JE, Peter E, Watt-Watson J. Patients' discharge experiences: Returning home after open-heart surgery. <i>Heart &amp; Lung</i> 2011;40:226-35. <a href="https://doi.org/10.1016/j.hrtlng.2010.01.001">https://doi.org/10.1016/j.hrtlng.2010.01.001</a>
189	Lim S, Ibrahim K, Dodds R, Purkis A, Baxter M, Rogers A, et al. Physical activity in hospitalised older people: the feasibility and acceptability of a volunteer-led mobility intervention in the SoMoVe™ study. <i>Age &amp; Ageing</i> 2020;49:283-91. <a href="https://doi.org/10.1093/ageing/afz114">https://doi.org/10.1093/ageing/afz114</a>
190	Lithner M, Klefsgard R, Johansson J, Andersson E. The significance of information after discharge for colorectal cancer surgery-a qualitative study. <i>BMC Nursing</i> 2015;14:1-8. <a href="https://doi.org/10.1186/s12912-015-0086-6">https://doi.org/10.1186/s12912-015-0086-6</a>
191	MacLeod CE. Understanding experiences of spousal caregivers with health as expanding consciousness. <i>Nursing Science Quarterly</i> 2011;24:245-55. <a href="https://doi.org/10.1177/0894318411409420">https://doi.org/10.1177/0894318411409420</a>
192	Macmillan TH. Hospital discharge: lost opportunities to promote or maintain older people's mental health. <i>Quality in Ageing &amp; Older Adults</i> 2016;17:189-97. <a href="https://doi.org/10.1108/QAOA-06-2015-0029">https://doi.org/10.1108/QAOA-06-2015-0029</a>
193	Marcinkowski K, Wong VG, Dignam D. Getting back to the future: a grounded theory study of the patient perspective of total knee joint arthroplasty. <i>Orthopaedic Nursing</i> 2005;24:202-9. <a href="https://doi.org/10.1097/00006416-200505000-00009">https://doi.org/10.1097/00006416-200505000-00009</a>
194	Marshall S, Reidlinger DP, Young A, Isenring E. The nutrition and food-related roles, experiences and support needs of female family carers of malnourished older rehabilitation patients. <i>Journal of Human Nutrition &amp; Dietetics</i> 2017;30:16-26. <a href="https://doi.org/10.1111/jhn.12397">https://doi.org/10.1111/jhn.12397</a>
195	Mathiasen MC, Andersen RM, Schmidt DS, Thomsen T, Vinther A, Danielsen AK. Early mobilisation after colorectal surgery: a qualitative study. <i>Gastrointestinal Nursing</i> 2021;19:30-6. <a href="https://doi.org/10.12968/gasn.2021.19.3.30">https://doi.org/10.12968/gasn.2021.19.3.30</a>
196	Meulenbroeks I, Schroeder L, Epp J. Bridging the Gap: A Mixed Methods Study Investigating Caregiver Integration for People with Geriatric Syndrome. <i>International Journal of Integrated Care [Electronic Resource]</i> 2021;21:14.
197	Nation F. Nurses' Perceptions of How Discharge Planning Impacts Readmission: A Qualitative Case Study [D.H.A.]. Ann Arbor: University of Phoenix; 2019.
198	Neo YL, Hong LI, Chan EY. Enrolled nurses' perceptions of providing nutritional care to hospitalised older people in Singapore's acute care setting: A qualitative descriptive study. <i>International Journal of Older People Nursing</i> 2021;16:1-11. <a href="https://doi.org/10.1111/opn.12354">https://doi.org/10.1111/opn.12354</a>
199	Nyborg I, Danbolt LJ, Kirkevold M. User participation is a family matter: A multiple case study of the experiences of older, hospitalised people and their relatives. <i>Journal of Clinical Nursing (John Wiley &amp; Sons, Inc)</i> 2017;26:4353-63. <a href="https://doi.org/10.1111/jocn.13765">https://doi.org/10.1111/jocn.13765</a>
200	O'Hare L, Savage E, McCullagh R, Bantry White E, Fitzgerald E, Timmons S. Frail older adults' perceptions of an in-hospital structured exercise intervention. <i>Physiotherapy</i> 2017;103:478-84. <a href="https://doi.org/10.1016/j.physio.2017.04.002">https://doi.org/10.1016/j.physio.2017.04.002</a>

201	Popejoy LL. Hospital discharge destination decisions: exploring congruence in frail elders, their family members, and health care teams' decisions: University of Missouri - Columbia; 2007.
202	Richards HS, Portal A, Absolom K, Blazeby JM, Velikova G, Avery KNL. Patient experiences of an electronic PRO tailored feedback system for symptom management following upper gastrointestinal cancer surgery. <i>Quality of Life Research</i> 2021;30:3229-39. <a href="https://doi.org/10.1007/s11136-020-02539-w">https://doi.org/10.1007/s11136-020-02539-w</a>
203	Robinson PJ. Fostering hospital discharge planning: An older adult perspective [D.H.A.]. Ann Arbor: Capella University; 2016.
204	Rydeman I, Törnkvist L. The patient's vulnerability, dependence and exposed situation in the discharge process: experiences of district nurses, geriatric nurses and social workers. <i>Journal of Clinical Nursing (Wiley-Blackwell)</i> 2006;15:1299-307. <a href="https://doi.org/10.1111/j.1365-2702.2006.01379.x">https://doi.org/10.1111/j.1365-2702.2006.01379.x</a>
205	Rydeman I, Tornkvist L. Getting prepared for life at home in the discharge process--from the perspective of the older persons and their relatives. <i>International Journal of Older People Nursing</i> 2010;5:254-64.
206	Sawyer J, Wright FC, Moura SL, Maier B, Fitch MI. Introducing a patient-focused care map in colorectal surgery: a pilot qualitative study of patients' and surgical oncology nurses' experiences. <i>Canadian Oncology Nursing Journal</i> 2008;18:25-33.
207	Scheckel MM, Hedrick-Erickson J, Stieve D. Learning What I Need to Know: Experiences of Rural Cardiac Surgery Patients. <i>Online Journal of Rural Nursing &amp; Health Care</i> 2020;20:90-120. <a href="https://doi.org/10.14574/ojrnhc.v20i1.605">https://doi.org/10.14574/ojrnhc.v20i1.605</a>
208	Sjostedt L, Hellstrom R, Stomberg MW. Patients' need for information prior to colonic surgery. <i>Gastroenterology Nursing</i> 2011;34:390-7.
209	Spencer J, Hersch G, Shelton M, Ripple J, Spencer C, Dyer CB, et al. Functional outcomes and daily life activities of African-American elders after hospitalization. <i>American Journal of Occupational Therapy</i> 2002;56:149-59.
210	Szots K, Konradsen H, Solgaard S, Bogo S, Ostergaard B. Nurse-led telephone follow-up after total knee arthroplasty--content and the patients' views. <i>Journal of Clinical Nursing</i> 2015;24:2890-9.
211	Theobald K, McMurray A. Coronary artery bypass graft surgery: discharge planning for successful recovery. <i>Journal of Advanced Nursing</i> 2004;47:483-91.
212	Theobald k, Worrall-Carter L, McMurray A. Psychosocial issues facilitating recovery post-CABG surgery. <i>Australian Critical Care</i> 2005;18:76-85.
213	Thom N, Dyas J. Hospital discharge and recovery 2: staff experiences. <i>British Journal of Therapy and Rehabilitation</i> 2002;9:386-90.
214	Tung YC, Cooke M, Moyle W. Sources older people draw on to nurture, strengthen and improve self-efficacy in managing home rehabilitation following orthopaedic surgery. <i>Journal of Clinical Nursing (John Wiley &amp; Sons, Inc)</i> 2013;22:1217-25. <a href="https://doi.org/10.1111/j.1365-2702.2012.04252.x">https://doi.org/10.1111/j.1365-2702.2012.04252.x</a>
215	Uhrenfeldt L, Hoybye MT. Lived experiences and challenges of older surgical patients during hospitalization for cancer: an ethnographic fieldwork. <i>International Journal of Qualitative Studies on Health and Well-being</i> 2014;9:22810.
216	Valenzuela T, Razee H, Schoene D, Lord SR, Delbaere K. An Interactive Home-Based

	Cognitive-Motor Step Training Program to Reduce Fall Risk in Older Adults: Qualitative Descriptive Study of Older Adults' Experiences and Requirements. 24058297 2018;1:e11975.
217	van der Heijden JAG, Thomas G, Caers F, van Dijk WA, Slooter GD, Maaskant-Braat AJG. What you should know about the low anterior resection syndrome - Clinical recommendations from a patient perspective. European Journal of Surgical Oncology 2018;44:1331-7.
218	Weeks LE, McInnis-Perry G, MacQuarrie C, Jovanovic S. Insights Into Roles for Health-Care Professionals in Meeting the Needs of Older Adults and Unpaid Caregivers During Health-Care Transitions. Canadian Journal of Nursing Research 2016;48:70-9.
219	Wiedenbein L, Kristiansen M, Adamsen L, Hjort D, Hendriksen C. Assessment of rehabilitation needs in colorectal cancer treatment: Results from a mixed audit and qualitative study in Denmark. Acta Oncologica 2016;55:705-11. <a href="https://doi.org/10.3109/0284186X.2015.1131332">https://doi.org/10.3109/0284186X.2015.1131332</a>
	<b>Intervention not aiming to reduce length of stay (n=5) (PRISMA flow diagram code: LOS)</b>
220	Östlund G, Zander V, Elfström ML, Gustavsson L-K, Anbäcken E-M. Older adults' experiences of a reablement process. "To be treated like an adult, and ask for what I want and how I want it". Educational Gerontology 2019;45:519-29. <a href="https://doi.org/10.1080/03601277.2019.1666525">https://doi.org/10.1080/03601277.2019.1666525</a>
221	Simil H, Harjumaa M, Isomursu M, Ervasti M, Moilanen H. Video Communication in Remote Rehabilitation and Occupational Therapy Groups. Physical & Occupational Therapy in Geriatrics 2014;32:97-111. <a href="https://doi.org/10.3109/02703181.2014.919050">https://doi.org/10.3109/02703181.2014.919050</a>
222	Tomlinson J, Silcock J, Smith H, Karban K, Fylan B. Post-discharge medicines management: the experiences, perceptions and roles of older people and their family carers. Health Expectations 2020;23:1603-13. <a href="https://doi.org/10.1111/hex.13145">https://doi.org/10.1111/hex.13145</a>
223	Tulip SC. Medicines management in older people: an action research study in a hospital setting [Ph.D.]. Ann Arbor: University of Durham (United Kingdom); 2006.
224	Valverde PA, Ayele R, Leonard C, Cumbler E, Allyn R, Burke RE. Gaps in Hospital and Skilled Nursing Facility Responsibilities During Transitions of Care: a Comparison of Hospital and SNF Clinicians' Perspectives. Journal of General Internal Medicine 2021;02:02.
	<b>Methods (n=18) (PRISMA flow diagram code: METH)</b>
225	Barker KL, Reilly KA, Lowe CM, Beard DJ. Patient satisfaction with accelerated discharge following unilateral knee replacement...including commentary by Isaac D, Ackerman IN, Vanhaecht K, and Sermeus W. International Journal of Therapy & Rehabilitation 2006;13:247-53. <a href="https://doi.org/10.12968/ijtr.2006.13.6.21383">https://doi.org/10.12968/ijtr.2006.13.6.21383</a>
226	Berthelsen CB, Kristensson J. The SICAM-trial: evaluating the effect of spouses' involvement through case management in older patients' fast-track programmes during and after total hip replacement. Journal of Advanced Nursing 2017;73:112-26. <a href="https://doi.org/10.1111/jan.13091">https://doi.org/10.1111/jan.13091</a>
227	Bourazani M, Asimakopoulou E, Magklari C, Fyrfiris N, Tsirikas I, Diakoumis G, et al. Developing an enhanced recovery after surgery program for oncology patients who undergo hip or knee reconstruction surgery. World Journal of Orthopedics 2021;12. <a href="https://doi.org/10.5312/wjo.v12.i6.346">https://doi.org/10.5312/wjo.v12.i6.346</a>
228	Bryson GL, Mercer C, Varpio L. Patient and caregiver experience following ambulatory surgery: qualitative analysis in a cohort of patients 65 yr and older. Canadian Journal of

	Anaesthesia 2014;61:986-94.
229	Bull MJ, Hansen HE, Gross CR. Predictors of elder and family caregiver satisfaction with discharge planning. <i>Journal of Cardiovascular Nursing</i> 2000;14:76-87.
230	Cox J, Cormack C, Prendergast M, Celestino H, Willis S, Witteveen M. Patient and provider experience with a new model of care for primary hip and knee arthroplasties. <i>International Journal of Orthopaedic &amp; Trauma Nursing</i> 2016;20:13-27. <a href="https://doi.org/10.1016/j.ijotn.2015.05.003">https://doi.org/10.1016/j.ijotn.2015.05.003</a>
231	Davison BJ, Moore KN, MacMillan H, Bisailon A, Wiens K. Patient evaluation of a discharge program following a radical prostatectomy. <i>Urologic Nursing</i> 2004;24:483-9.
232	Kan EZ. Perceptions of recovery, physical health, personal meaning, role function, and social support after first-time coronary artery bypass graft surgery. <i>Dimensions of Critical Care Nursing</i> 2009;28:189-95. <a href="https://doi.org/10.1097/DCC.0b013e3181a471eb">https://doi.org/10.1097/DCC.0b013e3181a471eb</a>
233	Langwade J. The experience of early discharge after TURP. <i>Professional Nurse</i> 2000;15:758-60.
234	Latimer B, Mezey M. Home visits after hospitalization: enhancing baccalaureate nursing students' gerontologic clinical experience. <i>Geriatric Nursing</i> 2001;22:248-52.
235	McNaught H, Jones T, Immins T, Wainwright TW. Patient-reported importance of assistive devices in hip and knee replacement Enhanced Recovery after Surgery (ERAS) pathways. <i>British Journal of Occupational Therapy</i> 2016;79:614-9.
236	Niemela K, Leinonen R, Laukkanen P. A supportive home visit program for older adults implemented by non-professionals: feasibility and effects on physical performance and quality of life at one year--a pilot study. <i>Archives of Gerontology &amp; Geriatrics</i> 2012;54:e376-82.
237	Parry MJE. A pilot trial of a home-based peer support program after coronary artery bypass graft surgery: University of Toronto (Canada); 2008.
238	Paterson C, Primeau C, Pullar I, Nabi G. Development of a Prehabilitation Multimodal Supportive Care Interventions for Men and Their Partners Before Radical Prostatectomy for Localized Prostate Cancer. <i>Cancer Nursing</i> 2019;42:E47-E53. <a href="https://doi.org/10.1097/NCC.0000000000000618">https://doi.org/10.1097/NCC.0000000000000618</a>
239	Popejoy L. Participation of elder persons, families, and health care teams in hospital discharge destination decisions. <i>Applied Nursing Research</i> 2011;24:256-62. <a href="https://doi.org/10.1016/j.apnr.2009.11.001">https://doi.org/10.1016/j.apnr.2009.11.001</a>
240	Rymaruk S, Williams J, Kurrimboccus S. Carers' perceptions of the enhanced recovery programme in colorectal surgery. <i>Journal of Perioperative Practice</i> 2013;23:246-50.
241	Su HH, Tsai YF, Chen WJ, Chen MC. Health care needs of patients during early recovery after total knee-replacement surgery. <i>Journal of Clinical Nursing</i> 2010;19:673-81.
242	Wennstrom B, Johansson A, Kalabic S, Al ESL, Skullman S, Bergh I. Patient experience of health and care when undergoing colorectal surgery within the ERAS program. <i>Perioperative Medicine</i> 2020;9:15.
	<b>Protocol (n=6) (PRISMA flow diagram code: PROT)</b>
243	Betz U, Langanki L, Heid F, Spielberger J, Schollenberger L, Kronfeld K, et al. The PROMISE study protocol: a multicenter prospective study of process optimization with interdisciplinary and cross-sectoral care for German patients receiving hip and knee endoprostheses. <i>Acta Orthopaedica</i> 2021;92:156-62.

	<a href="https://doi.org/10.1080/17453674.2020.1853927">https://doi.org/10.1080/17453674.2020.1853927</a>
244	Coker F, Williams CM, Taylor NF, Caspers K, McAlinden F, Wilton A, et al. IMPACT: Investigating the impact of Models of Practice for Allied health Care in subacute settings. A protocol for a quasi-experimental mixed methods study of cost effectiveness and outcomes for patients exposed to different models of allied health care. <i>BMJ Open</i> 2018;8:e020361.
245	Lo CWT, Brodie MA, Tsang WWN, Yan CH, Lam PL, Chan CM, et al. Acceptability and feasibility of a community-based strength, balance, and Tai Chi rehabilitation program in improving physical function and balance of patients after total knee arthroplasty: study protocol for a pilot randomized controlled trial. <i>Trials [Electronic Resource]</i> 2021;22:129.
246	Markle-Reid M, McAiney C, Ganann R, Fisher K, Gafni A, Gauthier AP, et al. Study protocol for a hospital-to-home transitional care intervention for older adults with multiple chronic conditions and depressive symptoms: a pragmatic effectiveness-implementation trial. <i>BMC Geriatrics</i> 2020;20:1-16. <a href="https://doi.org/10.1186/s12877-020-01638-0">https://doi.org/10.1186/s12877-020-01638-0</a>
247	Marshall S, van der Meij BS, Milte R, Collins CE, de van der Schueren MA, Banbury M, et al. Family in Rehabilitation, Empowering Carers for Improved Malnutrition Outcomes: Protocol for the FREER Pilot Study. <i>JMIR Research Protocols</i> 2019;8:e12647.
248	Mudge AM, Banks MD, Barnett AG, Blackberry I, Graves N, Green T, et al. CHERISH (collaboration for hospitalised elders reducing the impact of stays in hospital): protocol for a multi-site improvement program to reduce geriatric syndromes in older inpatients. <i>BMC Geriatrics</i> 2017;17:1-9. <a href="https://doi.org/10.1186/s12877-016-0399-7">https://doi.org/10.1186/s12877-016-0399-7</a>
<b>No overnight stay (n=4) (PRISMA flow diagram code: STAY)</b>	
249	Kadyan A, Green J, Sandramouli S. Experience of developing a cataract care pathway. <i>Journal of Integrated Care Pathways</i> 2006;10:35-40. <a href="https://doi.org/10.1177/205343540601000107">https://doi.org/10.1177/205343540601000107</a>
250	Lykke S, Handberg C. Experienced Loneliness in Home-Based Rehabilitation: Perspectives of Older Adults With Disabilities and Their Health Care Professionals. <i>Global Qualitative Nursing Research</i> 2019;6:2333393619831661.
251	Nallani R, Fox CC, Sykes KJ, Surprise JK, Fox CE, Reschke AD, et al. Pain Management and Education for Ambulatory Surgery: A Qualitative Study of Perioperative Nurses. <i>Journal of Surgical Research</i> 2021;260:419-27. <a href="https://doi.org/10.1016/j.jss.2020.11.001">https://doi.org/10.1016/j.jss.2020.11.001</a>
252	Parks RM, Hall L, Tang SW, Howard P, Lakshmanan R, Winterbottom L, et al. The potential value of comprehensive geriatric assessment in evaluating older women with primary operable breast cancer undergoing surgery or non-operative treatment--a pilot study. <i>Journal of Geriatric Oncology</i> 2015;6:46-51.