

S1. Review 1 search syntax

Medline (1946 – present)

| # | Searches | Results |
|----|---|---------|
| 1 | prenatal care/ or perinatal care/ or postnatal care/ | 34307 |
| 2 | Pregnancy/ | 858716 |
| 3 | Pregnant Women/ | 7783 |
| 4 | (pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*).ti. | 327810 |
| 5 | ((parent? or mother* or maternal or father* or paternal) and (infan* or newborn? or neonat* or baby or babies)).ti. | 26341 |
| 6 | 1 or 2 or 3 or 4 or 5 | 941313 |
| 7 | mental disorders/ or exp anxiety disorders/ or exp mood disorders/ or exp "trauma and stressor related disorders"/ | 358243 |
| 8 | Stress, Psychological/ | 116739 |
| 9 | Adaptation, Psychological/ | 92079 |
| 10 | (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being).ti. | 1126026 |
| 11 | 7 or 8 or 9 or 10 | 1347384 |
| 12 | 6 and 11 | 42847 |
| 13 | Depression, Postpartum/ | 5238 |
| 14 | Pregnant Women/px [Psychology] | 2441 |
| 15 | ((pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*) adj5 (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being)).ti,ab. | 39532 |
| 16 | ((parent? or mother* or maternal or father* or paternal) adj5 (infan* or newborn? or neonat* or baby or babies)) and (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being)).ti,ab. | 19801 |
| 17 | 12 or 13 or 14 or 15 or 16 | 78322 |
| 18 | Mass Screening/ | 100320 |
| 19 | diagnosis/ or early diagnosis/ | 42564 |
| 20 | (screen* or detect* or diagnos* or assess* or identifi* or prevent* or prophyla*).ti. | 1966922 |
| 21 | psychotherapy/ or behavior therapy/ or exp cognitive behavioral therapy/ | 103857 |
| 22 | counseling/ or exp directive counseling/ | 38681 |
| 23 | exp antidepressive agents/ or exp anti-anxiety agents/ | 202744 |

| | | |
|----|---|---------|
| 24 | (intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety).ti. | 1913593 |
| 25 | ("improving access to psychological therap*" or iapt).ti,ab. | 202 |
| 26 | ((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) adj5 (screen* or detect* or diagnos* or assess* or identifi* or prevent* or prophyla*).ti,ab. | 292461 |
| 27 | ((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) adj5 (intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety)).ti,ab. | 289504 |
| 28 | 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 | 4315914 |
| 29 | 17 and 28 | 24363 |
| 30 | Depression, Postpartum/di, dh, dt, pc, th | 3009 |
| 31 | 29 or 30 | 25179 |
| 32 | Implementation Science/ or Health Plan Implementation/ | 5889 |
| 33 | Program Evaluation/ | 61180 |
| 34 | (implement* or impact*).ti,ab. | 1429975 |
| 35 | (feasib* or acceptab*).ti,ab. | 453538 |
| 36 | (barrier? or challenge? or obstacle? or facilitat* or enabl* or opportunit*).ti,ab. | 1997108 |
| 37 | ((process or project* or system*) adj5 evaluat*).ti,ab. | 106519 |
| 38 | 32 or 33 or 34 or 35 or 36 or 37 | 3623609 |
| 39 | 31 and 38 | 7134 |

Embase (1974-present)

| # | Searches | Results |
|---|--|---------|
| 1 | prenatal care/ or newborn period/ or perinatal period/ or prenatal period/ | 86803 |
| 2 | *Pregnancy/ | 135647 |
| 3 | (pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*).ti. | 363935 |
| 4 | ((parent? or mother* or maternal or father* or paternal) and (infan* or newborn? or neonat* or baby or babies)).ti. | 29830 |
| 5 | 1 or 2 or 3 or 4 | 475350 |
| 6 | mental disease/ or exp anxiety disorder/ or exp mood disorder/ | 784239 |
| 7 | mental stress/ | 79073 |
| 8 | (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being).ti. | 1286051 |

| | | |
|----|---|---------|
| 9 | 6 or 7 or 8 | 1707350 |
| 10 | 5 and 9 | 35066 |
| 11 | exp perinatal depression/ | 3361 |
| 12 | ((pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*) adj5 (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being)).ti,ab. | 53334 |
| 13 | ((parent? or mother* or maternal or father* or paternal) adj5 (infan* or newborn? or neonat* or baby or babies)) and (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being)).ti,ab. | 27281 |
| 14 | 10 or 11 or 12 or 13 | 84393 |
| 15 | mass screening/ or screening test/ or screening/ | 290869 |
| 16 | diagnosis/ or early diagnosis/ | 1410201 |
| 17 | (screen* or detect* or diagnos* or assess* or identifi* or prevent* or prophyla*).ti. | 2343089 |
| 18 | exp counseling/ or early intervention/ or exp psychotherapy/ | 408319 |
| 19 | (intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety).ti. | 2354935 |
| 20 | ("improving access to psychological therap*" or iapt).ti,ab. | 277 |
| 21 | ((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) adj5 (screen* or detect* or diagnos* or assess* or identifi* or prevent* or prophyla*)).ti,ab. | 403390 |
| 22 | ((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) adj5 (intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety)).ti,ab. | 398754 |
| 23 | 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 | 6352670 |
| 24 | 14 and 23 | 32297 |
| 25 | exp perinatal depression/di, dt, pc, th | 745 |
| 26 | 24 or 25 | 32463 |
| 27 | therapy delay/ | 12093 |
| 28 | exp Program Evaluation/ or Implementation Science/ | 23326 |
| 29 | (implement* or impact*).ti,ab. | 1983534 |
| 30 | (feasib* or acceptab*).ti,ab. | 640596 |
| 31 | (barrier? or challenge? or obstacle? or facilitat* or enabl* or opportunit* or engage*).ti,ab. | 2468722 |
| 32 | ((process or project* or system*) adj5 evaluat*).ti,ab. | 144615 |
| 33 | 27 or 28 or 29 or 30 or 31 or 32 | 4700825 |

| | | |
|----|-----------------|---------|
| 34 | 26 and 33 | 9784 |
| 35 | conference*.pt. | 4409880 |
| 36 | 34 not 35 | 6742 |

PsychInfo (1806 – present)

| # | Searches | Results |
|----|---|---------|
| ▲ | | |
| 1 | prenatal care/ or postnatal period/ or antepartum period/ or intrapartum period/ or perinatal period/ | 8784 |
| 2 | Pregnancy/ | 21781 |
| 3 | (pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*).ti. | 32570 |
| 4 | ((parent? or mother* or maternal or father* or paternal) and (infan* or newborn? or neonat* or baby or babies)).ti. | 9910 |
| 5 | 1 or 2 or 3 or 4 | 51355 |
| 6 | mental disorders/ or exp affective disorders/ or exp anxiety disorders/ or exp "stress and trauma related disorders"/ | 285661 |
| 7 | psychological stress/ | 8762 |
| 8 | Emotional Adjustment/ | 16152 |
| 9 | (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being).ti. | 850653 |
| 10 | 6 or 7 or 8 or 9 | 939412 |
| 11 | 5 and 10 | 14715 |
| 12 | postpartum depression/ or postpartum psychosis/ | 4764 |
| 13 | ((pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*) adj5 (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being)).ti,ab. | 17479 |
| 14 | ((((parent? or mother* or maternal or father* or paternal) adj5 (infan* or newborn? or neonat* or baby or babies)) and (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being)).ti,ab. | 13328 |
| 15 | 11 or 12 or 13 or 14 | 30571 |
| 16 | screening/ or exp health screening/ or exp screening tests/ | 27755 |
| 17 | diagnosis/ | 44547 |
| 18 | (screen* or detect* or diagnos* or assess* or identifi* or prevent* or prophyla*).ti. | 234881 |
| 19 | treatment/ or exp cognitive behavior therapy/ or exp cognitive techniques/ or exp counseling/ or mindfulness-based interventions/ or exp psychotherapy/ | 337367 |
| 20 | (intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety).ti. | 403234 |
| 21 | ("improving access to psychological therap*" or iapt).ti,ab. | 273 |
| 22 | ((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) adj5 (screen* or detect* or diagnos* or assess* or identifi* or prevent* or prophyla*).ti,ab. | 226696 |
| 23 | ((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or | 251713 |

| | | |
|----|--|---------|
| 24 | phobic or obsessive compulsive or wellbeing or well-being) adj5 (intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety)).ti,ab. 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 | 1073752 |
| 25 | 15 and 24 | 12651 |
| 26 | treatment barriers/ | 4682 |
| 27 | exp Program Evaluation/ | 19999 |
| 28 | (implement* or impact*).ti,ab. | 491586 |
| 29 | (feasib* or acceptab*).ti,ab. | 67031 |
| 30 | (barrier? or challenge? or obstacle? or facilitat* or enabl* or opportunit* or engage*).ti,ab. | 684169 |
| 31 | ((process or project* or system*) adj5 evaluat*).ti,ab. | 25954 |
| 32 | 26 or 27 or 28 or 29 or 30 or 31 | 1118217 |
| 33 | 25 and 32 | 4005 |

CINAHL (1982 – present)

| # | Query | Results |
|-----|---|-----------|
| S23 | S19 AND S22 | 3,654 |
| S22 | S20 OR S21 | 945,484 |
| S21 | ((implement* or impact*)) OR ((implement* or impact*)) OR ((feasib* or acceptab*)) OR ((feasib* or acceptab*)) OR ((barrier? or challenge? or obstacle? or facilitat* or enabl* or opportunit* or engage*)) OR ((barrier? or challenge? or obstacle? or facilitat* or enabl* or opportunit* or engage*)) OR (((process or project* or system*) N5 evaluat*)) OR (((process or project* or system*) N5 evaluat*)) | 916,217 |
| S20 | (MH "Implementation Science") OR (MH "Program Development+") | 75,080 |
| S19 | S17 OR S18 | 11,925 |
| S18 | (MH "Depression, Postpartum/DI/DH/DT/PC/TH") OR (MH "Postpartum Psychosis/DI/DH/DT/TH/PC") | 2,276 |
| S17 | S11 AND S16 | 11,244 |
| S16 | S12 OR S13 OR S14 OR S15 | 1,075,199 |
| S15 | TI ((intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety)) OR TI (("improving access to psychological therap*" or iapt)) OR AB (("improving access to psychological therap*" or iapt)) OR TI (((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) N5 (screen* or detect* or diagnos* or assess* or identifi* or prevent* or prophyla*))) OR AB (((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) N5 (screen* or detect* or diagnos* or assess* or identifi* or prevent* or prophyla*))) OR TI (((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) N5 (intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety))) OR AB (((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) N5 (intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety))) | 898,631 |
| S14 | (MH "Antidepressive Agents+") | 21,105 |
| S13 | (MH "Psychotherapy+") OR (MH "Cognitive Therapy+") OR (MH "Counseling+") | 196,655 |

| | | |
|-----|--|---------|
| S12 | (MH "Diagnosis") OR (MH "Early Diagnosis") OR (MH "Health Screening") | 56,371 |
| S11 | S8 OR S9 OR S10 | 25,874 |
| S10 | TI (((pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*) N5 (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or "adjustment disorder*" or phobia* or phobic or "obsessive compulsive" or wellbeing or well-being))) OR AB (((pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*) N5 (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or "adjustment disorder*" or phobia* or phobic or "obsessive compulsive" or wellbeing or well-being))) OR TI ((((parent? or mother* or maternal or father* or paternal) N5 (infan* or newborn? or neonat* or baby or babies)) and (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or "adjustment disorder*" or phobia* or phobic or "obsessive compulsive" or wellbeing or well-being))) AND AB ((((parent? or mother* or maternal or father* or paternal) N5 (infan* or newborn? or neonat* or baby or babies)) and (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or "adjustment disorder*" or phobia* or phobic or "obsessive compulsive" or wellbeing or well-being)))) | 17,380 |
| S9 | (MH "Depression, Postpartum") OR (MH "Postpartum Psychosis") OR (MH "Expectant Mothers/PF") | 7,342 |
| S8 | S4 AND S7 | 17,108 |
| S7 | S5 OR S6 | 451,004 |
| S6 | TI mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being | 363,674 |
| S5 | (MH "Mental Disorders") OR (MH "Anxiety Disorders+") OR (MH "Affective Disorders+") OR (MH "Stress Disorders, Post-Traumatic+") OR (MH "Adaptation, Psychological") | 205,326 |
| S4 | S1 OR S2 OR S3 | 213,494 |
| S3 | TI ((pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*) OR TI (((parent? or mother* or maternal or father* or paternal) and (infan* or newborn? or neonat* or baby or babies))) | 98,137 |
| S2 | (MH "Expectant Mothers") | 6,696 |
| S1 | (MH "Prenatal Care") OR (MH "Postnatal Period") OR (MH "Pregnancy") OR (MH "Puerperium") | 184,082 |
| S15 | TI ((intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety)) OR TI (("improving access to psychological therap*" or iapt)) OR AB (("improving access to psychological therap*" or iapt)) OR TI (((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) N5 (screen* or detect* or diagnos* or assess* or identifi* or prevent* or prophyla*))) OR AB (((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) N5 (screen* or detect* or diagnos* or assess* or identifi* or prevent* or prophyla*))) OR TI ((((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) N5 (intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety))) OR AB (((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) N5 (intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety))) | 898,631 |

| | | |
|-----|---|---------|
| S14 | (MH "Antidepressive Agents+") | 21,105 |
| S13 | (MH "Psychotherapy+") OR (MH "Cognitive Therapy+") OR (MH "Counseling+") | 196,655 |
| S12 | (MH "Diagnosis") OR (MH "Early Diagnosis") OR (MH "Health Screening") | 56,371 |
| S11 | S8 OR S9 OR S10 | 25,874 |
| S10 | TI (((pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*) N5 (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or "adjustment disorder*" or phobia* or phobic or "obsessive compulsive" or wellbeing or well-being))) OR AB (((pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*) N5 (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or "adjustment disorder*" or phobia* or phobic or "obsessive compulsive" or wellbeing or well-being))) OR TI ((((parent? or mother* or maternal or father* or paternal) N5 (infan* or newborn? or neonat* or baby or babies)) and (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or "adjustment disorder*" or phobia* or phobic or "obsessive compulsive" or wellbeing or well-being))) AND AB ((((parent? or mother* or maternal or father* or paternal) N5 (infan* or newborn? or neonat* or baby or babies)) and (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or "adjustment disorder*" or phobia* or phobic or "obsessive compulsive" or wellbeing or well-being)))) | 17,380 |
| S9 | (MH "Depression, Postpartum") OR (MH "Postpartum Psychosis") OR (MH "Expectant Mothers/PF") | 7,342 |
| S8 | S4 AND S7 | 17,108 |
| S7 | S5 OR S6 | 451,004 |
| S6 | TI mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being | 363,674 |
| S5 | (MH "Mental Disorders") OR (MH "Anxiety Disorders+") OR (MH "Affective Disorders+") OR (MH "Stress Disorders, Post-Traumatic+") OR (MH "Adaptation, Psychological") | 205,326 |
| S4 | S1 OR S2 OR S3 | 213,494 |
| S3 | TI ((pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*) OR TI (((parent? or mother* or maternal or father* or paternal) and (infan* or newborn? or neonat* or baby or babies)))) | 98,137 |
| S2 | (MH "Expectant Mothers") | 6,696 |
| S1 | (MH "Prenatal Care") OR (MH "Postnatal Period") OR (MH "Pregnancy") OR (MH "Puerperium") | 184,082 |