

S2. Review 2 search syntax

MEDLINE (1946-present)

# ▲	Searches
1	prenatal care/ or perinatal care/ or postnatal care/
2	Pregnancy/
3	Pregnant Women/
4	(pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*).ti.
5	((parent? or mother* or maternal or father* or paternal) and (infan* or newborn? or neonat* or baby or babies)).ti.
6	1 or 2 or 3 or 4 or 5
7	mental disorders/ or exp anxiety disorders/ or exp mood disorders/ or exp "trauma and stressor related disorders"/
8	Stress, Psychological/
9	Adaptation, Psychological/
10	(mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being).ti.
11	7 or 8 or 9 or 10
12	6 and 11
13	Depression, Postpartum/
14	Pregnant Women/px [Psychology]
15	((pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*) adj5 (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being)).ti,ab.
16	((((parent? or mother* or maternal or father* or paternal) adj5 (infan* or newborn? or neonat* or baby or babies)) and (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being)).ti,ab.
17	12 or 13 or 14 or 15 or 16
18	Mass Screening/
19	diagnosis/ or early diagnosis/
20	(screen* or detect* or diagnos* or assess* or identifi* or prevent* or prophyla*).ti.
21	psychotherapy/ or behavior therapy/ or exp cognitive behavioral therapy/
22	counseling/ or exp directive counseling/

23 exp antidepressive agents/ or exp anti-anxiety agents/
24 (intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety).ti.
25 ("improving access to psychological therap*" or iapt).ti,ab.
26 ((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) adj5 (screen* or detect* or diagnos* or assess* or identifi* or prevent* or prophyla*)).ti,ab.
27 ((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) adj5 (intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety)).ti,ab.
28 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27
29 17 and 28
30 Depression, Postpartum/di, dh, dt, pc, th
31 29 or 30
32 Implementation Science/ or Health Plan Implementation/
33 Program Evaluation/
34 (implement* or impact*).ti,ab.
35 (feasib* or acceptab*).ti,ab.
36 (barrier? or challenge? or obstacle? or hurdle? or obstruct* or drawback? or issue? or difficult? or promot* or support or encourag* or factor? or facilitat* or enabl* or opportunit* or engage* or assist*).ti,ab.
37 ((process or project* or system*) adj5 evaluat*).ti,ab.
38 32 or 33 or 34 or 35 or 36 or 37
39 31 and 38
40 medline.ti,ab.
41 systematic review.pt.
42 meta-analysis.pt.
43 systematic review.ti,ab.
44 (evidence synthesis or realist synthesis or realist review).ti,ab.
45 (Qualitative and synthesis).ti,ab.
46 (meta-synthesis* or meta synthesis* or metasynthesis).ti,ab.
47 (meta-ethnograph* or metaethnograph* or meta ethnograph*).ti,ab.

48 (meta-study or metastudy or meta study).ti,ab.
 49 40 or 41 or 42 or 43 or 44 or 45 or 46 or 47 or 48
 50 39 and 49
 51 (comment or editorial or letter or historical article).pt.
 52 50 not 51
 53 exp animals/ not humans/
 54 52 not 53
 55 limit 54 to english language

EMBASE (1974 – present)

1 prenatal care/ or newborn period/ or perinatal period/ or prenatal period/
 2 *Pregnancy/
 3 (pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*).ti.
 4 ((parent? or mother* or maternal or father* or paternal) and (infan* or newborn? or neonat* or baby or babies)).ti.
 5 1 or 2 or 3 or 4
 6 mental disease/ or exp anxiety disorder/ or exp mood disorder/
 7 mental stress/
 8 (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being).ti.
 9 6 or 7 or 8
 10 5 and 9
 11 exp perinatal depression/
 12 ((pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*) adj5 (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being)).ti,ab.
 13 (((parent? or mother* or maternal or father* or paternal) adj5 (infan* or newborn? or neonat* or baby or babies)) and (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being)).ti,ab.
 14 10 or 11 or 12 or 13
 15 mass screening/ or screening test/ or screening/
 16 diagnosis/ or early diagnosis/

17 (screen* or detect* or diagnos* or assess* or identifi* or prevent* or prophyla*).ti.

18 exp counseling/ or early intervention/ or exp psychotherapy/

19 (intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety).ti.

20 ("improving access to psychological therap*" or iapt).ti,ab.

21 ((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) adj5 (screen* or detect* or diagnos* or assess* or identifi* or prevent* or prophyla*).ti,ab.

22 ((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) adj5 (intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety)).ti,ab.

23 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22

24 14 and 23

25 exp perinatal depression/di, dt, pc, th

26 24 or 25

27 therapy delay/

28 exp Program Evaluation/ or Implementation Science/

29 (implement* or impact*).ti,ab.

30 (feasib* or acceptab*).ti,ab.

31 (barrier? or challenge? or obstacle? or hurdle? or obstruct* or drawback? or issue? or difficult? or promot* or support or encourag* or factor? or facilitat* or enabl* or opportunit* or engage* or assist*).ti,ab.

32 ((process or project* or system*) adj5 evaluat*).ti,ab.

33 27 or 28 or 29 or 30 or 31 or 32

34 26 and 33

35 medline.tw.

36 "systematic review"/

37 meta-analysis/

38 systematic review.ti,ab.

39 (evidence synthesis or realist synthesis or realist review).ti,ab.

40 (Qualitative and synthesis).ti,ab.

41 (meta-synthesis* or meta synthesis* or metasynthesis).ti,ab.

- 42 (meta-ethnograph* or metaethnograph* or meta ethnograph*).ti,ab.
- 43 (meta-study or metastudy or meta study).ti,ab.
- 44 35 or 36 or 37 or 38 or 39 or 40 or 41 or 42 or 43
- 45 34 and 44
- 46 (editorial or letter or note or conference*).pt.
- 47 45 not 46
- 48 (exp animals/ or nonhuman/) not human/
- 49 47 not 48
- 50 limit 49 to english language

PSYCHINFO (1806 – present)

- 1 prenatal care/ or postnatal period/ or antepartum period/ or intrapartum period/ or perinatal period/
- 2 Pregnancy/
- 3 (pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*).ti.
- 4 ((parent? or mother* or maternal or father* or paternal) and (infan* or newborn? or neonat* or baby or babies)).ti.
- 5 1 or 2 or 3 or 4
- 6 mental disorders/ or exp affective disorders/ or exp anxiety disorders/ or exp "stress and trauma related disorders"/
- 7 psychological stress/
- 8 Emotional Adjustment/
- 9 (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being).ti.
- 10 6 or 7 or 8 or 9
- 11 5 and 10
- 12 postpartum depression/ or postpartum psychosis/
- 13 ((pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*) adj5 (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being)).ti,ab.

14 (((parent? or mother* or maternal or father* or paternal) adj5 (infan* or newborn? or neonat* or baby or babies)) and (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being)).ti,ab.

15 11 or 12 or 13 or 14

16 screening/ or exp health screening/ or exp screening tests/

17 diagnosis/

18 (screen* or detect* or diagnos* or assess* or identifi* or prevent* or prophyla*).ti.

19 treatment/ or exp cognitive behavior therapy/ or exp cognitive techniques/ or exp counseling/ or mindfulness-based interventions/ or exp psychotherapy/

20 (intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety).ti.

21 ("improving access to psychological therap*" or iapt).ti,ab.

22 ((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) adj5 (screen* or detect* or diagnos* or assess* or identifi* or prevent* or prophyla*).ti,ab.

23 ((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) adj5 (intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety)).ti,ab.

24 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23

25 15 and 24

26 treatment barriers/

27 exp Program Evaluation/

28 (implement* or impact*).ti,ab.

29 (feasib* or acceptab*).ti,ab.

30 (barrier? or challenge? or obstacle? or hurdle? or obstruct* or drawback? or issue? or difficult? or promot* or support or encourag* or factor? or facilitat* or enabl* or opportunit* or engage* or assist*).ti,ab.

31 ((process or project* or system*) adj5 evaluat*).ti,ab.

32 26 or 27 or 28 or 29 or 30 or 31

33 25 and 32

34 medline.ti,ab.

35 exp "Systematic Review"/

36 Meta Analysis/

37 systematic review.ti,ab.

38 (evidence synthesis or realist synthesis or realist review).ti,ab.

- 39 (Qualitative and synthesis).ti,ab.
- 40 (meta-synthesis* or meta synthesis* or metasynthesis).ti,ab.
- 41 (meta-ethnograph* or metaethnograph* or meta ethnograph*).ti,ab.
- 42 (meta-study or metastudy or meta study).ti,ab.
- 43 34 or 35 or 36 or 37 or 38 or 39 or 40 or 41 or 42
- 44 33 and 43
- 45 (comment reply or editorial or letter or "review book" or "review media" or "review software other").dt.
- 46 44 not 45
- 47 limit 46 to english language

CINAHL (1982 – present)

- S30 S28 NOT S29
- S29 S23 AND S27 Limiters - English Language; Publication Type: Book Review, Commentary, Editorial, Letter
- S28 S23 AND S27
- S27 S24 OR S25 OR S26
- S26 TX ("evidence synthesis" or "realist synthesis" or "realist review") OR TX (Qualitative and synthesis) OR TX ((meta-synthesis* or "meta synthesis*" or metasynthesis) OR TX (meta-ethnograph* or metaethnograph* or "meta ethnograph*") OR TX (meta-study or metastudy or "meta study")
- S25 TI (medline or "systematic review") OR AB (medline or "systematic review")
- S24 (MH "Systematic Review") OR (MH "Meta Analysis") OR (MH "Meta Synthesis")
- S23 S19 AND S22
- S22 S20 OR S21
- S21 ((implement* or impact*) OR ((implement* or impact*) OR ((feasib* or acceptab*) OR ((feasib* or acceptab*) OR ((barrier? or challenge? or obstacle? or hurdle? or obstruct* or drawback? or issue? or difficult? or promot* or support or encourag* or factor? or facilitat* or enabl* or opportunit* or engage* or assist*) OR ((barrier? or challenge? or obstacle? or hurdle? or obstruct* or drawback? or issue? or difficult? or promot* or support or encourag* or factor? or facilitat* or enabl* or opportunit* or engage* or assist*) OR (((process or project* or system*) N5 evaluat*)) OR (((process or project* or system*) N5 evaluat*))
- S20 (MH "Implementation Science") OR (MH "Program Development+")
- S19 S17 OR S18
- S18 (MH "Depression, Postpartum/DI/DH/DT/PC/TH") OR (MH "Postpartum Psychosis/DI/DH/DT/TH/PC")
- S17 S11 AND S16
- S16 S12 OR S13 OR S14 OR S15

- S15 TI ((intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety)) OR TI (("improving access to psychological therap*" or iapt)) OR AB (("improving access to psychological therap*" or iapt)) OR TI (((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) N5 (screen* or detect* or diagnos* or assess* or identifi* or prevent* or prophyla*))) OR AB (((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) N5 (screen* or detect* or diagnos* or assess* or identifi* or prevent* or prophyla*))) OR TI (((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) N5 (intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety))) OR AB (((mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being) N5 (intervention? or counsel* or therap* or healing or listen* support* or care or healthcare or service or medication* or drug? or antidepress* or anti-depress* or antianxiety or anti-anxiety)))
- S14 (MH "Antidepressive Agents+")
- S13 (MH "Psychotherapy+") OR (MH "Cognitive Therapy+") OR (MH "Counseling+")
- S12 (MH "Diagnosis") OR (MH "Early Diagnosis") OR (MH "Health Screening")
- S11 S8 OR S9 OR S10
- S10 TI (((pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*) N5 (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or "adjustment disorder*" or phobia* or phobic or "obsessive compulsive" or wellbeing or well-being))) OR AB (((pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*) N5 (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or "adjustment disorder*" or phobia* or phobic or "obsessive compulsive" or wellbeing or well-being))) OR TI ((((parent? or mother* or maternal or father* or paternal) N5 (infan* or newborn? or neonat* or baby or babies)) and (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or "adjustment disorder*" or phobia* or phobic or "obsessive compulsive" or wellbeing or well-being))) AND AB ((((parent? or mother* or maternal or father* or paternal) N5 (infan* or newborn? or neonat* or baby or babies)) and (mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or "adjustment disorder*" or phobia* or phobic or "obsessive compulsive" or wellbeing or well-being)))
- S9 (MH "Depression, Postpartum") OR (MH "Postpartum Psychosis") OR (MH "Expectant Mothers/PF")
- S8 S4 AND S7
- S7 S5 OR S6
- S6 TI mental* or psych* or anxiety or anxious or depress* or mood? or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being
- S5 (MH "Mental Disorders") OR (MH "Anxiety Disorders+") OR (MH "Affective Disorders+") OR (MH "Stress Disorders, Post-Traumatic+") OR (MH "Adaptation, Psychological")
- S4 S1 OR S2 OR S3
- S3 TI ((pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*) OR TI (((parent? or mother* or maternal or father* or paternal) and (infan* or newborn? or neonat* or baby or babies)))
- S2 (MH "Expectant Mothers")
- S1 (MH "Prenatal Care") OR (MH "Postnatal Period") OR (MH "Pregnancy") OR (MH "Puerperium")

SCOPUS

- 11 (((TITLE (pregnancy OR pregnant OR pre-nat* OR prenatal* OR prepart* OR prepart* OR ante-nat* OR antenat* OR ante-part* OR antepart* OR perinat* OR perinat* OR peri-part* OR peripart* OR puerper* OR post-nat* OR postnat* OR postpart* OR postpart*) AND TITLE (mental* OR psych* OR anxiety OR anxious OR depress* OR mood* OR affect* OR distress* OR stress OR trauma* OR posttrauma* OR post-trauma* OR {adjustment disorder*} OR phobia* OR phobic OR {obsessive compulsive} OR wellbeing OR well-being))) AND ((TITLE-ABS-KEY ((screen* OR detect* OR diagnos* OR assess* OR identifi* OR prevent* OR prophyla*)) OR TITLE-ABS-KEY ((intervention* OR counsel* OR therap* OR healing OR listen* AND support* OR care OR healthcare OR service OR medication* OR drugs OR drug OR antidepress* OR anti-depress* OR antianxiety OR anti-anxiety)) OR TITLE-ABS-KEY (("improving access to psychological therap*" OR iapt)))) AND ((TITLE-ABS-KEY (implement* OR impact* OR feasib* OR acceptab*) OR TITLE-ABS-KEY ((barrier* OR challenge* OR obstacle* OR hurdle* OR obstruct* OR drawback* OR issue* OR difficult* OR promot* OR support OR encourag* OR factor? OR facilitat* OR enabl* OR opportunit* OR engage* OR assist*)) OR TITLE-ABS-KEY ("process evaluation*" OR "project evaluation*" OR "systems evaluation*" OR "system evaluation*")))) AND ((TITLE-ABS-KEY ("systematic review" OR meta-analys*) OR TITLE-ABS-KEY ("evidence synthesis" OR "realist synthesis" OR "realist review" OR meta-synthesis* OR "meta synthesis" OR metasynthesis OR meta-ethnograph* OR metaethnograph* OR "meta ethnograph*" OR meta-study OR metastudy OR "meta study") OR TITLE-ABS-KEY (qualitative AND synthesis))) AND (LIMIT-TO (LANGUAGE , "English")))
- 10 (((TITLE (pregnancy OR pregnant OR pre-nat* OR prenatal* OR prepart* OR prepart* OR ante-nat* OR antenat* OR ante-part* OR antepart* OR perinat* OR perinat* OR peri-part* OR peripart* OR puerper* OR post-nat* OR postnat* OR postpart* OR postpart*) AND TITLE (mental* OR psych* OR anxiety OR anxious OR depress* OR mood* OR affect* OR distress* OR stress OR trauma* OR posttrauma* OR post-trauma* OR {adjustment disorder*} OR phobia* OR phobic OR {obsessive compulsive} OR wellbeing OR well-being))) AND ((TITLE-ABS-KEY ((screen* OR detect* OR diagnos* OR assess* OR identifi* OR prevent* OR prophyla*)) OR TITLE-ABS-KEY ((intervention* OR counsel* OR therap* OR healing OR listen* AND support* OR care OR healthcare OR service OR medication* OR drugs OR drug OR antidepress* OR anti-depress* OR antianxiety OR anti-anxiety)) OR TITLE-ABS-KEY (("improving access to psychological therap*" OR iapt)))) AND ((TITLE-ABS-KEY (implement* OR impact* OR feasib* OR acceptab*) OR TITLE-ABS-KEY ((barrier* OR challenge* OR obstacle* OR hurdle* OR obstruct* OR drawback* OR issue* OR difficult* OR promot* OR support OR encourag* OR factor? OR facilitat* OR enabl* OR opportunit* OR engage* OR assist*)) OR TITLE-ABS-KEY ("process evaluation*" OR "project evaluation*" OR "systems evaluation*" OR "system evaluation*")))) AND ((TITLE-ABS-KEY ("systematic review" OR meta-analys*) OR TITLE-ABS-KEY ("evidence synthesis" OR "realist synthesis" OR "realist review" OR meta-synthesis* OR "meta synthesis" OR metasynthesis OR meta-ethnograph* OR metaethnograph* OR "meta ethnograph*" OR meta-study OR metastudy OR "meta study") OR TITLE-ABS-KEY (qualitative AND synthesis)))
- 9 (TITLE-ABS-KEY ("systematic review" OR meta-analys*) OR TITLE-ABS-KEY ("evidence synthesis" OR "realist synthesis" OR "realist review" OR meta-synthesis* OR "meta synthesis" OR metasynthesis OR meta-ethnograph* OR metaethnograph* OR "meta ethnograph*" OR meta-study OR metastudy OR "meta study") OR TITLE-ABS-KEY (qualitative AND synthesis))
- 8 ((TITLE (pregnancy OR pregnant OR pre-nat* OR prenatal* OR prepart* OR prepart* OR ante-nat* OR antenat* OR ante-part* OR antepart* OR perinat* OR perinat* OR peri-part* OR peripart* OR puerper* OR post-nat* OR postnat* OR postpart* OR postpart*) AND TITLE (mental* OR psych* OR anxiety OR anxious OR depress* OR mood* OR affect* OR distress* OR stress OR trauma* OR posttrauma* OR post-trauma* OR {adjustment disorder*} OR phobia* OR phobic OR {obsessive compulsive} OR wellbeing OR well-being))) AND ((TITLE-ABS-KEY ((screen* OR detect* OR diagnos* OR assess* OR identifi* OR prevent* OR prophyla*)) OR TITLE-ABS-KEY ((intervention* OR counsel* OR therap* OR healing OR listen* AND support* OR care OR healthcare OR service OR medication* OR drugs OR drug OR antidepress* OR anti-depress* OR antianxiety OR anti-anxiety)) OR TITLE-ABS-KEY (("improving access to psychological therap*" OR iapt)))) AND ((TITLE-ABS-KEY (implement* OR impact* OR feasib* OR acceptab*) OR TITLE-ABS-KEY ((barrier* OR challenge* OR obstacle* OR hurdle* OR obstruct* OR drawback* OR issue* OR difficult* OR promot* OR support OR encourag* OR factor? OR facilitat* OR enabl* OR opportunit* OR engage* OR assist*)) OR TITLE-ABS-KEY ("process evaluation*" OR "project evaluation*" OR "systems evaluation*" OR "system evaluation*"))))

7 (TITLE-ABS-KEY (implement* OR impact* OR feasib* OR acceptab*) OR TITLE-ABS-KEY ((barrier* OR challenge* OR obstacle* OR hurdle* OR obstruct* OR drawback* OR issue* OR difficult* OR promot* OR support OR encourag* OR factor? OR facilitat* OR enabl* OR opportunit* OR engage* OR assist*)) OR TITLE-ABS-KEY ("process evaluation*" OR "project evaluation*" OR "systems evaluation*" OR "system evaluation**"))

COCHRANE	
#1	MeSH descriptor: [Prenatal Care] explode all trees
#2	MeSH descriptor: [Perinatal Care] explode all trees
#3	MeSH descriptor: [Pregnancy] this term only
#4	MeSH descriptor: [Pregnant Women] explode all trees
#5	(pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*):ti OR (((parent* or mother* or maternal or father* or paternal) and (infan* or newborn* or neonat* or baby or babies))):ti
#6	#1 or #2 or #3 or #4 or #5
#7	MeSH descriptor: [Mental Disorders] this term only
#8	MeSH descriptor: [Anxiety Disorders] explode all trees
#9	MeSH descriptor: [Mood Disorders] explode all trees
#10	MeSH descriptor: [Trauma and Stressor Related Disorders] explode all trees
#11	MeSH descriptor: [Stress, Psychological] explode all trees
#12	MeSH descriptor: [Adaptation, Psychological] this term only
#13	(mental* or psych* or anxiety or anxious or depress* or mood* or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being):ti
#14	#7 or #8 or #9 or #10 or #11 or #12 or #13
#15	#6 and #14
#16	MeSH descriptor: [Depression, Postpartum] explode all trees
#17	MeSH descriptor: [Pregnant Women] explode all trees and with qualifier(s): [psychology - PX]
#18	((pregnancy or pregnant or pre-nat* or prenatal* or prepart* or prepart* or ante-nat* or antenat* or ante-part* or antepart* or peri-nat* or perinat* or peri-part* or peripart* or puerper* or post-nat* or postnat* or post-part* or postpart*) NEAR/5 (mental* or psych* or anxiety or anxious or depress* or mood* or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being))):ti,ab,kw

#19	(((parent or parents or mother* or maternal or father* or paternal) NEAR/5 (infan* or newborn* or neonat* or baby or babies)) and (mental* or psych* or anxiety or anxious or depress* or mood* or affect* or distress* or stress or trauma* or posttrauma* or post-trauma* or adjustment disorder* or phobia* or phobic or obsessive compulsive or wellbeing or well-being)):ti,ab,kw
#20	#15 or #16 or #17 or #18 or #19
#21	MeSH descriptor: [Implementation Science] explode all trees
#22	MeSH descriptor: [Health Plan Implementation] explode all trees
#23	MeSH descriptor: [Program Evaluation] explode all trees
#24	(implement* or impact*):ti,ab,kw OR (feasib* or acceptab*):ti,ab,kw OR ((barrier* or challenge* or obstacle* or hurdle* or obstruct* or drawback* or issue* or difficult* or promot* or support or encourag* or factor* or facilitat* or enabl* or opportunit* or engage* or assist*):ti,ab,kw OR (((process or project* or system*) NEAR/5 evaluat*)):ti,ab,kw
#25	#21 or #22 or #23 or #24
#26	#20 and #25