1. Trial details		
1.1	Name of trial	
1.2	Name of contact	
1.3	Reference	
2. Population using the service		
2.1	Give a description of the hospital (e.g. Teaching Hospital, Community Hospital, VA Hospital)	
2.2	Was the location of the population urban, rural or mixed (urban/rural)?	
2.3	What was the mean age of the population?	
2.4	What was the gender (% female) of the population?	
2.5	What was the ethnicity of the population?	
2.6	This is the description we have of your inclusion criteria from the trial. If you have additional descriptive detail this would be valuable-for instance did you use some indices of comorbidity or frailty?	
2.7	How many patients were recruited from the number assessed as eligible to be recruited to the trial?	
3. Interv	ention characteristics	
3.1	What model of CGA was evaluated in the RCT? (see 3.2 below):  • Discrete Ward (tick)  • Team (tick)  • Other (please describe)	
3.2	<ul> <li>a) Discrete specialist (geriatric) ward: patients are admitted to a dedicated ward and their care is provided by a specialist team. This team conducts a formal assessment across a variety of domains and may use standardised assessment tools.</li> <li>b) CGA delivered by a mobile or peripatetic team: the team conduct a multidisciplinary assessment of a patient in the general medical setting they are admitted to.</li> <li>c) Other (e.g. including hospital liaison teams)</li> </ul>	
3.3	Was the CGA intervention introduced at the time of the trial?  □ Yes □ No	

3.4	If no (to 3.3), how long had the intervention been in place?
Structu	re and Organisation of CGA Intervention
3.5	What type of staff work as Core Team Members and/ or Additional
	Support Staff? (tick all that apply)
	Consultant Geriatricians
	Healthcare Assistants
	Junior Doctors
	Nurses
	Occupational therapists
	Pharmacists
	Physiotherapists
	Psychiatric Nurses
	Social Workers
	Therapy Assistants
	Other ( )
Process	ses of care
3.6	Were standard assessment tools used?
	□ Yes
	□ No
3.7	Were there multi-disciplinary team meetings?
	□ Yes
	□ No
	If yes, how frequent were these meetings?
	Daily
	once a week □
	More than once a week □
3.8	Was goal setting used?
	□ Yes

	□ No	
3.9	Did patients receive discharge planning?	
	□ Yes	
	□ No	
3.10	Was outpatient follow-up routinely undertaken?	
	□ Yes	
	□ No	
4. Key Components of CGA		
4.1	Follow-up for the CGA intervention.	
	Was monitoring of the implementation of the recommendations routine?	
	□ Yes	
	□ No	
4.2	In your view, what elements of CGA evaluated in your study were most critical to success?	
	<ul> <li>Clinical Leadership □</li> <li>Structured assessment □</li> <li>Multidisciplinary Team Meetings □</li> <li>Goal setting □</li> <li>Involving patients and carers in goal setting □</li> <li>Outpatient follow-up □</li> <li>Ward environment □</li> <li>Adequate time □</li> <li>Specialty knowledge, experience and competence □</li> <li>Tailoring treatment plans to the individual □</li> <li>Other (please describe) □</li> </ul> (Please tick all that apply and add to list)	
4.3	Team Working	
	<ul> <li>A forum for discussing patients progress, e.g. multidisciplinary team meetings □</li> <li>Clear documentation of the assessment and treatment plan □</li> <li>Lines of responsibility and clear roles □</li> <li>Training and professional development □</li> <li>Commitment to a quality outcome (e.g. safe discharge) □</li> <li>Leadership □</li> <li>Motivation of staff □</li> </ul>	

4.4	<ul> <li>Communication with patients and families □</li> <li>Clear communication between team members (written and verbal) □</li> <li>Other □</li> <li>Which aspects of context may enhance the effectiveness of CGA models?</li> <li>Culture of the hospital □</li> <li>Size of the hospital □</li> </ul>	
	Links with relevant follow-up services after discharge from hospital □     (e.g. social services; home care)  (Please tick and add to list)	
5. Control group characteristics		
5.1	Was the control group in the RCT:-  a) Standard Medical Ward □  b) Dedicated Care of the Elderly Ward □  c) Other (please describe) □	
Structure and Organisation		
5.2	What type of staff work in the control group?	
	Tick all that apply	
	Consultant Geriatricians	
	Healthcare Assistants	
	Junior Doctors	
	Nurses	
	Occupational therapists	
	Pharmacists	
	Physiotherapists	
	Psychiatric Nurses	
	Social Workers	
	Therapy Assistants	
	Other ( )	

Processes of care		
5.3	Were standard assessment tools used?	
	□ Yes	
	Please give details of standard assessment tool (s)	
	□ No	
5.4	Were there multi-disciplinary team meetings? If yes, how frequent were these meetings?	
	□ Yes □ No	
	Daily □ once a week □	
	More than once a week □	
5.5	Was goal setting used?	
	□ Yes □ No	
5.6	Did patients receive discharge planning?	
	□ Yes □ No	
5.7	Was outpatient follow-up routinely undertaken?	
	□ Yes □ No	
5.8	Please comment on how the CGA intervention your trial evaluated differs from the care provided to the control group?	