

All searches combined results database summary.

Database	Search date	Hits
MEDLINE Ovid Scoping Search: 1950–present	8 October 2010 and 25 January 2011	2357
MEDLINE In-Process & Other Non-Indexed Citations Ovid		98
EMBASE Classic + EMBASE Ovid: 1947–2010	22 November 2010 and 25 January 2011	2672
HMIC Ovid		58
Source: U.K. Department of Health, Nuffield Institute for Health (Leeds University Library), King's Fund Library; 1983–2010	21 November 2010 and 25 January 2011	2
CCRCT: all years	22 November 2010 and 25 January 2011	111
Cochrane CDSR: all years	22 November 2010 and 25 January 2011	7
CRD DARE: all years	22 November 2010 and 25 January 2011	17
CRD HTA: all years	22 November 2010	8
Cochrane Methodology: all years	22 November 2010, 9 December 2010 and 25 January 2011	4
Web of Science: all years	3 December 2010 and 25 January 2011	406
Science Citation Index expanded: 1970–present		
SSCI: 1970–present		
CPCI-S:1990–present		
CPCI-SSH:1990–present		
PsychINFO EBSCO: 1887–2010	6 December 2010 and 25 January 2011	152
CINAHL EBSCO: 1981–2010	6 December 2010 and 25 January 2011	260
Sociological Abstracts CSA Illumina: 1952–2010	6 December 2010 and 25 January 2011	13
IBSS CSA Illumina: 1951–2010	6 December 2010 and 25 January 2011	22
BNI	25 January 2011	13
SPP	25 January 2011	3
ASSIA	25 January 2011	78
CRD	25 January 2011	245
Total		6526

The MEDLINE search strategy was translated and run in:

Database	Search date	Hits
MEDLINE Ovid Scoping Search: 1950–present	8 October 2010	559
MEDLINE In-Process & Other Non-Indexed Citations Ovid		17
EMBASE Classic + EMBASE Ovid: 1947–2010	22 November 2010	500
HMIC Ovid		2
Source: U.K. Department of Health, Nuffield Institute for Health (Leeds University Library), King's Fund Library; 1983–2010	21 November 2010	2
CCRCT: all years	22 November 2010	68
Cochrane CDSR: all years	22 November 2010	7
CRD DARE: all years	22 November 2010	17
CRD HTA: all years	22 November 2010	8
Cochrane Methodology: all years	22 November 2010 and 9 December 2010	4
Web of Science: all years	3 December 2010	129
Science Citation Index expanded: 1970–present		
SSCI: 1970–present		
CPCI-S:1990–present		
CPCI-SSH: 1990–present		
PsychINFO EBSCO: 1887–2010	6 December 2010	28
CINAHL EBSCO: 1981–2010	6 December 2010	99
Sociological Abstracts CSA Illumina: 1952–2010	6 December 2010	1
IBSS CSA Illumina: 1951–2010	6 December 2010	0

Databases, host, date searched, years	Search strategy, keywords added to Reference Manager (Thomson ResearchSoft, San Francisco, CA, USA)	Number of results
MEDLINE Ovid Scoping Search 1950–current Searched on 8 October 2010	<ol style="list-style-type: none"> 1. exp mammography/ae, px 2. exp mammography/ 3. FFDM.tw. 4. (mammogram* or mammograph*).tw. 5. (breast adj2 screen*).tw. 6. (breast adj2 scan*).tw. 7. "National Health Service Breast Screening Programme".tw. 8. NHSBSP.tw. 9. UK breast screen* program*.tw. 10. NHS breast screen* program*.tw. 11. Mass Screening/ 12. exp Breast Neoplasms/ 13. 11 and 12 14. 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 13 15. False Positive Reactions/ 16. (false* adj3 positive*).tw. 17. "false-positive".tw. 18. "false-positives".tw. 19. (false adj3 test*).tw. 20. (false adj3 retest*).tw. 21. (retest* adj3 negative).tw. 22. diagnostic uncertain*.tw. 23. or/15-22 24. exp Stress, Psychological/ 25. exp anxiety/ 26. exp fear/ 27. exp Depression/ 28. exp Emotions/ 29. Psychophysiologic Disorders/ 30. exp Psychology/ 31. exp Health Behavior/ 32. exp Behavior/ 33. exp attitude/ 34. Motivation/ 35. Decision Making/ 36. exp "Quality of Life"/ 37. Health Knowledge, Attitudes, Practice/ or Attitude to Health/ or Patient Satisfaction/ or Patient Participation/ or Consumer Participation/ or Consumer Satisfaction/ or Sick Role/ or "Patient Acceptance of Health Care"/ 38. exp Affect/ 39. exp Affective Symptoms/ 40. (accept* or adhere* or affect* or anger* or anxiety or anxious or alarm* or attitude* or appetite or behavior* or behaviour* or belief* or believe* or comply or compliant* or concordance or coping or concern* or confusion or confused or consequence* or consequential or conflict or cultural*).tw. 	559

Databases, host,
date searched,
years

Search strategy, keywords added to Reference Manager (Thomson
ResearchSoft, San Francisco, CA, USA)

Number of
results

41. (demotivated or demotivation* or de-motivated or de-motivation* or disconcert* or depression or depressed or distress* or deleterious or disappointment or emotion* or ethnic* or ethnol* or experienc* or fear* or fright* or harm* or mental* or mistrust* or mood* or motivated or motivation* or nightmare* or perception* or perceive* or psychological or psychologically or psychology or psychosocial or reattend* or social*).tw.
 42. "quality of life".tw.
 43. (relief or relieved or risk*).tw.
 44. (sleep or stress* or terror or terrified or trust* or mistrust*).tw.
 45. (worry or worried).tw.
 46. (wellbeing or "well-being" or "well being").tw.
 47. or/24-46
 48. exp Intervention Studies/
 49. exp Questionnaires/
 50. psychological tests/ or psychometrics/ or models psychological/
 51. Patient Education as Topic/
 52. health education/ or health promotion/ or health knowledge/
 53. decision aid/ or decision support techniques/
 54. Educational Technology/
 55. audiovisual aids/
 56. telehealth/ or telemedicine/ or telecommunication/
 57. social support/ or self help groups/ or support groups/
 58. exp communication/
 59. persuasive communication/
 60. exp counselling/
 61. interviews as topic/
 62. evaluation studies as topic/
 63. qualitative research/ or program evaluation/ or process evaluation/
 64. focus groups/
 65. nursing methodology research/
 66. intervention*.tw.
 67. (qualitative* or findings or evaluat* or synthes?s or meta-synthesis* or meta synthesis* or metasynthesis or meta-ethnograph* or metaethnograph* or meta ethnograph* or meta-study or metastudy or meta study or systematic* or "technology assessment" or sampl* or study or studies or observation* or research or discourse* or analys?s or humanistic or biographical or biography or narrative*).tw.
 68. (support* or literature or booklet* or leaflet* or pamphlet* or letter* or video* or podcast* or telephon* or transtelephon*).tw.
 69. (questionnaire* or interview* or discuss* or feedback or personalised or personalized or assessment* or reassurance or reassur*).tw.
 70. (counsel* or education* or "informed choice" or "informed choices").tw.
 71. "in person".tw.
 72. (peer* adj5 (support* or group*)).tw.
 73. ("expert patients" or "expert patients").tw.
 74. (social adj network*).tw.
 75. "emotional support".tw.
-

Databases, host, date searched, years	Search strategy, keywords added to Reference Manager (Thomson ResearchSoft, San Francisco, CA, USA)	Number of results
	76. "family support".tw.	
	77. focus group*.tw.	
	78. ("one to one" or "one on one").tw.	
	79. ((patient* or consumer* or recipient* or client* or individual*) adj5 (communicat* or counsel* or inform* or education* or choice or discuss* or decision* or decide* or participat* or preference* or navigat*)).tw.	
	80. ((patient* or consumer* or recipient* or client* or individual*) adj5 (tailor* or personal*)).tw.	
	81. ((personal or interpersonal* or individual*) adj5 (decision* or choice* or preference* or participat* or preference*)).tw.	
	82. ((tailor* or individual* or personal*) adj5 message*).tw.	
	83. ((allocat* or allot* or assign* or divid*) adj5 (condition* or experiment* or intervention* or treatment* or therap* or control* or group*)).tw.	
	84. or/48-83	
	85. 1 and 23 and 84	
	86. 14 and 23 and 47 and 84	
	87. 85 or 86	
	88. 1 and 23	
	89. 14 and 23 and 47	
	90. 88 or 89	
	91. limit 90 to ("qualitative studies (sensitivity)" or "qualitative studies (specificity)" or "qualitative studies (optimized)")	
	92. limit 90 to systematic reviews	
	93. limit 90 to (case reports or clinical trial, all or clinical trial or comparative study or controlled clinical trial or evaluation studies or government publications or guideline or meta analysis or multicenter study or patient education handout or practice guideline or randomized controlled trial or "review" or "scientific integrity review" or technical report or twin study or validation studies)	
	94. 87 or 91 or 92 or 93	
	95. 51 or 52 or 53 or 54 or 55 or 56 or 57 or 58 or 59 or 60 or 64 or 68 or 69 or 70 or 71 or 72 or 73 or 74 or 75 or 76 or 77 or 78 or 79 or 80 or 81 or 82 or 83	
	96. 48 or 49 or 61 or 62 or 63 or 65 or 66 or 67	
	97. 14 and 23 and 47 and 95 and 96	
	98. 1 and 23 and 96	
	99. 14 and 23 and 47 and 96	
	100. 94 or 97 or 98 or 99	
	101. 94 or 100	
MEDLINE In-Process & other Non-Indexed Citations Ovid	Adapted from MEDLINE Search	17

Databases, host, date searched, years	Search strategy, keywords added to Reference Manager (Thomson ResearchSoft, San Francisco, CA, USA)	Number of results
EMBASE Classic + EMBASE Ovid 1947–2010 Searched 22 November 2010	Database: EMBASE Classic + EMBASE < 1947 to 2010 Week 46> Search strategy: 1. exp MAMMOGRAPHY/ (33,626) 2. FFDM.tw. (140) 3. (mammogram* or mammograph*).tw. (24,341) 4. (breast adj2 screen*).tw. (6407) 5. (breast adj2 scan*).tw. (245) 6. (breast adj2 detect*).tw. (5038) 7. "National Health Service Breast Screening Programme".tw. (96) 8. NHSBSP.tw. (76) 9. UK breast screen* program*.tw. (42) 10. NHS breast screen* program*.tw. (86) 11. mass screening/ (43,653) 12. exp breast cancer/ (208,636) 13. 11 and 12 (873) 14. or/1-10,13 (41,820) 15. false positive result/ (6554) 16. (false* adj3 positive*).tw. (44,807) 17. "false-positive".tw. (36,608) 18. "false-positives".tw. (8293) 19. "falsely-positive".tw. (855) 20. (false adj3 test*).tw. (3821) 21. (false adj3 retest*).tw. (12) 22. (retest* adj3 negative).tw. (115) 23. diagnostic uncertain*.tw. (743) 24. or/15-23 (48,970) 25. 14 and 24 (1368) 26. exp stress/ (158,295) 27. PSYCHOLOGICAL ASPECT/ or PSYCHOLOGICAL WELL BEING/ (413,535) 28. PSYCHOSOCIAL ADJUSTMENT TO ILLNESS SCALE/ or exp "PSYCHOLOGICAL AND PSYCHOSOCIAL PHENOMENA"/ (1,951,140) 29. exp ANXIETY/ or ANTICIPATORY ANXIETY/ (89,596) 30. exp FEAR/ (114,051) 31. exp DEPRESSION/ or REACTIVE DEPRESSION/ (244,313) 32. exp EMOTION/ (282,458) 33. EMOTIONAL STRESS/ (9740) 34. mental stress/ (46,546) 35. exp behavior/ (1,772,614) 36. exp ATTITUDE/ (384,744) 37. exp MOTIVATION/ (54,973) 38. PATIENT PARTICIPATION/ (12,113) 39. decision making/ (106,459) 40. exp "quality of life"/ (165,080) 41. exp patient satisfaction/ (61,974)	500

Databases, host, date searched, years	Search strategy, keywords added to Reference Manager (Thomson ResearchSoft, San Francisco, CA, USA)	Number of results
	42. (accept* or adhere* or affect* or anger* or anxiety or anxious or alarm* or attitude* or appetite or behavior* or behaviour* or belief* or believe* or comply or complian* or concordance or cope* or coping or concern* or confusion or confused or consequence* or consequential or conflict or cultural*).tw. (3,217,709)	
	43. (demotivated or demotivation* or de-motivated or de-motivation* or disconcert* or depression or depressed or distress* or deleterious or disappointment or emotion* or ethnic* or ethnol* or experienc* or fear* or fright* or harm* or mental* or mistrust* or mood* or motivated or motivation* or nightmare* or perception* or perceicve* or psychological or psychologically or psychology or psychosocial or reattend* or social*).tw. (1,974,157)	
	44. "quality of life".tw. (128,403)	
	45. (relief or relieved or risk*).tw. (1,252,141)	
	46. (sleep or stress* or terror or terrified or trust* or mistrust*).tw. (611,497)	
	47. (worry or worried or worries or wellbeing or "well-being" or "well being").tw. (48,645)	
	48. or/26-47 (6,645,255)	
	49. 25 and 48 (635)	
	50. qualitative stud\$.mp. (11,374)	
	51. nursing methodology research.mp. (11,841)	
	52. questionnaire/ (262,746)	
	53. focus group\$.mp. (14,900)	
	54. discourse analysis.mp. (846)	
	55. content analysis.mp. (8358)	
	56. ethnographic research.mp. (570)	
	57. ethnological research.mp. (6)	
	58. ethnonursing research.mp. (27)	
	59. constant comparative method.mp. (597)	
	60. qualitative validity.mp. (83)	
	61. purposive sample.mp. (1167)	
	62. observational method\$.mp. (959)	
	63. field stud\$.mp. (10,752)	
	64. theoretical sampl\$.mp. (293)	
	65. phenomenology/ (5404)	
	66. phenomenological research.mp. (218)	
	67. life experience\$.mp. (2658)	
	68. cluster sampl\$.mp. (2894)	
	69. ethnonursing.af. (78)	
	70. ethnograph\$.mp. (4843)	
	71. phenomenol\$.af. (15,839)	
	72. grounded theory.mp. (4137)	
	73. (grounded adj (theor\$ or study or studies or research or analys?s)).af. (4231)	
	74. (life stor\$ or women\$ stor\$).tw. (658)	
	75. (emic or etic or hermeneutic\$ or heuristic\$ or semiotic\$).af. or (data adj1 saturat\$).tw. or participant observ\$.tw. (11,156)	
	76. (action research or cooperative inquir\$ or co operative inquir\$ or co-operative inquir\$).mp. (1979)	

Databases, host, date searched, years	Search strategy, keywords added to Reference Manager (Thomson ResearchSoft, San Francisco, CA, USA)	Number of results
	77. (humanistic or existential or experiential or paradigm\$.mp. (78,597)	
	78. (field adj (study or studies or research)).tw. (11,218)	
	79. human science.tw. (215)	
	80. biographical method.tw. (14)	
	81. purposive sampl\$.af. (1846)	
	82. theoretical sampl\$.af. (293)	
	83. ((purpos\$ adj4 sampl\$) or (focus adj group\$)).af. (19,032)	
	84. (account or accounts or unstructured or "open-ended" or "open ended" or text\$ or narrative\$).mp. (395,335)	
	85. (life world or life-world or conversation analys?s or personal experience\$ or theoretical saturation).mp. (22,256)	
	86. lived experience\$.tw. (1610)	
	87. life experience\$.tw. (2647)	
	88. cluster sampl\$.mp. (2894)	
	89. questionnaire\$.tw. (266,283)	
	90. content analysis.af. (8419)	
	91. thematic analysis.af. (2239)	
	92. constant comparative.af. (1043)	
	93. ((discourse\$ or discuss\$ or discours\$) adj3 analys?s).tw. (6735)	
	94. (constant adj (comparative or comparison)).af. (1486)	
	95. narrative analys?s.af. (358)	
	96. narrative synthes?s.af. (152)	
	97. observational study/ (16,809)	
	98. intervention study/ (9965)	
	99. intervention*.tw. (471,470)	
	100. evaluation/ (159,571)	
	101. evaluat*.tw. (2,055,889)	
	102. psychometry/ (31,871)	
	103. PSYCHOLOGICAL RATING SCALE/ or PSYCHOLOGICAL MODEL/ (27,953)	
	104. PATIENT EDUCATION/ or HEALTH EDUCATION/ (137,523)	
	105. educational technology/ or health promotion/ (55,616)	
	106. telecommunication/ or TELEHEALTH/ or telemedicine/ (19,465)	
	107. SOCIAL SUPPORT/ or SUPPORT GROUP/ (46,011)	
	108. self help/ (9686)	
	109. communication.mp. (293,687)	
	110. exp COUNSELLING/ (82,605)	
	111. qualitative research/ (11,352)	
	112. program evaluation.mp. or health care quality/ (143,551)	
	113. (support* or literature or booklet* or leaflet* or pamphlet* or letter* or video* or podcast* or telephon* or transtelephon*).tw. (1,595,815)	
	114. (questionnaire* or interview* or discuss* or feedback or personalised or personalized or assessment* or reassurance or reassur*).tw. (2,123,205)	
	115. (counsel* or education* or "informed choice" or "informed choices").tw. (378,757)	
	116. "in person".tw. (3324)	

Databases, host, date searched, years	Search strategy, keywords added to Reference Manager (Thomson ResearchSoft, San Francisco, CA, USA)	Number of results
	117. (peer* adj5 (support* or group*)).tw. (5061)	
	118. ("expert patients" or "expert patients").tw. (70)	
	119. (social adj network*).tw. (5102)	
	120. "emotional support".tw. (3119)	
	121. "family support".tw. (2620)	
	122. ((patient* or consumer* or recipient* or client* or individual*) adj5 (communicat* or counsel* or inform* or education* or choice or discuss* or decision* or decide* or participat* or preference* or navigat*)).tw. (227961)	
	123. ((patient* or consumer* or recipient* or client* or individual*) adj5 (tailor* or personal*)).tw. (28,228)	
	124. ((tailor* or individual* or personal*) adj5 message*).tw. (629)	
	125. ((allocat* or allot* or assign* or divid*) adj5 (condition* or experiment* or intervention* or treatment* or therap* or control* or group*)).tw. (224,681)	
	126. or/50-125 (6,376,617)	
	127. 49 and 126 (426)	
	128. limit 49 to (clinical trial or randomized controlled trial or controlled clinical trial or multicenter study) (78)	
	129. limit 49 to (evidence based medicine or meta analysis or outcomes research or "systematic review") (37)	
	130. limit 49 to ("qualitative studies (1 term high sensitivity)" or "qualitative studies (1 term high specificity)" or "qualitative studies (1 term min difference)" or "qualitative studies (2 or more terms high sensitivity)" or "qualitative studies (2 or more terms high specificity)" or "qualitative studies (2 or more terms min difference)") (211)	
	131. 127 or 128 or 129 or 130 (498)	
	132. (psychological adj5 (consequence* or harm* or sequel*)).tw. (3753)	
	133. 25 and 132 (17)	
	134. 131 or 133 (500)	
<p>HMIC Ovid (Health Management Information Consortium) Source: U.K. Department of Health, Nuffield Institute for Health (Leeds University Library), King's Fund Library 1983–2010 Searched 21 November 2010</p>	<p>Free text from MEDLINE search</p>	<p><i>n</i> = 2 added (23 results downloaded would not import so cross-checked records manually, only 2 unique so only these added manually to the database)</p>

Databases, host, date searched, years	Search strategy, keywords added to Reference Manager (Thomson ResearchSoft, San Francisco, CA, USA)	Number of results
CCRCT All Years Searched 22 November 2010	Save date: 22 November 2010 ID Search #1 MeSH descriptor False Positive Reactions explode all trees #2 false* positive* #3 (#1 OR #2) #4 MeSH descriptor Mammography, this term only #5 (mammogram* or mammograph* or breast screen* or breast scan*) #6 (National Health Service Breast Screen* Programme* or NHSBSP or FFDM) #7 breast cancer screen* or breast cancer scan* #8 (breast neoplasm* scan* or breast neoplasm* screen*) #9 (#4 OR #5 OR #6 OR #7 OR #8) #10 (#3 AND #9) #11 (accept* or adhere* or affect* or anger* or anxiety or anxious or alarm* or attitude* or appetite or behavior* or behaviour* or belief* or believe* or comply or complian* or concordance or coping or concern* or confusion or confused or consequence* or consequential or conflict or cultural*) #12 (demotivated or demotivation* or de-motivated or de-motivation* or disconcert* or depression or depressed or distress* or deleterious or disappointment or emotion* or ethnic* or ethnol* or experienc* or fear* or fright* or harm* or mental* or mistrust* or mood* or motivated or motivation* or nightmare* or perception* or perceive* or psychological or psychologically or psychology or psychosocial or reattend* or social*) #13 quality of life #14 (sleep or stress* or terror or terrified or trust* or mistrust* or worry or worries or worried) #15 (wellbeing or well-being or well being) #16 (#11 OR #12 OR #13 OR #14 OR #15) #17 (#10 AND #16) #18 MeSH descriptor Mammography explode all trees with qualifier: PX #19 (#17 OR #18) #20 psychological near false #21 (#9 AND #20) #22 (#19 OR #21)	68
Cochrane CDSR All years Searched 22 November 2010	As above	7 selected (out of 25 records)

Databases, host, date searched, years	Search strategy, keywords added to Reference Manager (Thomson ResearchSoft, San Francisco, CA, USA)	Number of results
CRD DARE All years Searched 22 November 2010	#1 mammogram* OR mammograph* 353 #2 breast NEAR screen* 321 #3 breast NEAR scan* 60 #4 MeSH Mammography EXPLODE 1 315 #5 NHSBSP OR FFD 5	17 DARE; 8 HTA
CRD HTA All years Searched 22 November 2010	#6 #1 or #2 or #3 or #4 or #5 583 #7 MeSH False Positive Reactions EXPLODE 1 119 #8 MeSH False Positive Reactions EXPLODE 1 119 #9 false* NEAR positive* 736 #10 "false-positive" 556 #11 "false-positives" 220 #12 false NEAR test* 398 #13 false NEAR retest* 2 #14 retest* NEAR negative 5 #15 negative NEAR retest* 5 #16 diagnos* NEAR uncertain* 181 #17 #7 or #9 or #10 or #11 or #12 or #13 or #14 or #16 995 #18 #6 and #17 87 #19 (accept* OR adhere* OR affect* OR anger* OR anxiety OR anxious OR alarm* OR attitude* OR appetite OR behavior* OR behaviour* OR belief* OR believe* OR comply OR complian* OR concordance OR coping OR concern* OR confusion OR confused OR consequence* OR consequential OR conflict OR cultural*) 14608 #20 (demotivated OR demotivation* OR de-motivated OR de-motivation* OR disconcert* OR depression OR depressed OR distress* OR deleterious OR disappointment OR emotion* OR ethnic* OR ethnol* OR experienc* OR fear* OR fright* OR harm* OR mental* OR mistrust* OR mood* OR motivated OR motivation* OR nightmare* OR perception* OR perceive* OR psychological OR psychologically OR psychology OR psychosocial OR reattend* OR social*) 12173 #21 "quality of life" 5283 #22 (sleep OR stress* OR terror OR terrified OR trust* OR mistrust*) 2165 #23 (worry OR worried) 50 #24 (wellbeing OR "well-being" OR "well being") 568 #25 MeSH Mammography EXPLODE 1 315 #26 #19 or #20 or #21 or #22 or #23 or #24 22424 #27 #18 and #26 63 #28 MeSH Mammography QUALIFIERS PX EXPLODE 1 4 #29 #27 or #28 66	
Cochrane Methodology All years searched 22 November 2010 and 9 December 2010	4 references manually added to Reference Manager	4

Databases, host, date searched, years	Search strategy, keywords added to Reference Manager (Thomson ResearchSoft, San Francisco, CA, USA)	Number of results
Web of Science	#1 25,094 TS=(mammogram* or mammograph*)	<i>n</i> = 129 (123 from line 36 + extra 6 chosen out of line 37)
Searched 3	#2 84 TS=(NHSBP or "National Health Service Breast Screening Programme")	
December 2010	#3 243 TS=(UK breast screen* program*)	
Cross searched: databases	#4 115 TS=(NHS breast screen* program*)	
	#5 34,318 TS=(false* positive*)	
Timespan = all available years	#6 12,091 TS=(diagnos* uncertain*)	
	#7 60 TS=(false SAME retest*)	
SCI-Expanded: 1970–present	#8 267 TS=(retest* SAME negative)	
	#9 25,226 (#1 or #2 or #3 or #4)	
SSCI:1970–present	#10 46,453 (#5 or #6 or #7 or #8)	
	#11 1,344 #9 and #10	
CPCI-S: 1990–present	#12 >100,000 TS=("quality of life")	
	#13 >100,000 TS=(stress* or anxiety or anxious or worry or worried or fright*)	
CPCI-SSH: 1990–present	#14 >100,000 Ts=(psychol*)	
	#15 48,994 TS=(psychosocial*)	
	#16 >100,000 TS=(depress* or emotion* or fear* or behavior* or behaviour* or confused or confusion)	
	#17 >100,000 (#12 or #13 or #14 or #15 or #16)	
	#18 144 (#11 and #17)	
	#19 >100,000 TS=(qualitative*)	
	#20 >100,000 TS=(evaluat* or analys* or analyt* or ehnonograph* or ethnonurs* or validity)	
	#21 >100,000 TS=(intervention*)	
	#22 >100,000 TS=(cluster* or sampl*)	
	#23 >100,000 TS=(interview*)	
	#24 >100,000 TS=(trial* or study or studies)	
	#25 47,396 TS=(phenomolog* or story or stories)	
	#26 60,726 TS=(life experience*)	
#27 42,972 TS=(focus group*)		
#28 17,445 TS=(narrative)		
#29 >100,000 TS=(support* or literature or booklet* or leaflet* or pamphlet* or letter* or video* or podcast* or telephon* or transtelephon*)		
#30 56,051 TS=(communicat* or counsel*)		
#31 >100,000 TS=(discuss* or feedback or personalised or personalized or assessment* or reassurance or reassur*)		
#32 >100,000 Ts=(personal or interpersonall)		
#33 >100,000 TS=(session* or group* or scheme*)		
#34 27,100 TS=(patient education)		
#35 >100,000 (#19 or #20 or #21 or #22 or #23 or #24 or #25 or #26 or #27 or #28 or #29 or #30 or #31 or #32 or #33 or #34)		
#36 123 #18 and #35 - note all 123 results downloaded		
#37 21 #18 not #36 - note additional 6 selected from here.		
PsychINFO EBSCO	S1 DE "Mammography" (703)	28
1887–2010	S2 TX (mammogram* or mammograph*) (1268)	
Searched 6	S3 TX . "National Health Service Breast Screening Programme" (4)	
December 2010	S4 TX NHSBSP (2)	
	S5 UK breast screen* program* (8)	
	S6 NHS breast screen* program* (7)	
	S7 S1 or S2 or S3 or S4 or S5 or S6 (1274)	
	S8 TX false* positive* (2109)	
	S9 S7 and S8 (28)	

Databases, host, date searched, years	Search strategy, keywords added to Reference Manager (Thomson ResearchSoft, San Francisco, CA, USA)	Number of results
CINAHL EBSCO	S1 (MH "Mammography/PF") (146)	99
1981–2010	S2 (MH "Mammography") (4578)	
Searched 6	S3 TX (mammogram* or mammograph*) (5651)	
December 2010	S4 TX "National Health Service Breast Screening Programme (18)	
	S5 TX NHSBSP (16)	
	S6 TX UK breast screen* program* (21)	
	S7 TX NHS breast screen* program* (43)	
	S8 S2 or S3 or S4 or S5 or S6 or S7 (5683)	
	S9 (MH "False Positive Results") (2001)	
	S10 TX false* positive* or TX "false-positive" (3302)	
	S11 S9 or S10 (3302)	
	S12 S8 and S11 (210)	
	S13 S1 and S11 (20)	
	S14 (MH "Stress+") (31,953)	
	S15 (MH "Psychological Well-Being") OR (MH "Adaptation, Psychological") (14,735)	
	S16 (MH "Anxiety") OR (MH "Anticipatory Anxiety") (10,394)	
	S17 (MH "Psychology+") (6182)	
	S18 (MH "Behavior+") (325,908)	
	S19 (MH "Help Seeking Behavior") (1831)	
	S20 (MH "Quality of Life+") (32,163)	
	S21 (MH "Depression+") (31,871)	
	S22 (MH "Emotions+") (35,643)	
	S23 TX (affect* or anger* or anxiety or anxious or alarm* or attitude* or appetite or behavior* or behaviour* or comply or complian* or coping or concern* or confusion or confused) (382,003)	
	S24 TX (demotivated or demotivation* or de-motivated or de-motivation* or disconcert* or depression or depressed or distress* or deleterious or disappointment or emotion* or fear* or fright* or harm* or mental* or mistrust* or mood* or motivated or motivation* or nightmare* or psychological or psychologically or psychology or psychosocial) (402,584)	
	S25 TX (sleep or stress* or terror or terrified or trust* or mistrust or wellbeing or "well being" or "well-being" or worry or worried or worries) (133,261)	
	S26 S14 or S15 or S16 or S17 or S18 or S19 or S20 or S21 or S22 or S23 or S24 or S25 (766,002)	
	S27 S12 and S26 (87)	
	S28 S13 or S27 (87)	
	S29 (MH "Rescreening") (52)	
	S30 S2 and S29 (5)	
	S31 S28 or S30 (92)	
	S32 (MH "Qualitative Studies") (33,774)	
	S33 (MH "Clinical Nursing Research") (2266)	
	S34 (MH "Questionnaires+") (124,819)	
	S35 (MH "Attitude+") (152,372)	
	S36 (MH "Focus Groups") (14,223)	
	S37 (MH "Discourse Analysis") (1391)	

Databases, host, date searched, years	Search strategy, keywords added to Reference Manager (Thomson ResearchSoft, San Francisco, CA, USA)	Number of results
	S38 (MH "Content Analysis") (12,487)	
	S39 (MH "Ethnographic Research") (3238)	
	S40 (MH "Ethnonursing Research") (127)	
	S41 (MH "Constant Comparative Method") (3941)	
	S42 (MH "Qualitative Validity") (345)	
	S43 (MH "Purposive Sample") (11,853)	
	S44 (MH "Observational Methods+") (10,984)	
	S45 (MH "Field Studies") (1256)	
	S46 (MH "Theoretical Sample") (921)	
	S47 (MH "Phenomenology") OR (MH "Phenomenological Research") (7951)	
	S48 (MH "Life Experiences+") (10,200)	
	S49 (MH "Cluster Sample+") (1565)	
	S50 S32 or S33 or S34 or S35 or S36 or S37 or S38 or S39 or S40 or S41 or S42 or S43 or S44 or S45 or S46 or S47 or S48 or S49 (284,910)	
	S51 S12 and S50 (27)	
	S52 S13 and S50 (10)	
	S53 S31 or S51 or S52 (94)	
	S54 TX intervention* (123,688)	
	S55 TX program* N5 psycholog* (952)	
	S56 S54 or S55 (124,358)	
	S57 S12 and S56 (25)	
	S58 S13 and S54 (2)	
	S59 S53 or S57 or S58 (99)	
Sociological Abstracts Host: CSA Illumina 1952–2010 Searched 6 December 2010	(mammograph* or mammogram*) and (false* or retest or "re-test") 9 results 1 downloaded	1
IBSS Host: CSA Illumina 1951–2010 Searched 6 December 2010	(mammograph* or mammogram* or (breast scceen*)) and ((false* positive*) or "false-positive") results Mammography as a descriptor only 3 results. 1. Testing a model of mammography intention Baumann, Linda J.; Brown, R.L.; Fontana, Susan A.; Cameron, Linda Journal of applied social psychology, vol. 23 no. 21, pp. 1733-1756, Nov 1993 View Record Cited by 4 Database: IBSS: International Bibliography of the Social Sciences Descriptors: Model testing Habits Social influence Cancer Health promotion Women's health More... 2. Determinants of mammography intentions among prior screenees and nonscreenees Jepson, Christopher; Rimer, Barbara K. Journal of applied social psychology, vol. 23 no. 1, pp. 40-51, Jan 1993 View Record Cited by 3 Database: IBSS: International Bibliography of the Social Sciences Descriptors: Health care Patients Prevention Women Mammography 3. Cancer-related channel selection: a focus on women who have had a mammography Johnson, J. David; Meischke, Hendrika Journal of applied social psychology, vol. 22 no. 24, pp. 1879-1893, Dec 1992 Mammograph* or mammogram* 66 journal results. Nothing relating to false positive results. (mammograph* or mammogram*) and (retest or "re-test" or false test*) 0 results	0

Checked Reference Manager database for these items after PsychLIT search: all added in manually to Reference Manager 9 December 2010.

A model of the influence of false-positive mammography screening results on subsequent screening.
Health Psychol Rev 2010;**4**:112–27.

Authors: DeFranka JT, Brewera N.

Affiliation: a Department of Health Behavior and Health Education, UNC Gillings School of Global Public Health, Chapel Hill, NC, USA.

How possible benefits and harms related to screening for breast cancer are presented to women on web sites.

Barcelona, Spain: XI Cochrane Colloquium: Evidence, Health Care and Culture; 2003. p. 17.

Authors: Jorgensen K, Gotzsche P.

Cochrane Methodology Register (CMR) keywords CMR: Review methodology – applicability and recommendations – individual risk; CMR: other methodology – Internet; CMRA3.

ID CMR-5160.

The Cochrane Methodology Register 2010 Issue 4.

Copyright© 2010 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.

False-negative results in screening programmes: systematic review of impact and implications.

Health Technol Assess 2000;**4**(5).

Authors: Petticrew MP, Sowden AJ, Lister Sharp D, Wright K.

CMR keywords CMR: Evaluation methodology - diagnostic test accuracy - general;CMRA4

ID CMR-3593.

Are benefits and harms in mammography screening given equal attention in scientific articles? A cross-sectional study.

BMC Medicine 2007;**5**:12.

Authors: Jorgensen KJ, Klahn A, Gotzsche PC.

CMR keywords CMR: Other methodology – adverse effects; CMR: Evaluation methodology – bias in trials – outcome reporting bias; CMR: Evaluation methodology – bias in trials – general; CMRA3.

Correspondence address: The Nordic Cochrane Centre, Rigshospitalet, Blegdamsvej 9, Copenhagen, Denmark. kj@cochrane.dk.

ID CMR-10812.

The Cochrane Methodology Register 2010 Issue 4.

Copyright© 2010 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.

Other search strategies undertaken are available from the authors.