

Questions	
Your behaviour	
<p>1. In the last 3 months how many of these types of female partners have you had sex with?</p> <p>Regular partner</p> <p>Occasional partner, e.g. friends with benefits</p> <p>One off partner (e.g. one night stand)</p> <p>Sex worker (paid for)</p> <p>Other</p> <p>(please specify):</p> <p><i>(Text boxes restricted to 3 digit number for each option; free text box for 'please specify')</i></p>	
<p>2. In the last 3 months how many of these types of male partners have you had sex with?</p> <p>Regular partner</p> <p>Occasional partner, e.g. friends with benefits</p> <p>One off partner (e.g. one night stand)</p> <p>Sex worker (paid for)</p> <p>Other</p> <p>(please specify):</p> <p><i>(Text boxes restricted to 3 digit number for each option; free text box for 'please specify')</i></p>	
Condom use	
<p>3. In the last 3 months, how many women have you had condomless vaginal or anal sex with (without a condom)?</p> <p><i>(Free text response, restricted to 3 digits numeric)</i></p>	
<p>4. In the last 3 months, how many TIMES have you had condomless vaginal or anal sex with a woman (without a condom)? (Please answer as accurately as you can)</p> <p><i>(Free text response, restricted to 3 digits numeric)</i></p>	
<p>5. In the last 3 months, how many men have you had condomless anal sex with (without a condom)?</p> <p><i>(Free text response, restricted to 3 digits numeric)</i></p>	
<p>6. In the last 3 months, how many times have you experienced any of the following problems?</p> <p>Condoms not available when needed <input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 or more</p> <p>Using condoms stored in wallet more than 1 <input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 or more month</p> <p>Using condoms that were not lubricated <input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 or more</p> <p>Applied condom after sex had begun <input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 or more</p> <p>Removed condom before sex ended <input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 or more</p> <p>Did not change condoms when switching <input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 or more from one form of sex to another</p> <p>Erection lost when putting on a condom <input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 or more</p>	

- Erection lost during sex 0 1 2 3 or more
- Condom broke 0 1 2 3 or more
- Condom slipped off during sex 0 1 2 3 or more
- Condom slipped off during withdrawal 0 1 2 3 or more
- Ejaculate dripped onto partner's genitals 0 1 2 3 or more
- Condom put on penis the wrong way, then turned and put on the right way 0 1 2 3 or more
- Did not change condoms when switching from one partner to another 0 1 2 3 or more

7. In the last 3 months, how many times have you had **condomless sex** (without a condom) because you were **drunk or high**? (Please answer as accurately as you can)

(Free text response, restricted to 3 digits numeric)

8. In the last 3 months, have you used these types of contraception with female partners ?

Tick all that apply

- Don't know
- None
- None –trying for a baby
- The Pill, contraceptive patch, or contraceptive vaginal ring
- Condoms (including female condoms)
- Emergency contraceptive pill (morning after pill)
- Injection
- Contraceptive implant
- Withdrawal (pulling out)
- Intrauterine device (coil/IUD/IUS)
- Diaphragm or cap or spermicide
- Natural family planning (safe period/rhythm method)
- Don't know name of the contraception
- Other (please state).....

STI diagnoses

9. In the last 3 months, have you had any of the following sexually transmitted infections (tick all that apply)?

- Warts
- Herpes
- Chlamydia
- Gonorrhoea
- Pubic lice (Crabs)
- Trichomonas (TV)
- Non-specific urethritis (NSU)
- Syphilis

- HIV
- Hepatitis
- Can't remember the name
- Other (please write in name)
-
- No sexually transmitted infections

10. In the last 3 months have you had antibiotic treatment because a partner had an STI?

- Yes
- No

1. Has a female partner been pregnant in the last 3 months?

- Yes
- No
- Don't know

(If yes) What happened with the pregnancy?

- Still pregnant
- Miscarriage or stillbirth
- An abortion
- A baby
- Don't know

2. In the last 3 months, how many times have you used each of these sexual health services?

Condom pick-up

Self-test kit for STIs* (e.g. postal Chlamydia test kit)

Urine tests/swabs at the **GP**

Urine tests/swabs at a **sexual health clinic**

Blood tests for STIs at the **GP**

Blood tests for STIs at a **sexual health clinic**

Treatment of an STI at the **GP**

Treatment of an STI at a **sexual health clinic**

Sexual health advice from the **GP**

Sexual health advice from a **sexual health clinic**

Outreach contraception and sexual service (CASH)

Sexual health counselling or therapy

Other sexual health services

(please state)

(Text boxes restricted to 3 digit number for each option; free text box for 'please state')

*STIs = Sexually Transmitted Infections

* GP = General practitioner, family doctor

Self-efficacy

3. I feel confident that I could:

Get hold of condoms (eg buying from a shop)

strongly disagree disagree undecided agree

strongly agree

Use a condom on correctly

strongly disagree disagree undecided agree

Put a condom on without losing my erection	<input type="radio"/> strongly agree <input type="radio"/> strongly disagree <input type="radio"/> disagree <input type="radio"/> undecided <input type="radio"/> agree
Remove and dispose of a condom after sex	<input type="radio"/> strongly agree <input type="radio"/> strongly disagree <input type="radio"/> disagree <input type="radio"/> undecided <input type="radio"/> agree
Choose the correct size/type of condom	<input type="radio"/> strongly agree <input type="radio"/> strongly disagree <input type="radio"/> disagree <input type="radio"/> undecided <input type="radio"/> agree
Discuss using condoms with any partner I might have	<input type="radio"/> strongly agree <input type="radio"/> strongly disagree <input type="radio"/> disagree <input type="radio"/> undecided <input type="radio"/> agree
Suggest using a condom with a new partner	<input type="radio"/> strongly agree <input type="radio"/> strongly disagree <input type="radio"/> disagree <input type="radio"/> undecided <input type="radio"/> agree
Suggest using a condom without my partner feeling 'diseased'	<input type="radio"/> strongly agree <input type="radio"/> strongly disagree <input type="radio"/> disagree <input type="radio"/> undecided <input type="radio"/> agree
Remember to use a condom even if I am drunk or high	<input type="radio"/> strongly agree <input type="radio"/> strongly disagree <input type="radio"/> disagree <input type="radio"/> undecided <input type="radio"/> agree
Stop to put a condom on myself or my partner even in the heat of the moment	<input type="radio"/> strongly agree <input type="radio"/> strongly disagree <input type="radio"/> disagree <input type="radio"/> undecided <input type="radio"/> agree

Knowledge

4. True or false?

Whether or not people get sexually transmitted infections (STIs) is just luck.	<input type="radio"/> True <input type="radio"/> False <input type="radio"/> Unsure of answer
You would know if you had an STI, without needing a test	<input type="radio"/> True <input type="radio"/> False <input type="radio"/> Unsure of answer
You can tell who is likely to have an STI	<input type="radio"/> True <input type="radio"/> False <input type="radio"/> Unsure of answer
You can have HIV and not know	<input type="radio"/> True <input type="radio"/> False <input type="radio"/> Unsure of answer
You can catch STIs from oral sex	<input type="radio"/> True <input type="radio"/> False <input type="radio"/> Unsure of answer
If you are in a relationship, you are safe from catching STIs	<input type="radio"/> True <input type="radio"/> False <input type="radio"/> Unsure of answer
You are less likely to catch an STI from someone you know	<input type="radio"/> True <input type="radio"/> False <input type="radio"/> Unsure of answer
Some STIs can't be treated	<input type="radio"/> True <input type="radio"/> False <input type="radio"/> Unsure of answer
With a condom on, the man should wait until the penis is soft before withdrawing after sex	<input type="radio"/> True <input type="radio"/> False <input type="radio"/> Unsure of answer
Baby oil or Vaseline is a good lubricant to use on a condom	<input type="radio"/> True <input type="radio"/> False <input type="radio"/> Unsure of answer

Standard sized condoms are suitable for all men

True False Unsure of answer

Levels:

True = 1

False = 0

Unsure = 2

Motivation

5. Thinking about situations when you will have sex in the future, which of the following best applies to you?

- I do not want to wear a condom
- I am not sure if I will want to wear a condom
- I might want to wear a condom
- I very much want to wear a condom

Intention

6. Which of the following best applies to you:

- I plan not to use condoms when I have sex
- I don't have any particular plans to use condoms when I have sex
- From now on I will try to use a condom as often as possible whenever I have sex
- From now on I will make sure I always use a condom whenever I have sex

Evaluation

7. Which of the following best applies to you?

- I think the disadvantages of using a condom are greater than the advantages
- I think there is little to choose between the advantages and disadvantages of using a condom
- I think the advantages of using a condom are a bit greater than the disadvantages
- I think the advantages of using a condom (e.g., protection against STIs and pregnancy) are always much greater than any disadvantages (e.g., reduced pleasure)

I think the disadvantages of using a condom are greater than the advantages

8. Do you agree or disagree with the following statements?

Condoms feel unnatural

strongly disagree disagree undecided agree

strongly agree

Condoms interrupt the mood

strongly disagree disagree undecided agree

strongly agree

Condoms don't feel good

strongly disagree disagree undecided agree

strongly agree

Condoms reduce the quality of the climax or orgasm

strongly disagree disagree undecided agree

strongly agree

Condoms are uncomfortable

strongly disagree disagree undecided agree

strongly agree

Condoms don't fit right

strongly disagree disagree undecided agree

strongly agree

I feel closer to my partner without a condom

strongly disagree disagree undecided agree

strongly agree

Using a condom helps me worry less during sex	<input type="radio"/> strongly disagree <input type="radio"/> disagree <input type="radio"/> undecided <input type="radio"/> agree <input type="radio"/> strongly agree
Using a condom helps my partner/s worry less during sex	<input type="radio"/> strongly disagree <input type="radio"/> disagree <input type="radio"/> undecided <input type="radio"/> agree <input type="radio"/> strongly agree
	Levels: strongly disagree = 1 disagree = 2 undecided = 3 agree = 4 strongly agree = 5

Communication

9. During the last 3 months, have you discussed the following things with partner(s)?

How to prevent pregnancy	<input type="radio"/> Yes <input type="radio"/> No
How to use condoms	<input type="radio"/> Yes <input type="radio"/> No
How to prevent STIs and HIV	<input type="radio"/> Yes <input type="radio"/> No
Your sex history	<input type="radio"/> Yes <input type="radio"/> No
Their sex history	<input type="radio"/> Yes <input type="radio"/> No

Identity

10. Do you agree or disagree with the following statements?

I feel I am a responsible person, which is why I use condoms	<input type="radio"/> strongly disagree <input type="radio"/> disagree <input type="radio"/> undecided <input type="radio"/> agree <input type="radio"/> strongly agree
I feel I am a spontaneous person, which is why I don't use condoms	<input type="radio"/> strongly disagree <input type="radio"/> disagree <input type="radio"/> undecided <input type="radio"/> agree <input type="radio"/> strongly agree
Using condoms is the woman's responsibility	<input type="radio"/> strongly disagree <input type="radio"/> disagree <input type="radio"/> undecided <input type="radio"/> agree <input type="radio"/> strongly agree
Condoms make me feel less of a man	<input type="radio"/> strongly disagree <input type="radio"/> disagree <input type="radio"/> undecided <input type="radio"/> agree <input type="radio"/> strongly agree
I use condoms because I am concerned about my health	<input type="radio"/> strongly disagree <input type="radio"/> disagree <input type="radio"/> undecided <input type="radio"/> agree <input type="radio"/> strongly agree
I use condoms because I am concerned about my partners health	<input type="radio"/> strongly disagree <input type="radio"/> disagree <input type="radio"/> undecided <input type="radio"/> agree <input type="radio"/> strongly agree

Getting a girl pregnant proves that I am a real man

- strongly disagree disagree undecided agree
 strongly agree

Your health

11. We'd like to know about your sexual well-being over the last 3 months. Please select the statements that best apply to you.

1. Sexual performance

- Your sexual performance is good
 Your sexual performance is adequate
 Your sexual performance is sometimes inadequate
 Your sexual performance is inadequate

2. Sexual relationship

- Your sexual relationship is never poor
 Your sexual relationship is rarely poor
 Your sexual relationship is sometimes poor
 Your sexual relationship is always poor

3. Sexual anxiety

- Thinking about your sex life you never feel anxious
 Thinking about your sex life you rarely feel anxious
 Thinking about your sex life you sometimes feel anxious
 Thinking about your sex life you always feel anxious

Under each heading, please tick the ONE box that best describes your health TODAY

12. Mobility (walking about)

- I have no problems walking about
 I have some problems walking about
 I have a lot of problems walking about

13. Looking after myself

- I have no problems washing or dressing myself
 I have some problems washing or dressing myself
 I have a lot of problems washing or dressing myself

14. Doing usual activities (for example, going to school, hobbies, sports, playing, doing things with family or friends)

- I have no problems doing my usual activities
 I have some problems doing my usual activities
 I have a lot of problems doing my usual activities

15. Having pain or discomfort

- I have no pain or discomfort
 I have some pain or discomfort
 I have a lot of pain or discomfort

16. Feeling worried, sad or unhappy

- I am not worried, sad or unhappy
 I am a bit worried, sad or unhappy
 I am very worried, sad or unhappy

17. We would like to know how good or bad your health is TODAY.

This line is numbered from 0 to 100.

100 means the best health you can imagine.

0 means the worst health you can imagine.

Please mark an X on the line that shows how good or bad your health is TODAY.

How good is your health TODAY

The best health you can imagine

100



0

The worst health you can imagine

18. Has being a part of this study had any good or bad effects on your life? Please explain how:

(Free text box)