

## Titration Pack Primary Packaging – Bottles

**GLINT TRIAL EudraCT No. 2012-005570-56**  
**Treatment Pack No. (T99999)**  
**Each tablet contains 500mg of Metformin or Placebo,**  
**28 tablets**

Directions for Use: Swallow up to three tablets a day with food as instructed by the GLINT trial site.  
FOR CLINICAL TRIAL USE ONLY. Keep out of reach of children. Store at room temperature

Batch Number: XXXXXX Expiry date: DD/MM/YYYY  
CI: Prof Simon Griffin, XXXX: Freephone XXXXX

## Titration Pack Secondary Packaging – Carton



### Titration Treatment Pack

**GLINT TRIAL EudraCT No. 2012-005570-56 Treatment Pack No. (T99999)**

This pack contains 9 bottles of 28 tablets sufficient for the first 16 weeks of treatment.  
Each tablet contains 500mg of Metformin XR or Placebo

Directions for Use as Instructed by the GLINT trial site:  
Swallow ONE tablet a day with food for the first four weeks (weeks 1-4)  
Swallow up to TWO tablets a day with food for the next four weeks (weeks 5-8)  
Swallow up to THREE tablets a day with food for the next 8 weeks (weeks 9-16)  
If any dose is missed, continue with treatment for next appropriate day.

**For Clinical Trial Use Only**  
**Store at room temperature**  
**KEEP OUT OF REACH OF CHILDREN**

Batch Number: XXXXXX ..... Expiry date: DD/MM/YYYY

Chief Investigator: Professor Simon Griffin, XXXX: Freephone XXXXX

## Maintenance Pack Primary Packaging – Bottles

**GLINT TRIAL EudraCT No. 2012-005570-56**  
**Treatment Pack No. (M99999)**  
**Each tablet contains 500mg of Metformin or Placebo,**  
**28 tablets**

Directions for Use: Swallow up to three tablets a day with food as instructed by the GLINT trial site.  
FOR CLINICAL TRIAL USE ONLY. Keep out of reach of children. Store at room temperature

Batch Number: XXXXXX Expiry date: DD/MM/YYYY  
CI: Prof Simon Griffin, XXXX Freephone XXXXX

# Maintenance Pack Secondary Packaging – Cartons



## Maintenance Treatment Pack

**GLINT TRIAL EudraCT No. 2012-005570-56 Treatment Pack No. (M99999)**

This pack contains 12 bottles of 28 tablets sufficient for the first 16 weeks of treatment. Each tablet contains 500mg of Metformin XR or Placebo

Directions for Use as Instructed by the GLINT trial site:

Swallow up to THREE tablets a day with food  
If any dose is missed, continue with treatment for next appropriate day.

**For Clinical Trial Use Only**  
**Store at room temperature**  
**KEEP OUT OF REACH OF CHILDREN**

Batch Number: XXXXXX ..... Expiry date: DD/MM/YYYY

Chief Investigator: Professor Simon Griffin, XXXX: Freephone XXXXX