

Delete this line, then print on Hospital/Trust headed paper

Graduated compression as an Adjunct to Pharmacoprophylaxis in Surgery (GAPS) Trial — GP Information

Dear
Prevention of venous thromboembolism (VTE) amongst individuals in hospital is a clinical priority and important for the prevention of avoidable morbidity and mortality. The Graduated compression as an Adjunct to Pharmacoprophylaxis in Surgery (GAPS) Trial is an NIHR HTA funded UK multicentre randomised trial commenced in 2016 to examine VTE rates at 90 days amongst elective surgical patients receiving either graduated elastic compression stockings and pharmacological thromboprophylaxis, or pharmacological thromboprophylaxis alone.
Your patient
Your patient will be monitored for VTE during their admission and until 90 days from the day of their surgery. We would be grateful if you could please inform us if you diagnose VTE during this time or if you become aware that the patient has had a diagnosis of VTE made

This letter is simply to inform you that your patient has joined the study and participation in the trial should not result in any significant extra work for you or your team. Further information regarding the study is available at XXXXXXXX. Please contact [LOCAL PI] or the Trial Manager if you require any further information.

Yours sincerely,

elsewhere.

GAPS Trial Contacts:

Tel: 020 3311 7320 Tel: XXXXXX

Section of Vascular Surgery, Imperial College London Charing Cross Hospital, Fulham Palace Road, London W6 8RF

Graduated compression as an Adjunct to Pharmacoprophylaxis in Surgery (GAPS) Trial This project is funded by the National Institute for Health Research HTA (project number 14/140/61

Version 1.0 **GP Information** 18/11/2015