

**Siemens ELF test - Assessment of between-site agreement – January 2016**

Site: **XXXXX**

Please assay the ten specimens provided in two separate runs following instructions provided by the manufacturer. Results for the ten specimens and for all IQC specimens included in the run should then be entered in the tables below. Please add any additional relevant information about either run.

**Results for Run 1.**

Date and time of run: \_\_\_\_\_

Specimen number	Result for each component of the test			ELF Score
	Hyaluronic acid (HA) ( $\mu\text{g/L}$ )	PIIINP ( $\mu\text{g/L}$ )	TIMP-1 ( $\mu\text{g/L}$ )	
E001				
E002				
E003				
E004				
E005				
E006				
E007				
E008				
E009				
E010				
Kit control 1				
Kit control 2				
Kit control 3				



Accredited EQA Scheme  
Reference No: 051

Site: **XXXXX**

Results for Run 2.

Date and time of run: \_\_\_\_\_

Specimen number	Result for each component of the test			
	Hyaluronic acid (HA) ( $\mu\text{g/L}$ )	PIIINP ( $\mu\text{g/L}$ )	TIMP-1 ( $\mu\text{g/L}$ )	ELF Score
E001				
E002				
E003				
E004				
E005				
E006				
E007				
E008				
E009				
E010				
Kit control 1				
Kit control 2				
Kit control 3				

Please enter any additional comments below and return your results sheets as soon as possible by e-mail to [ukneqas@ed.ac.uk](mailto:ukneqas@ed.ac.uk) or by fax to 0131 242 6882. Many thanks!



Accredited EQA Scheme  
Reference No: 051